

## HP Intel Core i7-3770S processor 3.1 GHz 8 MB L3 Tray

Brand: HP Product code: 689370-001

Product name: Intel Core i7-3770S

Thermal Monitoring Technologies

Intel® Core™ i7-3770S Processor (8M Cache, up to 3.90 GHz)

HP Intel Core i7-37705. Processor family: Intel® Core™ i7, Processor socket: LGA 1155 (Socket H2), Processor lithography: 22 nm. Memory channels: Dual-channel, Maximum internal memory supported by processor: 32 GB, Memory types supported by processor: DDR3-SDRAM. On-board graphics card model: Intel® HD Graphics 4000, On-board graphics card base frequency: 650 MHz, On-board graphics card dynamic frequency (max): 1150 MHz. PCI Express configurations: 1x16, 2x8, 1x8+2x4, Supported instruction sets: AVX, SSE4.1, SSE4.2, Thermal solution specification: PCG 2011C. Intel® Virtualization Technology (Intel® VT): VT-d, VT-x



Processor		Features	
Processor model * Processor base frequency * Processor family * Processor cores * Processor socket * Processor lithography * Processor threads	3rd gen Intel® Core™ i7 i7-3770S 3.1 GHz Intel® Core™ i7 4 LGA 1155 (Socket H2) 22 nm 8 5 GT/s	PCI Express slots version PCI Express configurations Supported instruction sets Embedded options available Thermal solution specification  Processor special features Intel® Anti-Theft Technology (Intel® AT) Intel® Hyper Threading Technology	3.0 1x16, 2x8, 1x8+2x4 AVX, SSE4.1, SSE4.2  X PCG 2011C
Processor operating modes * Processor boost frequency Processor cache	64-bit 3.9 GHz 8 MB	(Intel® HT Technology) Intel® Identity Protection Technology (Intel® IPT)	· ·
Processor cache type Thermal Design Power (TDP) Package type * Stepping	L3 65 W Tray E1	Intel® Turbo Boost Technology Intel® Quick Sync Video Technology Intel® InTru™ 3D Technology Intel® Wireless Display (Intel®	2.0
Memory bandwidth supported by processor (max)  Memory  Maximum internal memory	25.6 GB/s	WiDi) Intel FDI Technology Intel® Clear Video HD Technology (Intel® CVT HD)	* * * * * * * * * * * * * * * * * * *
supported by processor  Memory types supported by processor  Memory clock speeds supported by	32 GB DDR3-SDRAM 1333,1600 MHz	Intel® Insider™ Enhanced Intel SpeedStep Technology Intel Trusted Execution Technology	* *
processor Memory channels * ECC	Dual-channel	Intel VT-x with Extended Page Tables (EPT) Intel® Secure Key	<i>' '</i>
Graphics On-board graphics card * On-board graphics card model * On-board graphics card base frequency On-board graphics card dynamic	✓ Intel® HD Graphics 4000 650 MHz	Intel TSX-NI Intel Virtualization Technology (VT-x) Intel Virtualization Technology for Directed I/O (VT-d) Intel® vPro™ Platform Eligibility	×
frequency (max) Number of displays supported (onboard graphics)  Features	1150 MHz 3	Operational conditions Tcase Other features	69.1 °C
Execute Disable Bit Idle States	* *	Intel® Virtualization Technology (Intel® VT)	VT-d, VT-x

## Features

Maximum number of PCI Express lanes

16

