ASUS WS X299 SAGE/10G Intel® X299 LGA 2066 (Socket R4) SSI CFR

Brand: ASUS Product code: 90SW00H0-M0EAY0

Product name: WS X299 SAGE/10G

WS X299 SAGE/10G, Intel X299, LGA 2066, 8x DDR4 DIMM, 7x PCle 3.0 x16, 10G LAN, USB 3.1, U.2, M.2, CEB, 305x267 mm

ASUS WS X299 SAGE/10G. Processor manufacturer: Intel, Processor socket: LGA 2066 (Socket R4), Supported processor sockets: LGA 2066. Supported memory types: DDR4-SDRAM, Maximum internal memory: 512 GB, Memory channels: Quad-channel. Supported storage drive interfaces: SATA III, RAID levels: 0, 1, 5, 10. Parallel processing technology support: 4-Way CrossFireX, 4-Way SLI. Ethernet interface type: 10 Gigabit Ethernet, LAN controller: Intel® X550-AT2





| Processor | | Rear panel I/O ports | | | |
|--|---|---|---|--|--|
| Processor manufacturer * Processor socket * Supported processor sockets | Intel LGA 2066 (Socket R4) LGA 2066 | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1 | | |
| Memory | | Ethernet LAN (RJ-45) ports * | 2 | | |
| Supported memory types * Number of memory slots * | DDR4-SDRAM 8 | Network | | | |
| Memory channels ECC compatibility Supported memory clock speeds Maximum internal memory * | Quad-channel ECC & Non-ECC 2133,2400,2666 MHz 512 GB | Ethernet LAN Ethernet interface type LAN controller Wi-Fi * | ✓ 10 Gigabit Ethernet Intel® X550-AT2 × | | |
| Storage controllers | | Features | | | |
| Supported storage drive interfaces of RAID support RAID levels Graphics Parallel processing technology support * | SATA III 0, 1, 5, 10 4-Way CrossFireX, 4-Way SLI | Motherboard chipset * Audio chip Audio output channels * Product colour Component for * Motherboard form factor * | Intel® X299 Realtek ALC S1220A 7.1 channels Black Workstation SSI CEB | | |
| Internal I/O | | Motherboard chipset family * Certification | Intel CE | | |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 1 | Expansion slots | | | |
| USB 3.2 Gen 2 (3.1 Gen 2) connectors * | 1 | PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots | 7 2 | | |
| Number of SATA III connectors * | 8 | BIOS | | | |
| ATX Power connector (24-pin) Number of EATX power connectors | 1 | BIOS type * Clear CMOS button | UEFI ✓ | | |
| CPU fan connector Number of chassis fan connectors | | | Operational conditions | | |
| | | | | | |

| al I/O | | Operational conditions | |
|---|---------------|---|---------------------------|
| er connector (8-pin) of COM connectors | 7 1 | Storage temperature (T-T) Operating temperature (T-T) | -40 - 70 °C 10 - 35 °C |
| nnector | ✓ | Operating relative humidity (H-H) | 20 - 90% |
| anel I/O ports | | Logistics data | |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4 | Harmonized System (HS) code | 84733020 |
| | | Weight & dimensions | |
| | | Width | 305 mm |
| | | Depth | 267 mm |
| | | Height | 287 mm |
| | | Packaging content | |
| | | Cables included | SATA |
| | | Other features | |
| | | Weight | 2.2 kg |





753459461204

0753459461204



4712900952001

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.