PHILIPS

Philips V Line Full HD LCD monitor 243V7QDSB/00

Brand : Philips Product family: V Line Product code: 243V7QDSB/00

Product name : Full HD LCD monitor 243V7QDSB/00

243V7QDSB Full HD LCD monitor

Philips V Line Full HD LCD monitor 243V7QDSB/00:

A perfect all around display with stunning images that stretch from edge-to edge, made easy on the eyes, in a compact slim design.

Philips V Line Full HD LCD monitor 243V7QDSB/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920×1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . VESA mounting. Product colour: Black





Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Height adjustment *	×
Display resolution *	1920 x 1080 pixels	Tilt adjustment	✓
HD type *	Full HD	Tilt angle range	-5 - 20°
Native aspect ratio *	16:9	On Screen Display (OSD)	/
Display technology *	LED	, , ,	Simplified Chinese, Traditional
Panel type *	IPS		Chinese, Czech, German, Dutch,
Backlight type	W-LED	On Screen Display (OSD) languages	English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese,
Touchscreen *	×		Korean, Polish, Portuguese, Russian,
Display brightness (typical)	250 cd/m ²		Swedish, Turkish, Ukrainian
Response time *	4 ms	Number of OSD languages	21
Display surface	Matt	Plug and Play	✓
Anti-glare screen	✓	LED indicators	Operation, Stand-by
Screen shape *	Flat	Power	
Supported graphics resolutions	1920 x 1080 (HD 1080)	Energy efficiency class (SDR) *	E
Aspect ratio	16:9	Energy consumption (SDR) per 1000	
Contrast ratio (typical) *	1000:1	hours *	¹ 18 kWh
Contrast ratio (dynamic)	10000000:1	Power consumption (typical) *	14.13 W
Dynamic contrast ratio marketing name	SmartContrast	Power consumption (standby) *	0.5 W
Maximum refresh rate *	75 Hz	Power consumption (max)	21 W
Viewing angle, horizontal	178°	Power consumption (off)	0.5 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50 - 60 Hz
Pixel pitch	0.275 x 0.275 mm	Power supply type	Internal
Pixel density	93 ppi	Energy efficiency scale	A to G
Horizontal scan range	30 - 83 kHz	European Product Registry for	401644
Vertical scan range	56 - 76 Hz	Energy Labelling (EPREL) code	
Viewable size, horizontal	52.7 cm	Operational conditions	
Viewable size, vertical	29.6 cm	Operating temperature (T-T)	0 - 40 °C
Digital horizontal frequency	30 - 83 kHz	Storage temperature (T-T)	-20 - 60 °C
Digital vertical frequency	56 - 76 Hz	Operating relative humidity (H-H)	20 - 80%
Sync-on-green (SOG)	✓	Operating altitude	0 - 3658 m
		Non-operating altitude	0 - 12192 m

Display diagonal (metric) 60.5 cm Width (with stand) 540 mm DODCCI ✓ Depth (with stand) 259 mm Haze rale 25% Helight (with stand) 415 mm Surface hardness 3H Weight (with stand) 3.5 kg Colour gamut standard 8RGB Width (without stand) 3.5 mm 3D X Height (without stand) 3.25 mm Separate H/V sync ✓ Weight (without stand) 3.25 mm Display sRGB ✓ Package width 588 mm Performance Separate sync, Sync-on-green (SOG) Package width 588 mm Component video sync Separate sync, Sync-on-green (SOG) Package weight 115 mm Component video sync Separate sync, Sync-on-green (SOG) Package weight 4.62 kg Component video sync Separate sync, Sync-on-green (SOG) Package height 4.62 kg Component video sync Separate sync, Sync-on-green (SOG) Package height 4.62 kg Weight & William stand Verificate stand 4.62 kg Component style				
DDCICI Y Depth (with stand) 415 mm Haze rate 25% Height (with stand) 415 mm Surface hardness 3H Weight (with stand) 3.5 kg Colour gamut standard \$RGB Width (without stand) 45 mm Separate H/V sync Y Weight (without stand) 3.1 kg Display sRGB Y Package width 3.3 kg Performance Package width 588 mm Component video sync Separate sync, Sync-on-green (SOG) Package width 458 mm Flicker-free technology Y Package weight 45 mm Low Blue Light technology Y Package weight 465 mm Will-in speaker(s)* X Stand included HIDMI, AC Built-in speaker(s)* X Stand included HIDMI, AC Built-in speaker(s)* X Sustainability Market positioning* Home Sustainability Market positioning* Black Doesn't contain Nercury, PVC/BFR Protta Calour* Black Doesn't con	Display		Weight & dimensions	
Performance Package width (SOG) 588 mm Component video sync (SOG) Separate sync, Sync-on-green (SOG) Package deght (115 mm) 115 mm Flicker-free technology ✓ Package height (ASD) 465 mm Low Blue Light technology ✓ Package weight (ASD) 482 kg Multimedia Built-in speaker(s)* X Cables included (ADM), AC HDMI, AC Built-in camera * X Manual (ADM), AC AC Design HOme Sustainability certificates (ADM), AC ENERGY STAR, TCO (ADM), AC Market positioning * Home Sustainability certificates (ADM), AC Mercury, PVC/BFR Product colour * Black (ADM) Desn't contain (ADM), AC Mercury, PVC/BFR Freet colour (ADM) Black (ADM) On/off switch (ADM) ✓ Ports & interfaces X Exercing finish type (ADM) Textured Built-in USB hub * X Recommended resolution (ADM) 1920 x 1080 @ 60 Hz VGA (D-Sub) ports quantity (ADM) 1 Regulatory Approvals (ADM) Textured	DDC/CI Haze rate Surface hardness Colour gamut standard 3D Separate H/V sync	✓ 25% 3H sRGB ×	Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	209 mm 415 mm 3.5 kg 540 mm 45 mm 325 mm
Package width 588 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 150 mm 1		•	Packaging data	
Stand included ✓ Built-in speaker(s)* X Cables included HDMI, AC Built-in camera* X Manual ✓ Design Sustainability Market positioning * Home Sustainability certificates ENERGY STAR, TCO Product colour * Black Doesn't contain Mercury, PVC/BFR Front bezel colour Black On/off switch ✓ Feet colour Black On/off switch ✓ Feet colour Black On/off switch ✓ Ports & interfaces TV tuner integrated X Built-in USB hub * X Exterior finish type Textured Built-in USB hub * X Recommended resolution 1920 x 1080 @ 60 Hz VGA (D-Sub) ports quantity 1 Recyclable packaging material 100% DVI-D ports quantity 1 URRAINIAN; CETLus; CB; TUV/SO99241-307; SEMKO; CU-EAC; EAC; CBCP; Audio input X HDMI ports quantity 1 Regulatory Approvals EAEU RoHS; RCM; CE Mark; FCC Class B; ICES-003; VCCI; KCC; CECP; TUV Cert. — blue light cut-off Audio output X LowBlue mode	Component video sync Flicker-free technology	(SOG) ✓	Package depth Package height Package weight	115 mm 465 mm
Built-in speaker(s) * X Manual	Multimedia			J
Market positioning * Home Sustainability certificates Product colour * Black Doesn't contain Mercury, PVC/BFR Front bezel colour Black Other features Detachable stand			Cables included	HDMI, AC
Product colour * Black Doesn't contain Mercury, PVC/BFR Front bezel colour Black Detachable stand ✓ Other features Protts & interfaces Built-in USB hub * X Recommended resolution Picture enhancement SmartImage DVI port	Design		Sustainability	
Feet colour Black On/off switch TV tuner integrated Exterior finish type Exterior finish type Textured Recommended resolution 1920 x 1080 @ 60 Hz Feet Colour TV tuner integrated Exterior finish type Recommended resolution 1920 x 1080 @ 60 Hz Ficture enhancement Finish type Recommended resolution 1920 x 1080 @ 60 Hz Ficture enhancement Finish type Recommended resolution 1920 x 1080 @ 60 Hz Finish type Finish type Finish type Textured Recommended resolution 1920 x 1080 @ 60 Hz Finish type Finish type Finish type Finish type Textured Recommended resolution 1920 x 1080 @ 60 Hz Finish type Finish type Finish type Feet colour Finish type Textured Feet colour 1920 x 1080 @ 60 Hz Finish type Finish type Feet colour 1920 x 1080 @ 60 Hz Finish type Feet colour 1920 x 1080 @ 60 Hz Finish type Feet colour 1920 x 1080 @ 60 Hz Feet colour 100% UKRAINIAN; cETLus; CB; TUV/ISO9241-307; SEMKO, CU-EAC, EAC, EAC, EAC, EAC, EAC, EAC, EAC,	Product colour *	Black	Doesn't contain	,
Ports & interfaces Exterior finish type Exterior finish type Exterior finish type Textured Built-in USB hub* VGA (D-Sub) ports quantity DVI port DVI-D ports quantity DVI-D ports quantity I HDMI* HOMI ports quantity I Recyclable packaging material I UKRAINIAN; cETLus; CB; TUV/ISO9241-307; SEMKO; CU-EAC; EAEU ROHS, RCM; CE Mark; FCC Class B; ICES-003; VCCI; KCC, CECP; TUV Cert. — blue light cut-off Headynone out * HC power) in Fregonomics VESA mounting * VESA mounting * VESA mounting interface Lougistics data TV tuner integrated X Exterior finish type Textured 1920 x 1080 @ 60 Hz Tourion 1920 x 1080 @ 60 Hz Tourion 1920 x 1080 @ 60 Hz Textured 100% Packing 1920 x 1080 @ 60 Hz Tourion 4 Decompting 100% Tourion 4 Decompting 100% Textured Textured Textured Textured Textured 100 x 1080 @ 60 Hz Tourion 2010 x 1080 @ 60 Hz Tourion 3 packing andreial Tourion 4 packing andreial Tourion 5 packing andreial Tourion 4 packing andreial Tourion 4 packi	Detachable stand	✓		
Built-in USB hub * X Recommended resolution 1920 x 1080 @ 60 Hz VGA (D-Sub) ports quantity 1 Picture enhancement SmartImage DVI port	Feet colour	Black		
Built-in USB hub * X VGA (D-Sub) ports quantity 1 Picture enhancement SmartImage DVI port	Ports & interfaces		-	
Headphone out * X LowBlue mode Compliance certificates RoHS AC (power) in Mean time between failures (MTBF) Figonomics VESA mounting * Panel mounting interface Cable lock slot * LowBlue mode Compliance certificates Mean time between failures (MTBF) UKRAINIAN, cETLus, CB, TUV/ISO9241-307, SEMKO, CU-EAC, EAEU RoHS, RCM, CE Mark, FCC Class B, ICES-003, VCCI, KCC, CECP, TUV Cert. — blue light cut-off Logistics data	VGA (D-Sub) ports quantity DVI port DVI-D ports quantity HDMI * HDMI ports quantity Audio input	1 / 1 / 1	Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals	1920 x 1080 @ 60 Hz SmartImage 100% UKRAINIAN; cETLus; CB; TUV/ISO9241-307; SEMKO; CU-EAC; EAEU RoHS; RCM; CE Mark; FCC Class B; ICES-003; VCCI; KCC; CECP; TUV Cert. — blue light cut-off
HDCP AC (power) in Fregonomics VESA mounting * Panel mounting interface Compliance certificates Mean time between failures (MTBF) UKRAINIAN, cETLus, CB, TUV/ISO9241-307, SEMKO, CU-EAC, EAEU ROHS, RCM, CE Mark, FCC Class B, ICES-003, VCCI, KCC, CECP, TUV Cert. — blue light cut-off Logistics data	·	•	•	· · · · · ·
AC (power) in Frgonomics VESA mounting * Panel mounting interface Cable lock slot * Mean time between failures (MTBF) Formula Mean time between failures (MTBF) UKRAINIAN, cETLus, CB, TUV/ISO9241-307, SEMKO, CU-EAC, EAEU RoHS, RCM, CE Mark, FCC Class B, ICES-003, VCCI, KCC, CECP, TUV Cert. — blue light cut-off Logistics data		X		
Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Certification Certification Certification Certification Certification Certification Certification Certification EAEU RoHS, RCM, CE Mark, FCC Class B, ICES-003, VCCI, KCC, CECP, TUV Cert. — blue light cut-off Logistics data		v	•	
Cable lock slot * Logistics data	Ergonomics VESA mounting *		Certification	TUV/ISO9241-307, SEMKO, CU-EAC, EAEU ROHS, RCM, CE Mark, FCC Class B, ICES-003, VCCI, KCC, CECP,
	•		Logistics data	J
		Kensington	-	85285210





8712581742331

4058154211182

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.