

## HP LaserJet Enterprise M406dn Black and white Printer, Ethernet Only; Duplex

Brand : HP Product family: LaserJet Product code: 3PZ15A

Enterprise

**Product name :** LaserJet Enterprise M406dn Black and white Printer, Ethernet Only; Duplex




- Compact Size; Strong Security; Two-sided printing; Energy Efficient; Front-facing USB printing
- Print
- Up to 40 ppm (black)
- Up to 1200 x 1200 dpi LaserJet Enterprise M406dn

HP LaserJet Enterprise M406dn Black and white Printer, Ethernet Only; Duplex:

HP JetIntelligence Cartridge

Paper tray 1 input capacity

100 sheets



Printing		Design	
Duplex printing mode Print resolution black Colour * Print technology * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	Auto 1200 x 1200 DPI	Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ El 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
Warm-up time	176 s	Power	
Time to first page (black, normal) Watermark printing Secure printing	6.5 s ✓	Power consumption (printing) * Power consumption (max) Power consumption (ready)	531 W 531 W 8.1 W
Features		Power consumption (PowerSave)	0.07 W
Maximum duty cycle * Recommended duty cycle Printing colours *	100000 pages per month 900 - 4800 pages per month Black	Power consumption (off) Energy Star Typical Electricity Consumption (TEC) AC input voltage	0.07 W 0.462 kWh/week 110 - 240 V
Number of print cartridges *	1	AC input frequency	50/60 Hz
Page description languages * Printer fonts	PCL 5, PCL 6, PDF 1.7, PostScript 3 PostScript, Scalable, TrueType, Windows China, Japan, Mexico, Philippines,	System requirements Windows operating systems supported	Windows 10, Windows 8, Windows 11, Windows 8.1, Windows 7
Country of origin  Replacement cartridges	China, Japan, Mexico, Philippines, Thailand, Vietnam HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A; HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X	Mac operating systems supported Other operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.15 Catalina, Mac OS X 10.12 Sierra Android, iOS
		Operational conditions	
HP segment	Business	Operating temperature (T-T)	15 - 32.5 °C
Input & output capacity		Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 40 °C 10 - 90%
Total number of input trays *	2		10 3070
Total input capacity *	350 sheets	Sustainability	
Total output capacity *	150 sheets	Sustainability compliance	✓

Input & output capacity		Sustainability	
Paper tray 2 input capacity  Maximum number of input trays	250 sheets	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Maximum input capacity	900 sheets	Sustainable technologies and materials	Mercury-free
Maximum output capacity	150 sheets	Doesn't contain	Mercury
Paper handling		Carbon footprint	
Maximum ISO A-series paper size *	A4  Pand paper Envalones Heavy	Total carbon footprint (kg of CO2e)	120
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Letterhead, Plain paper, Recycled paper, Rough paper, Thick paper	Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of	75
ISO A-series sizes (A0A9) *	A4, A5, A6	CO2e)	3
ISO B-series sizes (B0B9)	B5	Carbon emissions, end-of-life (kg of	11
ISO C-series sizes (C0C9)	C5, C6	CO2e) Total carbon emissions, w/o use	
Non-ISO print media sizes	16K	phase (kg of CO2e)	28
JIS B-series sizes (B0B9)	B5, B6	Weight & dimensions	
Envelopes sizes Photo paper sizes	B5, C5, C6, DL 10x15 cm	Width	381 mm
Photo paper sizes (imperial)	3x5,4x6,5x7,5x8	Depth	357 mm
Custom media width	76 - 216 mm	Height	220 mm
Custom media length Paper tray media weight	127 - 356 mm 60 - 200 g/m²	Pallet dimensions (W x D x H) Weight	1200 x 1000 x 2471 mm 8.5 kg
Ports & interfaces	-	Packaging data	
Direct printing *	×	Package width	443 mm
USB port *	^ /	Package depth	278 mm
USB 2.0 ports quantity	2	Package height	464 mm
Network	<del>-</del>	Package weight	11.4 kg
		Packaging content	
Network ready	<b>✓</b>	Cartridge(s) included	✓
Wi-Fi *	X	Included cartridge capacity (black)	3000 pages
Ethernet LAN * Cabling technology	10/100/1000Paca T(V)	Cables included	AC
Ethernet LAN data rates	10/100/1000Base-T(X) 10,100,1000 Mbit/s	Brand-specific features	
Security algorithms	EAP-PEAP, EAP-TLS, FIPS 140,	HP ePrint	✓
Security algorithms	HTTPS, IPSec, SNMPv3, SSL/TLS	HP Web Jetadmin	✓
Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service	HP Auto-On/Auto-Off	✓
Performance		HP Dynamic security	✓
Internal memory * Maximum internal memory Internal storage capacity Built-in processor	1024 MB 1024 MB 4 GB	HP Management tools	HP Printer Assistant, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin) (ABT) 193905233199; (ABY)
Processor frequency Sound pressure level (printing) Sound power level (printing)	800 MHz 54 dB 6.5 dB	HP GTIN (EAN/UPC) with options	193905233205; (ACQ) 193905233212; (B13) 193905481576; (B19) 193905205998; (BAZ) 193905233229
Design Market positioning *	Pusiposs	LID CTIN (FAN (LID C)	193905233199, 193905233205,
Market positioning *  Product colour *	Business White	HP GTIN (EAN/UPC)	193905233212, 193905481576, 193905205998, 193905233229
Built-in display *	✓	Logistics data	
Display	LCD	Pallet gross weight	532 kg
Colour display	<b>✓</b>	Layers per pallet	4 pc(s)
Display diagonal	6.86 cm (2.7")	Products per pallet	36 pc(s)
Control type	Buttons	Technical details  Master (outer) cases per pallet layer 9 pc(s)	·
		General Product Safety Regulation https://support.hp.com/gb-en/product/setup-user-gui https://kaas.hpcloud.hp.com/pdf-public/pdf_296816	des/hp-laserjet-enterprise-m406-series/model/227322077sku=3P215A6serialnumber=3P215/ 5_en-US-1.pdf
		Other features	
		Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser.
		Recommended humidity operating range	30 - 70%

## Other features

Pallet dimensions (W x D x H)

(imperial)


Pallet weight (imperial)


Manufacturer warranty

1198.9 x 1000.8 x 2471.4 mm (47.2 x 39.4 x 97.3")

532 kg (1172.9 lbs)

One-year, On-site Repair 24-hour / 7 day a week phone support












































Disclaimed. The information published here (this "information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "As IS" and without guarantee of correctness or completeness. The Information is provided "As IS" and without guarantee of correctness or completeness. The Information of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party 0.150.30 (150.6) Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.