



HP E27d G4 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD Black

Brand : HP

Product code: 6PA56AA

Product name : E27d G4

68.58 cm (27"), QHD (2560 x 1440), 16:9, 300 cd/m², 1000:1 static, 5000000:1 dynamic, 5 ms gray to gray

HP E27d G4 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD Black:

Create the perfect productivity hub

Inspire joy on your desk with the clean connectivity of the HP E27d G4 QHD Advanced Docking Monitor. Add your everyday accessories at the display, then add your PC with just one USB-C™^[1] cable. Empower IT to remotely manage HP devices from anywhere on the network through RJ-45.^[2,3]

HP E27d G4. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone out *	✗
Display resolution *	2560 x 1440 pixels	HDCP	✓
HD type *	Quad HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Height adjustment *	✓
Display brightness (typical)	300 cd/m ²	Adjustable height (max)	15 cm
Response time *	5 ms	Pivot	✓
Screen shape *	Flat	Pivot angle	-90 - 90°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2550 x 1440, 2560 x 1080	Swivelling	✓
		Swivel angle range	-30 - 30°
		Tilt adjustment	✓
		Tilt angle range	-5 - 20°
		On Screen Display (OSD)	✓
Contrast ratio (typical) *	1000:1	Number of OSD languages	10
Contrast ratio (dynamic)	5000000:1	Plug and Play	✓
Maximum refresh rate *	80 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	F
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	26 kWh
Pixel pitch	0.233 x 0.233 mm	Power consumption (typical) *	80 W
Horizontal scan range	30 - 90 kHz	Power consumption (standby) *	0.5 W
Vertical scan range	48 - 75 Hz	Power consumption (max)	175 W
Viewable size, horizontal	59.7 cm	Energy efficiency scale	A+++ to D
Viewable size, vertical	33.6 cm	European Product Registry for Energy Labelling (EPREL) code	298054
Colour gamut standard	sRGB	Operational conditions	
Colour gamut	99%	Operating temperature (T-T)	5 - 35 °C
3D	✗	Weight & dimensions	
Performance		Width (with stand)	613.6 mm
NVIDIA G-SYNC *	✗	Depth (with stand)	215.6 mm
AMD FreeSync *	✗	Height (with stand)	525.9 mm
HP segment	Business		
Multimedia			
Built-in speaker(s) *	✗		

Multimedia		Weight & dimensions	
Built-in microphone	✓	Weight (with stand)	8.2 kg
Built-in camera *	✗	Width (without stand)	613.6 mm
Design		Depth (without stand)	48.5 mm
Market positioning *	Business	Height (without stand)	366 mm
Product colour *	Black	Weight (without stand)	5.5 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	696 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package depth	275 mm
USB upstream port type	USB Type-C	Package height	469 mm
Number of upstream ports	1	Package weight	13.3 kg
Number of USB Type-C upstream ports quantity	1	Packaging content	
USB Type-A downstream ports quantity	4	Cables included	DisplayPort, HDMI, USB
USB Type-C downstream ports quantity	1	Other features	
USB Type-C DisplayPort Alternate Mode	✓	Country of origin	China
DVI port	✗	AC adapter included	✓
HDMI *	✓	TV tuner integrated	✗
HDMI version	1.4	Energy efficiency class (old)	A
DisplayPorts quantity	2	Logistics data	
Audio input	✗	Harmonized System (HS) code	85285210



0193808615412



193808615412



0193808615351




193808615351



0193808615306



193808615306



0193808615368



193808615368



0193808615337



193808615337



0193808615290



193808615290



0193808615467



193808615467



0193808615313



193808615313



0193808615429



193808615429



0193808615375



193808615375



0193808615320



193808615320



0193808615382



193808615382



0193808615436




193808615436



0193808615344



193808615344



0193808615443



193808615443



0193808615405



193808615405



0193808615450



193808615450



0194850497278



194850497278

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided 'AS IS' and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.