

## **HP Color LaserJet Pro LaserJet Pro M479fnw Wireless Multifunction Color Printer, Copier, Scanner**

Brand : HP Product family: Color LaserJet Product code: W1A78A

Pro

**Product name :** LaserJet Pro M479fnw Wireless Multifunction Color Printer, Copier, Scanner

- Scan to email/PDF; 50-sheet uncurled ADF
- Print, copy, scan, fax, email
- Print speed up to 28 ppm (black) and 28 ppm (colour)
- 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi

Color LaserJet Pro MFP M479fnw

HP Color LaserJet Pro LaserJet Pro M479fnw Wireless Multifunction Color Printer, Copier, Scanner:

HP JetIntelligence Cartridge

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.





Printing		Ports & interfaces	
Duplex printing mode Print resolution colour Print resolution black	Manual 600 x 600 DPI 600 x 600 DPI	Direct printing * USB port USB 2.0 ports quantity	✓ ✓ 1
Print technology *	Laser Colour printing	Network	
Printing *  Duplex printing *	✓	Wi-Fi *	✓
Maximum resolution *	600 x 600 DPI	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	27 ppm	Cabling technology Ethernet LAN data rates	10/100/1000Base-T(X) 10,100,1000 Mbit/s
Print speed (colour, normal quality, A4/US Letter)	27 ppm	Wi-Fi Direct	<b>✓</b>
Warm-up time Time to first page (black, normal)	45 s 9.5 s	Security algorithms	AES, EAP-TLS, HTTPS, IPPS, PEAP, SNMPv2, SNMPv3, SSL/TLS, TKIP, WEP, WPA, WPA2-Enterprise
Time to first page (colour, normal) Print margin top (min)	11.3 s 4.23 mm	Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service
Print margin bottom (min)	4.23 mm	Performance	
Print margin left (min) Print margin right (min) N-in-1 print function	4.23 mm 4.23 mm	Maximum internal memory Internal memory * Built-in processor	512 MB 512 MB
Secure printing	✓	Processor frequency	1200 MHz
Copying		Sound pressure level (printing)	49 dB
Duplex copying *	✓	Sound pressure level (scanning)	48 dB
Copying *	Colour copying	Sound power level (printing)	6.3 dB
Maximum copy resolution *	600 x 600 DPI	Design	
Copy speed (black, normal quality, A4)	27 cpm	Product colour *  Market positioning *	Grey, White Business
Copy speed (colour, normal quality, A4)	27 cpm	Built-in display * Display	✓ CGD

Copying		Design	
Time to first copy (black, normal)	9.5 s	Display diagonal	10.9 cm (4.3")
Time to first copy (colour, normal)	11.1 s	Touchscreen	✓
Maximum number of copies	999 copies	Control type	Touch
Copier resize	25 - 400%	Colour display	<b>✓</b>
ID-card copy function	✓		
Auto fit function	<b>✓</b>	Power	
Scanning		Power consumption (average operating)	550 W
Duplex scanning *	<b>✓</b>	Power consumption (PowerSave)	0.06 W
Duplex scanning mode	Auto	Power consumption (printing)	550 W
Scanning *	Colour scanning	Power consumption (ready)	20 W
Optical scanning resolution *	1200 x 1200 DPI	Power consumption (sleep)	0.7 W
Maximum scan resolution	1200 x 1200 DPI	Power consumption (off)	0.06 W
Maximum scan area	216 x 297 mm	Energy Star Typical Electricity	0.358 kWh/week
Scanner type *	Flatbed & ADF scanner	Consumption (TEC)	
Scan technology	CIS	AC input voltage	110 - 240 V
Scan to	E-mail, Software, TWAIN, WIA, File	AC input frequency	50/60 Hz
Scan speed (colour)	20 ppm	Brand-specific features	
Scan speed (black)	29 ppm	HP ePrint	✓
Image formats supported	JPG, TIFF	HP Auto-On/Auto-Off	1
Document formats supported	PDF	HP Dynamic security	·
Input colour depth	30 bit	in Dynamic Security	HP Printer Assistant, HP Utility
Greyscale levels	256		(Mac), HP Device Toolbox, HP Web
Scan drivers	TWAIN, WIA		JetAdmin Software, HP JetAdvantage
Eav		HP Management tools	Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent,
Fax			Printer Administrator Resource Kit
Faxing *	Colour faxing		for HP Universal Print Driver
Fax resolution (black)	300 x 300 DPI		(ABT) 192018996649; (ABY)
Fax transmission speed	3 sec/page		192018996656; (ACQ) 192018996663; (B13)
Modem speed	33.6 Kbit/s	HP GTIN (EAN/UPC) with options	192018996670; (B19)
Fax memory	400 pages		192018996687; (BAZ)
Auto-redialing	<b>✓</b>		192018996694
Speed dialling	✓	HP GTIN (EAN/UPC)	192018996649, 192018996656, 192018996663, 192018996670,
Fax speed dialing (max numbers)	120	111 3111 (2/114/31 3/	192018996687, 192018996694
Fax forwarding	✓	System requirements	
Fax broadcasting	119 locations		Windows 10 Windows 9 Windows
Fax delayed sending	✓	Windows operating systems supported	Windows 10, Windows 8, Windows 11, Windows 8.1, Windows 7
Auto reduction	✓		Mac OS X 10.14 Mojave, Mac OS X
Factures		Mac operating systems supported	10.13 High Sierra, Mac OS X 10.12
Features			Sierra
Recommended duty cycle	750 - 4000 pages per month	Other operating systems supported	Android, iOS
Maximum duty cycle *	50000 pages per month	Operational conditions	
Duplex functions *	Сору	Operating relative humidity (H-H)	20 - 70%
Digital sender	•	Storage temperature (T-T)	-20 - 40 °C
Number of print cartridges *	4	Operating temperature (T-T)	10 - 32.5 °C
Printing colours *	Black, Cyan, Magenta, Yellow PCL 5e, PCL 6, PostScript 3, URF,	Certificates	
Page description languages	PWG, PDF		CISPR 32:2012/EN 55032:2012 -
Printer fonts	Scalable, TrueType		Class B, CISPR 32:2015/EN
All-In-One-multitasking	✓		55032:2015 - Class B, EN
Country of origin	China	Certification	61000-3-2:2014, EN 61000-3-3:2013, EN
ocunary or origin	J		55024:2010+A1:2015, FCC Title 47
			CFR, Part 15 Class B / ICES-003,
		Sustainability	Issue 6
		•	
		Sustainable technologies and materials	Mercury free
		Doesn't contain	Mercury
			,
		Carbon footprint	100
		Total carbon footprint (kg of CO2e)	190

HP 415A Black Laserjet Toner Cartridge (2,400 pages) W2030A; HP 415A (200 pages) W2030	Features		Carbon footprint	
Cartridge (2,400 pages) W2030A;		Cartridge (2,400 pages) W2030A; HP 415A Cyan LaserJet Toner Cartridge (2,100 pages) W2031A; HP 415A Yellow LaserJet Toner Cartridge (2,100 pages) W2032A; HP 415A Magenta LaserJet Toner Cartridge (2,100 pages) W2033A; HP 415x Black LaserJet Toner Cartridge (7,500 pages) W2030X;	·	146
Cartridge (2,100 pages) W2031A;			(kg of CO2e)	140
Replacement cartridges         Cartridge (2,100 pages) W2032A; H9 415A Magenta Laserglet noner Cartridge (2,100 pages) W2033A; H9 415X vgn Laserglet noner Cartridge (7,500 pages) W2030X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge (6,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (4,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (4,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2032X; H9 415X vgn Laserglet noner Cartridge Capacity (5,000 pages) W2				8
Page				27
Might dimensions				12
HP 415x Yellow Laserjet Toner			Weight & dimensions	
Cartridge (6,000 pages) W2033X, Height 1 mm			Width	416 mm
HP 415x Magenta Laserjet Tone Cartridge (6,000 pages) W2033X   Wight			Depth	461 mm
Packagin data   Packagin depth   Packagi		HP 415x Magenta LaserJet Toner	Height	400 mm
Package width			Weight	22.6 kg
Total number of input trays* 2 Total number of input trays* 3 Total number of input capacity 4 Total input capacity 5 Total number of input capacity 5 To sheets 7 Total number of input capacity 5 Total number of input capacity 6 Total number of input capacity 7 Total number of input capacity 6 Total nu		Business	Packaging data	
Total input capacity   200 sheets   200 sheets   26.2 kg   26.2	Input & output capacity		Package width	597 mm
Total output capacity 150 sheets	Total number of input trays *	2	Package depth	497 mm
Total output capacity 50 sheets 50 sheets 79 per tray 1 input capacity 50 sheets 79 per tray 2 input capacity 50 sheets 70 she	Total input capacity *	300 sheets		490 mm
Paper tray 1 input capacity         50 sheets         Packaging content           Paper tray 2 input capacity         250 sheets         Cartridge(s) included         ✓           Multi-Purpose tray         50 sheets         Included cartridge capacity (black)         2400 pages           Auto document feeder (ADF)         ✓         Cables included         AC, USB           Auto document feeder (ADF) input capacity         50 sheets         Warranty card         ✓           Maximum number of input trays         850 sheets         Harmonized System (HS) code         8443310000           Maximum output capacity         150 sheets         Harmonized System (HS) code         8443310000           Paper handling         Facuate facuation         8443310000           Maximum ISO A-series paper size*         A4         Saccase (AD, AD, AD, AD, AD, AD, AD, AD, AD, AD,	Total output capacity *	150 sheets		26.2 kg
Multi-Purpose tray Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input capacity Maximum number of input trays Maximum number of input trays Maximum number of input trays Maximum output capacity Maximum output capacity Maximum output capacity Maximum Output capacity Maximum ISO A-Series paper size Maximum ISO A-Series paper size Maximum ISO A-series sizes (A0A9) A4, A5, A6 Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper Mon-So Print media sizes Mon-ISO Print media sizes Mon-ISO print media sizes Mon-ISO paper sizes Maximum Mondal length Mon-ISO paper sizes Mon-ISO pap	Paper tray 1 input capacity	50 sheets	3 3	5
Multi-Purpose tray input capacity  Multi-Purpose tray input capacity  Auto document feeder (ADF)    Auto document feeder (ADF) input capacity  Maximum number of input trays  Maximum number of input trays  Maximum output capacity  Maximum output capacity  Maximum output capacity  Maximum ISO A-series paper size  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (C0C9)  Non-ISO print media sizes  Non-ISO Print media sizes  Non-ISO print media sizes  Non-ISO paper sizes  Non	Paper tray 2 input capacity	250 sheets		
Auto document feeder (ADF)   V   Cables included cartridge capacity (CMY)   1200 pages   AC, USB   Auto document feeder (ADF) input capacity   S0 sheets   Warranty card   V   Maximum number of input trays   3   Maximum input capacity   850 sheets   Harmonized System (HS) code   8443310000   Maximum output capacity   150 sheets   Harmonized System (HS) code   8443310000   Maximum ISO A-series paper size   A4   Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper   ISO A-series sizes (A0A9) *   A4, A5, A6   ISO B-series sizes (B0B9)   B5   ISO C-series sizes (COC9)   C5   Non-ISO print media sizes   Officio, 16K   District Sizes   B5, C5, DL   Photo paper sizes   10x15 cm   Nanufacturer warranty   Manufacturer warranty   Manufacturer warranty   Manufacturer warranty   1200 pages   AC, USB	Multi-Purpose tray	✓	Cartridge(s) included	<b>✓</b>
Auto document feeder (ADF) input capacity  Maximum number of input trays  Maximum input capacity  Maximum output capacity  Maximum output capacity  Maximum loutput lou	Multi-Purpose tray input capacity	50 sheets		2400 pages
Auto document reeder (ADF) input capacity  Maximum number of input trays  850 sheets  Maximum input capacity  850 sheets  Maximum output capacity  Paper handling  Maximum ISO A-series paper size *  Paper tray media types *  ISO A-series sizes (A0A9) *  A4, A5, A6  ISO A-series sizes (B0B9)  ISO C-series sizes (C0C9)  Non-ISO print media sizes  Officio, 16K  Non-ISO print media sizes  Discording in the process of t	Auto document feeder (ADF)	✓		· <del>-</del>
Maximum input capacity Maximum input capacity Maximum input capacity Maximum output capacity Maximum output capacity Maximum output capacity Maximum ispon capac	Auto document feeder (ADF) input	FO shoots	Cables included	AC, USB
Maximum input capacity Maximum output capacity 150 sheets 150 sheets  Paper handling Maximum ISO A-series paper size Paper tray media types Paper tray tray types Paper tra	capacity	50 Sheets	Warranty card	✓
Maximum output capacity  Paper handling  Maximum ISO A-series paper size*  Paper tray media types *  Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper  ISO A-series sizes (A0A9) *  A4, A5, A6  Recommended system  ISO C-series sizes (B0B9)  B5  Non-ISO print media sizes  Officio, 16K  IJS B-series sizes (B0B9)  B5, B6  Envelopes sizes  D6, C5, DL  Photo paper sizes  D7, C216 mm  Custom media length  D7, C216 mm  A4, A5 - A56 mm  A4, A5, A66  Acoustic power emissions (ready)  Manufacturer warranty  Manufacturer warranty  Acoustic power arranty  Manufacturer warranty  Manufacturer warranty  B443310000  544.9 kg  644.9 kg  646.9 kg  646.9 kg  647.9 kg	Maximum number of input trays	3	Logistics data	
Paper handling  Maximum ISO A-series paper size* Paper tray media types* Paper tray media types*  Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper  ISO A-series sizes (A0A9) *  Non-ISO print media sizes Disc B-series sizes (B0B9) Boseries sizes (Boseries baseries developed paper, Postcard, Recycled paper, Rough paper  Acoustic power emissions (ready) Boseries sizes (Boseries baseries developed paper, Postcard, Recycled paper, Postcard, Recycled paper, Postcard, Recycled paper, Rough paper  Advantage features  Acoustic power emissions (ready) Boseries sizes (Boseries baseries developed paper, Postcard, Recycled paper, Rough paper  Bood paper (Bood Safety Paper)  Advantage features  Acoustic pressure emissions (ready) Boseries sizes (Boseries paper)  Boseries sizes (Boseries paper)  Boseries sizes (Boseries paper)  Bood paper, Envelopes, Glossy Paper  Bond paper, Postcard, Recycled paper, Rough Paper  Becommended system  requirements  10 user(s)  10 dB  One-year, next-business day, onsite warranty options vary by	Maximum input capacity	850 sheets	Harmonized System (HS) code	8443310000
Maximum ISO A-series paper size * A4  Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper (PSO A-series sizes (A0A9) * A4, A5, A6  ISO A-series sizes (B0B9)  Bond paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Envelopes, Glossy paper (PSO A-Series sizes (B0B9))  Bond paper, Envelopes, Glossy paper (PSO A-Series sizes (B0B9))  Bond paper, Envelopes, Glossy paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Envelopes, Glossy paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper, Postcard, Recycled paper, Rough paper (PSO A-Series sizes (B0B9))  Bond paper (PSO A-Series sizes (B0B9))  Bond paper (PSO A-Series sizes (B0.	Maximum output capacity	150 sheets	•	
Maximum ISO A-series paper size * A4  Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Non-ISO print media sizes Officio, 16K JIS B-series sizes (B0B9) B5, B6  Envelopes sizes Envelopes sizes Coc. om Recycled paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper Rough paper Recommended system requirements  A4, A5, A6  Recommended system requirements  Acoustic power emissions (ready)  Acoustic pressure emissions B5, B6  Envelopes sizes B5, C5, DL Photo paper sizes Custom media width Custom media length  A4  A5  A6  Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Photo paper and the productive power publication bearing the arity sentended 132031518au MIL/Jecancy photoscript active pressure in the productive power publication bearing to emit productive power publication bearing to emission sizes in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power publication bearing to emission paper in the productive power	Paper handling		Technical details	
Paper tray media types * paper, Labels, Letterhead, Photo paper, Plain paper, Postcard, Recycled paper, Rough paper  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9)  ISO C-series sizes (C0C9)  Non-ISO print media sizes  JIS B-series sizes (B0B9)  B5, B6  Envelopes sizes  B5, C5, DL  Photo paper sizes  Custom media width  76 - 216 mm  Tequirement  Number of users  Number of users  Acoustic power emissions (ready)  Acoustic power emissions (ready)  Acoustic pressure emissions (ready)  Acoustic pressure emissions (ready)  Manufacturer warranty  Manufacturer warranty  Warranty. Warranty and support options vary by product, country and local legal requirements.  Custom media length  To vertically user(s)  Ada Voustic power emissions (ready)  Acoustic pressure emissions (ready)  Manufacturer warranty  Manufacturer warranty  Number of users  10 user(s)  2 GB available hard disk space, Internet connection, USB port, Internet browser.  A debugger  Acoustic pressure emissions (ready)  Manufacturer warranty  Acoustic pressure emissions (ready)  Manufacturer warranty  Number of users  10 user(s)  2 GB available hard disk space, Internet connection, USB port, Internet connection, USB port, Internet connection, USB port, Internet connection, USB port, Internet browser.  34 dB  One-year, next-business day, onsite warranty options vary by product, country and local legal requirements.	Maximum ISO A-series paper size *	A4	Compliance certificates CCC, GS mark	p-color-laserjet-pro-mfp-m478-m479-series/model/192025157sku=W1A78A&serialnumber=W1A78A
Paper tray media types * paper, Plain paper, Postcard, Recycled paper, Rough paper  ISO A-series sizes (A0A9) * A4, A5, A6  ISO B-series sizes (B0B9)  ISO C-series sizes (C0C9)  Non-ISO print media sizes  JIS B-series sizes (B0B9)  B5, B6  Envelopes sizes  Paper, Plain paper, Postcard, Recommended system requirements  Internet connection, USB port, Internet browser.  Acoustic power emissions (ready)  Acoustic pressure emissions (ready)  Acoustic pressure emissions (ready)  B5, B6  Envelopes sizes  B5, C5, DL  Photo paper sizes  10x15 cm  Manufacturer warranty  Manufacturer warranty  Custom media width  76 - 216 mm  Custom media length  127 - 356 mm			Other features	
ISO A-series sizes (A0A9) * A4, A5, A6 ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) INTERIOR OF COMMENT (CONTINUE OF COMMENT	Paper tray media types *	paper, Plain paper, Postcard,	Number of users	, ,
ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) ISO C-series siz	ISO A-series sizes (A0A9) *	, , , , , , , , , , , , , , , , , , , ,		•
ISO C-series sizes (C0C9)  Non-ISO print media sizes  Officio, 16K  Acoustic pressure emissions (ready)  B5, B6  Envelopes sizes  B5, C5, DL  Photo paper sizes  Custom media width  76 - 216 mm  Custom media length  Acoustic pressure emissions bystander (ready)  Manufacturer warranty  Manufacturer warranty  Acoustic pressure emissions (ready)  14 dB  One-year, next-business day, onsite warranty. Warranty. Warranty and support options vary by product, country and local legal requirements.			requirements	
Non-ISO print media sizes  JIS B-series sizes (B0B9)  B5, B6  Envelopes sizes  B5, C5, DL  Photo paper sizes  Custom media width  76 - 216 mm  14 dB  One-year, next-business day, onsite warranty  Manufacturer warranty  Manufacturer warranty  Manufacturer warranty  Manufacturer warranty  One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.			Acoustic power emissions (ready)	34 dB
JIS B-series sizes (B0B9) Envelopes sizes B5, C5, DL Photo paper sizes 10x15 cm Custom media width 76 - 216 mm Custom media length 127 - 356 mm  B5, B6 Manufacturer warranty Manufacturer warranty Manufacturer warranty Manufacturer warranty Manufacturer warranty And local legal requirements.		Oficio, 16K	•	14 dB
Envelopes sizes B5, C5, DL  Photo paper sizes 10x15 cm  Custom media width 76 - 216 mm  Custom media length 127 - 356 mm  Manufacturer warranty warranty options vary by product, country and local legal requirements.	JIS B-series sizes (B0B9)		bystander (ready)	
Photo paper sizes 10x15 cm and local legal requirements.  Custom media width 76 - 216 mm  Custom media length 127 - 356 mm	Envelopes sizes	B5, C5, DL		
Custom media length 127 - 356 mm	Photo paper sizes	10x15 cm	Manufacturer warranty	
	Custom media width	76 - 216 mm		and local legal requirements.
Paper tray media weight 60 - 200 g/m <sup>2</sup>	Custom media length	127 - 356 mm		
	Paper tray media weight	60 - 200 g/m²		



































3523210097853

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.