
## StarTech.com PEX1S1P950 carte et adaptateur d'interfaces Interne Parallèle, Série

Marque : StarTech.com Code produit: PEX1S1P950

Nom du produit : PEX1S1P950







Connectivité		Configuration minimale du syste	ème
Interface de l'hôte * Interface de sortie * Standard de carte d'extension Nombre de ports série Type d'interface série Nombre de ports parallèles  Design	PCIe Parallèle, Série PCIe 2.0 1 RS-232	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64,	ducation, Windows 10 Education 64, Windows 10 Enterprise, Vindows 10 Enterprise x64, Vindows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Vindows 10 IoT Enterprise, Vindows 10 Pro, Windows 10 Pro 64, Windows 10 x64, Windows 7,
Interne *	<b>✓</b>		
Couleur du produit Temps moyen entre pannes	Rouge 3188058 h		
Caractéristiques			Windows 7 Professional, Windows 7 Professional x64, Windows 7
Jeu de composants Vitesse de transmission FIFO (Premier entré, premier sorti) Données bits Bits d'arrêt Bit de parité Type de contrôle de flux	Asix - AX99100 921,6 Kbit/s 256 o 5, 6, 7, 8, 9 1, 1.5, 2 Pair, Marque, Non, Impair, Espace Non, RTS/CTS, XON/XOFF	Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Window 8 Pro, Windows 8 Pro x64, Window 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise, x64, Windows 8.1 Pro, Windows 8.8 Pro x64, Windows 8.1 X64	
Conditions environnementales		Prise en charge du système	<b>✓</b>
Température d'opération Température hors fonctionnement Humidité relative de fonctionnement (H-H)	-40 - 85 °C -40 - 85 °C 15 - 90%	d'exploitation Linux  Prise en charge du système d'exploitation serveur	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
		Détails techniques	
		Certificats de conformité	CE, RoHS

Poids et dimensions			
Largeur Profondeur Hauteur Poids	95 mm 80 mm 22 mm 63 g		
Informations sur l'emballage			
Largeur du colis Profondeur du colis Hauteur du colis Poids du paquet	170 mm 142 mm 30 mm 127 g		
Données logistiques			
Code du système harmonisé Produit par casier principal (externe)	84733020 60 pièce(s)		
Largeur du casier principal (externe)	380 mm		
Longueur du casier principal (externe)	500 mm		
Hauteur du casier principal (externe)	310 mm		
Autres caractéristiques			
Taux de transfert de données	2,5 Mbit/s		





065030891844

0065030891844

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.