Canon

Canon MAXIFY GX7050 MegaTank Inkjet A4 600 x 1200 DPI Wi-Fi

Brand : Canon Product family: MAXIFY Product code: 4471C006

Product name: GX7050

Input colour depth

16 bit

MegaTank

A4, 600 x 1200 dpi, CIS, 2.7" LCD, USB, Wi-Fi, LAN, 49 dB, 13 kg

Canon MAXIFY GX7050 MegaTank Inkjet A4 600 x 1200 DPI Wi-Fi:

Experience highly productive business printing with MegaTank using high yield, refillable ink tanks. Count on business quality prints and an extremely low total cost of ownership.

Canon MAXIFY GX7050 MegaTank. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 600 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Colour faxing. Duplex functions: Copy, Print, Scan. Maximum ISO Asseries paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White





Printing		Paper handling	
Print technology * Printing * Duplex printing *	Inkjet Colour printing ✓	Paper tray media types *	Banner, Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi- glossy paper
Maximum resolution *	600 x 1200 DPI	ISO A-series sizes (A0A9) *	A4, A5, A6
Print speed (ISO/IEC 24734) black	24 ppm	ISO B-series sizes (B0B9)	B5
Print speed (ISO/IEC 24734) colour	15.5 ppm	Envelopes sizes	Com-10, DL
Copying		Photo paper sizes	10x15,20x25 cm
Duplex copying *	/	Borderless printing media sizes	13x13
Copying *	Colour copying	Custom media width	89 - 216 mm
Copy speed (colour, normal quality, A4)	12.7 cpm	Custom media length Paper tray media weight	127 - 1200 mm 64 - 105 g/m²
Copy speed (black, draft, A4)	22.2 cpm	Multi-Purpose Tray media weight	64 - 105 g/m²
Copy speed (colour, draft, A4)	12.2 cpm	Ports & interfaces	
Maximum number of copies	99 copies	Direct printing *	✓
Copier resize	25 - 400%	USB port	✓
N-in-1 copy function	✓	USB connector	USB Type-B
N-in-1 copy function (N=)	2, 4	Optional connectivity	Ethernet, Wireless LAN
ID-card copy function	✓	Network	
Edge erase function	✓		
Scanning		Wi-Fi *	✓
Duplex scanning *	/	Ethernet LAN *	•
Scanning *	Colour scanning	Ethernet LAN data rates	10,100 Mbit/s
Optical scanning resolution *	1200 x 1200 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n) WEP, WPA-PSK, WPA2-PSK
Scanner type *	Flatbed & ADF scanner	Security algorithms	Apple AirPrint, Canon Easy-
Scan technology	CIS	Mobile printing technologies	PhotoPrint, Mopria Print Service, PIXMA Cloud Link
Scan to	E-mail, Network folder, USB		PIAMA CIOUU LIIIK

Scanning		Performance	
Output colour depth	8 bit	Sound pressure level (printing)	49 dB
Input greyscale depth	16 bit	Design	
Output greyscale depth	8 bit	Product colour *	Black, White
Fax		Market positioning *	Home & office
Faxing *	Colour faxing	Built-in display *	✓
Fax resolution (black)	300 x 300 DPI	Display	LCD
Fax resolution (colour)	200 x 200 DPI	Display diagonal	6.86 cm (2.7")
Fax transmission speed	3 sec/page	Control type	Touch
Modem speed	33.6 Kbit/s	Colour display	✓
Fax memory	250 pages	Power	
Speed dialling	✓	Power consumption (copying)	23 W
Features		Power consumption (standby)	1.6 W
Maximum duty cycle *	45000 pages per month	Power consumption (off)	0.2 W
Duplex functions * Ink tank system	Copy, Print, Scan	Energy Star Typical Electricity Consumption (TEC)	0.15 kWh/week
Number of print cartridges *	4	AC input voltage	100 - 240 V
Printing colours *	Black, Cyan, Magenta, Yellow	AC input frequency	50 - 60 Hz
Replacement cartridges	GI-56 BK GI-56 C GI-56 M GI-56 Y	System requirements	
Input & output capacity		Windows operating systems	Windows 10, Windows 7, Windows
Total number of input trays *	3	supported	8.1
Total input capacity * Paper tray 1 input capacity	600 sheets 100 sheets	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
Paper tray 1 input capacity Paper tray 2 input capacity	600 sheets 100 sheets 250 sheets	Mac operating systems supported Server operating systems supported	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server
Paper tray 1 input capacity Paper tray 2 input capacity Multi-Purpose tray	600 sheets 100 sheets	Server operating systems supported	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Paper tray 1 input capacity Paper tray 2 input capacity	600 sheets 100 sheets 250 sheets	Server operating systems supported Other operating systems supported	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Paper tray 1 input capacity Paper tray 2 input capacity Multi-Purpose tray Multi-Purpose tray input capacity	600 sheets 100 sheets 250 sheets 250 sheets	Server operating systems supported	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Paper tray 1 input capacity Paper tray 2 input capacity Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input capacity	600 sheets 100 sheets 250 sheets 250 sheets	Server operating systems supported Other operating systems supported	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Paper tray 1 input capacity Paper tray 2 input capacity Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input capacity Paper handling	600 sheets 100 sheets 250 sheets 250 sheets 50 sheets	Server operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H)	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Android, iOS
Paper tray 1 input capacity Paper tray 2 input capacity Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input capacity	600 sheets 100 sheets 250 sheets 250 sheets	Server operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Operating temperature (T-T) Weight & dimensions Width Depth Height Weight	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Android, iOS
Paper tray 1 input capacity Paper tray 2 input capacity Multi-Purpose tray Multi-Purpose tray input capacity Auto document feeder (ADF) Auto document feeder (ADF) input capacity Paper handling	600 sheets 100 sheets 250 sheets 250 sheets 50 sheets	Server operating systems supported Other operating systems supported Operational conditions Operating relative humidity (H-H) Operating temperature (T-T) Weight & dimensions Width Depth Height	10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 Android, iOS 10 - 90% 5 - 35 °C 399 mm 410 mm 314 mm



4549292173611

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.