

HP Intel Core i5-3230M processor 2.6 GHz 3 MB L3 Tray

Brand: HP Product code: 711903-001

Product name: Intel Core i5-3230M

Intel® Core $^{\scriptscriptstyle\mathsf{TM}}$ i5-3230M Processor (3M Cache, up to 3.20 GHz)

HP Intel Core i5-3230M. Processor family: Intel® Core™ i5, Processor lithography: 22 nm, Package type: Tray. Memory channels: Dual-channel, Maximum internal memory supported by processor: 32 GB, Memory types supported by processor: DDR3-SDRAM, DDR3L-SDRAM. On-board graphics card model: Intel® HD Graphics 4000, On-board graphics card base frequency: 650 MHz, On-board graphics card dynamic frequency (max): 1100 MHz. PCI Express configurations: 1x16, 2x8, 1x8+2x4, Supported instruction sets: AVX, Graphics & IMC lithography: 22 nm. Intel® Virtualization Technology (Intel® VT): VT-x



| Processor | | Features | | | |
|---|---------------------------|---|----------|--|--|
| Processor generation | 3rd gen Intel® Core™ i5 | Supported instruction sets | AVX | | |
| Processor model * | i5-3230M | Embedded options available | × | | |
| Processor base frequency * | 2.6 GHz | Graphics & IMC lithography | 22 nm | | |
| Processor family * | Intel® Core™ i5 | Processor special features | | | |
| Processor cores * | 2 | Intel® Anti-Theft Technology | | | |
| Processor lithography * | 22 nm 4 | (Intel® AT) | ✓ | | |
| Processor threads | 5 GT/s | Intel® Hyper Threading Technology | 1 | | |
| System bus rate Processor operating modes * | 64-bit | (Intel® HT Technology) | | | |
| Processor boost frequency | 3.2 GHz | Intel® Identity Protection Technology (Intel® IPT) | ✓ | | |
| Processor cache | 3 MB | Intel® My WiFi Technology (Intel® | ✓ | | |
| Processor cache type | L3 | MWT) | • | | |
| Thermal Design Power (TDP) | 35 W | Intel® Turbo Boost Technology | 2.0 | | |
| Package type * | Tray | Intel® Quick Sync Video Technology | | | |
| Stepping | L1 | Intel® InTru™ 3D Technology | ✓ | | |
| Memory bandwidth supported by processor (max) | 25.6 GB/s | Intel® Wireless Display (Intel® WiDi) | ✓ | | |
| Memory | | Intel FDI Technology | ✓ | | |
| Maximum internal memory supported by processor | 32 GB | Intel® Clear Video HD Technology (Intel® CVT HD) | ✓ | | |
| Memory types supported by | DDR3-SDRAM, DDR3L-SDRAM | Intel® Insider™ | ✓ | | |
| processor | | Intel Fast Memory Access | ✓ | | |
| Memory clock speeds supported by processor | 1333,1600 MHz | Intel Flex Memory Access | ✓ | | |
| Memory channels * | Dual-channel | Intel® Smart Cache | ✓ | | |
| ECC ECC | × | Enhanced Intel SpeedStep Technology | ✓ | | |
| Graphics | | Intel Trusted Execution Technology | × | | |
| On-board graphics card * On-board graphics card model * | ✓ Intel® HD Graphics 4000 | Intel VT-x with Extended Page Tables (EPT) | ✓ | | |
| On-board graphics card base | | Intel Demand Based Switching | × | | |
| frequency | 650 MHz | Intel® Secure Key | ✓ | | |
| On-board graphics card dynamic frequency (max) | 1100 MHz | Intel Virtualization Technology (VT-x) | • | | |
| Number of displays supported (on- board graphics) | 3 | Intel® vPro™ Platform Eligibility | × | | |
| Features | | Operational conditions | | | |
| Execute Disable Bit | 1 | Tjunction | 105 °C | | |
| Idle States | · · | Other features | | | |
| | | Intel® Virtualization Technology | VT-x | | |
| Thermal Monitoring Technologies | ✓ | (Intel® VT) | | | |
| Integrated 4G WiMAX | ✓ | | | | |
| PCI Express slots version | 3.0 | | | | |

| e | | | |
|---|--|--|--|
| | | | |

PCI Express configurations

1x16, 2x8, 1x8+2x4

