

HP OfficeJet Pro 9019e Wireless All-in-One Color Printer, Instant Ink; Two-sided printing

Brand: HP Product family: OfficeJet Pro Product code: 22A59B

Product name : OfficeJet Pro 9019e Wireless All-in-One Color Printer, Instant Ink; Two-sided printing

- HP+; HP Instant Ink eligible; Automatic document feeder; Two-sided printing

- Print, copy, scan, fax
- Print speed up to 22 ppm (black) and 18 ppm (colour)
- 1200 x 1200 rendered dpi

Maximum number of copies

99 copies

OfficeJet Pro 9019e All-in-One Prntr

HP OfficeJet Pro 9019e Wireless All-in-One Color Printer, Instant Ink; Two-sided printing. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: $4800 \times 1200 \text{ DPI}$, Print speed (colour, normal quality, A4/US Letter): 18 ppm. Copying: Colour copying, Maximum copy resolution: $600 \times 600 \text{ DPI}$. Scanning: Colour scanning, Optical scanning resolution: $1200 \times 1200 \text{ DPI}$. Faxing: Colour faxing. Duplex functions: Print, Scan, Fax. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Grey, White






Printing		Paper handling	
Duplex printing mode	Auto	Paper tray media weight	60 - 105 g/m²
Print resolution colour	4800 x 1200 DPI	Multi-Purpose Tray media weight	60 - 280 g/m²
Print resolution black	1200 x 1200 DPI	Ports & interfaces	
Print technology *	Thermal inkjet	Direct printing *	✓
Printing *	Colour printing	USB port	1
Duplex printing *	1	USB 2.0 ports quantity	1
Maximum resolution *	4800 x 1200 DPI	,	1
Print speed (black, normal quality, A4/US Letter) *	22 ppm	Network	
Print speed (colour, normal quality,		Wi-Fi *	✓
A4/US Letter)	18 ppm	Ethernet LAN *	✓
Print speed (black, draft quality, A4/US Letter)	32 ppm	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print speed (colour, draft quality,	32 ppm	Wi-Fi Direct	✓
A4/US Letter)		Security algorithms	HTTPS, SSL/TLS, WPA2-Enterprise
Print speed (ISO/IEC 24734) black	22 ppm	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Print speed (ISO/IEC 24734) colour Time to first page (black, normal)	18 ppm 9 s	Performance	
Time to first page (colour, normal)	10 s	Maximum internal memory	512 MB
N-in-1 print function	✓	Card reader integrated	×
·	· ·	Internal memory *	512 MB
Secure printing		Built-in processor	✓
Booklet printing function	✓	Processor frequency	1200 MHz
Borderless printing	✓	Sound power level (printing)	6.9 dB
Copying		Design	
Duplex copying *	✓	Product colour *	Grey, White
Copying *	Colour copying	Market positioning *	Home & office
Maximum copy resolution *	600 x 600 DPI	Built-in display *	√ office
Copy speed (black, normal quality, A4)	32 cpm	Display	CGD
Copy speed (colour, normal quality, A4)	32 cpm	Display diagonal Control type	6.86 cm (2.7") Touch
Copy speed (black, draft, A4)	32 cpm	Colour display	✓
Copy speed (colour, draft, A4)	32 cpm	. ,	

C		D	
Copying		Power	
Copier resize	25 - 400%	Power consumption (printing)	30 W
ID-card copy function	✓	Power consumption (ready)	5.8 W
Auto fit function	✓	Power consumption (sleep) Power consumption (off)	1.2 W 0.08 W
Scanning		Energy Star Typical Electricity	0.258 kWh/week
Duplex scanning *	•	Consumption (TEC) AC input voltage	100 - 240 V
Scanning *	Colour scanning	AC input frequency	50/60 Hz
Optical scanning resolution * Maximum scan resolution	1200 x 1200 DPI 1200 x 1200 DPI		33,002
Maximum scan area	215.9 x 297 mm	Brand-specific features	
Scanner type *	ADF scanner	HP Instant Ink	✓
Scan technology	CIS	HP Dynamic security	✓
Scan to	E-mail Server, Software	HP GTIN (EAN/UPC) with options	(629) 195161214059; (687) 195161214073
Image formats supported	BMP, JPG, PNG, TIFF	HP GTIN (EAN/UPC)	195161214059, 195161214073
Document formats supported	PDF, RTF, TXT	System requirements	
Input colour depth	24 bit	•	
Greyscale levels	256	Windows operating systems supported	Windows 11, Windows 10, Windows 8, Windows 7
Scan drivers	TWAIN	Mac operating systems supported	✓
Fax		The special systems supposed	Windows Server 2008 R2 x64,
Duplex faxing	✓	Server operating systems supported	Windows Server 2012 R2 x64,
Faxing *	Colour faxing	Jerrer operating systems supported	Windows Server 2012 x64, Windows Server 2016
Fax resolution (black)	300 x 300 DPI	Other operating systems supported	
Fax resolution (colour)	200 x 200 DPI	Operational conditions	
Fax transmission speed	4 sec/page	•	20 - 80%
Fax memory	100 pages	Operating relative humidity (H-H) Recommended humidity operating	
Auto-redialing	•	range	25 - 75%
Speed dialling	*	Storage temperature (T-T)	-40 - 60 °C
Fax forwarding	*	Operating temperature (T-T)	5 - 40 °C
Fax delayed sending	✓	Operating altitude	0 - 3000 m
Auto reduction	✓	Non-operating altitude	0 - 4500 m
Features		Certificates	
Recommended duty cycle	0 - 1500 pages per month		CISPR 32:2012/EN 55032:2012 Class B; CISPR 24:2010/EN
Maximum duty cycle * Duplex functions *	25000 pages per month Print, Scan, Fax		55024:2010; EN 61000-3-2:2014;
Digital sender	✓	Certification	EN 61000-3-3:2013; FCC CFR 47
Number of print cartridges *	4		Part 15 Class B (USA); ICES - 003, Issue 6 Class B (Canada); EN 301
Printing colours *	Black, Cyan, Magenta, Yellow		489-1 (V2.1.1:2017), EN 301 489-17
Page description languages	PCL 3 GUI		(V3.1.1 2017)
All-In-One-multitasking	✓	Sustainability	
Country of origin	China, Thailand	Sustainability certificates	ENERGY STAR
	HP 963 Black Original Ink Cartridge (~1,000 pages) 3JA26AE; HP 963 Cyan	Carbon footprint	
	Original Ink Cartridge (~700 pages) 3JA23AE; HP 963 Magenta Original Ink Cartridge (~700 pages) 3JA24AE; HP 963 Yellow Original Ink Cartridge (~700 pages) 3JA25AE; HP 963XL Black Original Ink Cartridge (2,000 pages) 3JA30AE; HP	Total carbon footprint (kg of CO2e)	130
		Carbon emissions, manufacturing	105
		(kg of CO2e)	
		Carbon emissions, logistics (kg of CO2e)	4
Replacement cartridges	963XL Cyan Original Ink Cartridge (1,600 pages) 3JA27AE; HP 963XL Magenta	Total carbon emissions, w/o use	21
	Original Ink Cartridge (1,600 pages) 3JA28AE; HP 963XL Yellow Original Ink Cartridge (1,600 pages) 3JA29AE; HP 967XL Black Original Ink Cartridge (3,000 pages) 3JA31AE. Actual yield varies	phase (kg of CO2e)	21
		Weight & dimensions	
		Width	439.3 mm
	considerably based on content of printed	Depth	342.5 mm
	pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.	Height	278 mm
HP segment	Small medium business	Weight	9.29 kg
		Packaging data	
Input & output capacity			
Input & output capacity Total number of input trays *	1	Package width	497 mm
	1 250 sheets	Package depth	325 mm
Total number of input trays *		-	

Input & output capacity		Packaging content	
Auto document feeder (ADF) input capacity	35 sheets	Cartridge(s) included Included cartridge capacity (black)	✓ 850 pages
Maximum number of input trays1Maximum input capacity250 sheetsMaximum output capacity60 sheets	Included cartridge capacity (CMY) Cables included	420 pages AC HP Printer Software, Shop for	
Paper handling		Bundled software	Supplies Online
Maximum ISO A-series paper size *	A4	Logistics data	
Maximum print size Paper tray media types * ISO A-series sizes (A0A9) * ISO C-series sizes (C0C9) Non-ISO print media sizes	216 x 356 mm Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper A4, A5, A6 C5, C6 Hagaki card B5	Pallet gross width Pallet gross length Pallet gross height Pallet gross weight Layers per pallet Products per pallet layer	120 cm 100 cm 2.2 m 418 kg 5 pc(s) 7 pc(s)
JIS B-series sizes (B0B9)		Products per pallet	35 pc(s)
Envelopes sizes Photo paper sizes Photo paper sizes (imperial)	C5, C6, DL 13x18,10x15 cm 8.5x13"	Technical details Master (outer) cases per pallet layer	r 7 pc(s)
Borderless printing media sizes	A4, Letter 76.2 - 215.9 mm 127 - 355.6 mm	Other features	
Custom media width Custom media length		Number of users Pallet dimensions (W x D x H) Recommended system requirements	5 user(s) 1200 x 1000 x 2200 mm Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection,Internet
		Acoustic power emissions (ready)	Explorer. 26 dB
		Number of print heads	4
		Manufacturer warranty	Up to 3 years HP Warranty. 24-hour 7 days a week Web support;











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.