brother
at your side

Brother HL-L8360CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi

Brand : Brother

Product name : HL-L8360CDW

Product code: HL-L8360CDW

Wireless High Speed Colour Laser Printer with 2-Sided Printing and 2.7 Touchscreen Display

Brother HL-L8360CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi:

Brother's HL-L8360CDW Printer is designed for business, offering fast and accurate printing to maximise productivity and keep you ahead of the pack. With day-in-day-out high quality colour prints, the HL-L8360CDW features prints speeds of up to 31ppm, a 6.8cm intuitive touchscreen, USB, wired and wireless connectivity, a 300-sheet paper input, as well as NFC connectivity that allows you to print by touching your phone to your printer. And, with optional paper trays and super high-yield toners, you've got a printer that improves your efficiency and adds to your professionalism.

Printing

Duplex printing mode	Auto
Print speed (colour, normal quality, A4/US Letter)	31 ppm
Colour *	✔
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	2400 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	31 ppm
Duplex print speed (black, normal quality, A4/US Letter)	14 ppm
Warm-up time	29 s
Warm-up time (from sleep mode)	29 s
Time to first page (black, normal)	15 s
Time to first page (colour, normal)	15 s
Secure printing	✔
N-up printing	2, 4, 9, 16, 25
Economical printing	✔

Features

Maximum duty cycle *	60000 pages per month
Printing colours *	Black, Cyan, Magenta, Yellow
Number of print cartridges *	1
Page description languages *	PCL 6, PDF 1.7, PostScript 3, XPS
Country of origin	China

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	150 sheets

Network

Web-based management	✔
Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Kindle Fire Printing, Mopria Print Service

Performance

Internal memory *	512 MB
Maximum internal memory	512 MB
Memory slots	1
Card reader integrated	✔
Built-in processor	✔
Processor frequency	800 MHz
Coprocessor	✔
Coprocessor frequency	0.133 GHz
Sound pressure level (printing)	49 dB

Design

Market positioning *	Business
Product colour *	Grey
Built-in display *	✔
Display	LCD
Colour display	✔
Display diagonal	6.86 cm (2.7")
Touchscreen	✔
Control type	Touch
Certification	Cerner Certified, Citrix Ready

Power

Power consumption (printing) *	580 W
Power consumption (ready)	1.5 W

Input & output capacity	
Paper input type	Cassette, Paper tray
Auto document feeder (ADF) input capacity	50 sheets
Multi-Purpose tray	✔
Maximum number of input trays	4

Paper handling	
Maximum ISO A-series paper size *	A4
Paper tray media types *	Plain paper, Recycled paper, Thin paper
Multi-purpose tray media types	Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
Non-ISO print media sizes	Executive, Folio, Letter, Legal
Envelopes sizes	C5, Com-10, DL
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 105 g/m²
Auto Document Feeder (ADF) media weight	60 - 163 g/m²
Duplex media weight	60 - 105 g/m²

Ports & interfaces	
Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Direct printing *	✔
USB port *	✔
USB 2.0 ports quantity	1

Network	
Network ready	✔
Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Near Field Communication (NFC)	✔
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, IPSEC, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS Client, SNTP Client, LDAP
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS Server, TFTP Client & Server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, LDAP

Power	
Power consumption (standby)	70 W
Power consumption (PowerSave)	340 W
Power consumption (off)	0.03 W
Energy Star Typical Electricity Consumption (TEC)	0.578 kWh/week
AC input voltage	120 V
AC input frequency	50 - 60 Hz

System requirements	
Windows operating systems supported	✔

Operational conditions	
Operating temperature (T-T)	10 - 32 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR

Weight & dimensions	
Width	565 mm
Depth	520 mm
Height	620 mm
Weight	22.6 kg

Packaging data	
Package weight	26.1 kg

Packaging content	
Drivers included	✔
Quick start guide	✔
Cables included	AC

Logistics data	
Harmonized System (HS) code	84433210
Pallet gross height	16.9 cm
Pallet gross weight	173.4 kg
Master (outer) cases per pallet	6 pc(s)
Layers per pallet	3 pc(s)
Products per pallet	6 pc(s)

Technical details	
Master (outer) cases per pallet layer	2 pc(s)
Pallet type	800 x 1200 mm

Other features	
Printer management	BRAdmin Professional 3, BRAdmin Light
Spare part retention	5 year(s)

4977766774208

4977766774185

4977766774215

4977766768795

4977766774192

0012502646426

012502646426

4977766771573

Catalog Object Cloud