Brother PT-P950NW label printer Thermal transfer 360 x 360 DPI 60 mm/sec Wired & Wireless Ethernet LAN TZe Wi-Fi

Brand : Brother

Product code: PT-P950NW

Product name : PT-P950NW

Professional PC connectable label printer with wired network and integrated Wi-Fi
Brother PT-P950NW. Tape type: TZe. Print technology: Thermal transfer, Maximum resolution: 360 x 360 DPI, Print speed: 60 mm/sec. Connectivity technology: Wired & Wireless. Product colour: Black

Printing	
Print technology *	Thermal transfer
Colour *	✗
Maximum resolution *	360 x 360 DPI
Print speed *	60 mm/sec
Maximum print height	3.2 cm
Minimum print length	4 mm
Vertical printing	✔
Rotated printing	✔
Maximum print length	1 m

Ports & interfaces	
Connectivity technology *	Wired & Wireless
Ethernet LAN *	✔
Wi-Fi *	✔
Wi-Fi standards	Wi-Fi 4 (802.11n)
USB port *	✔
USB 2.0 ports quantity	1
Wi-Fi Direct	✔
Optional connectivity	Bluetooth

Performance	
Page description languages	ESC P
Internal memory	6 MB
Built-in barcodes	CODABAR (NW-7), Code-128 Codabar Library, Code-39 Library, EAN128, EAN13, EAN8, GS1 COMPOSITE, GS1 DataBar, GS1 DataBar Expanded, ISBN-2, ISBN-5, ITF, MicroPDF417, POSTNET, QR Code, UPC-A, UPC-E
Number of fonts	4

Weight & dimensions	
Width	165 mm
Depth	333 mm
Height	266 mm
Weight	1.5 kg

Packaging data	
Package width	165 mm
Package depth	266 mm
Package height	333.3 mm
Package weight	2.5 kg

Packaging content	
Cables included	USB
Drivers included	✔
Warranty card	✔
Manual	✔

Logistics data	
Harmonized System (HS) code	84433210
Pallet gross height	19 cm
Pallet gross weight	300.6 kg
Master (outer) cases per pallet	30 pc(s)
Master (outer) cases per pallet layer	6 pc(s)
Layers per pallet	5 pc(s)
Products per pallet	90 pc(s)

Technical details	
PC connection	USB 2.0
Sustainability certificates	ENERGY STAR
Pallet type	800 x 1200 mm

Publication date: 26-JUL-2025. Prints or copies of Information are only valid on the printed Publication date

Performance	
Tape type	TZe
Tape width	3.6 cm
Image formats supported	GIF, JPG, PNG, TIF, WMF

Design	
Product colour *	Black
Built-in display	✔
Housing material	Plastic

Power	
Number of batteries supported	1
Auto power off	✔

Other features	
Label memory	99 label(s)
Country of origin	China
Date & time printing	✔
Spare part retention	5 year(s)

0012502642992



012502642992

4977766760928



4977766764476

4977766764490

4977766764438

4977766764452

4977766764551

4977766764544

4977766764513

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-JUL-2025. Prints or copies of Information are only valid on the printed Publication date