



HP Designjet Z6 24-in PostScript Printer

Brand : HP

Product family: Designjet

Product code: T8W15A

Product name : DesignJet Z6
24-in PostScript Printer

- Print

DesignJet Z6 24-in PostScript Printer

[HP Designjet Z6 24-in PostScript Printer:](#)

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



| Printing | | Brand-specific features | | |
|------------------------------|--|--|---|---|
| Print resolution colour | 2400 x 1200 DPI | HP ePrint | ✓ | |
| Print technology * | Inkjet | HP Web Jetadmin | ✓ | |
| Colour * | ✓ | HP Dynamic security | ✓ | |
| Maximum resolution * | 2400 x 1200 DPI | HP Care Pack | ✓ | |
| Number of print cartridges * | 6 | Power | | |
| Page description languages * | PDF 1.7, PostScript 3, TIFF, HP-GL/2, HP-RTL, JPEG, CALS G4 | | | |
| Printing colours * | Chromatic red, Cyan, Magenta, Matte black, Photo black, Yellow | | | |
| Print speed (normal quality) | 66.9 m²/hr | | | |
| Print head | 3 | | | |
| Copying | | Operational conditions | | |
| Copying * | ✗ | | | |
| Scanning | | | | |
| Scanning * | ✗ | Operating temperature (T-T) | | 5 - 40 °C |
| Paper handling | | Operating relative humidity (H-H) | | 20 - 80% |
| | | Storage temperature (T-T) | | -25 - 55 °C |
| | | System requirements | | |
| | | Windows operating systems supported | | ✓ |
| | | Mac operating systems supported | | ✓ |
| | | Sustainability | | |
| | | Sustainability compliance | | ✓ |
| | | Sustainability certificates | | ENERGY STAR, Post-Consumer Recycled Plastic |
| | | Sustainable technologies and materials | | 30% post-consumer recycled plastic; Free, convenient HP ink cartridge and printhead recycling with HP Planet Partners; Highest WIR Print Permanence Ratings in the Industry; Compatible with FSC®-certified HP large format printing materials and HP Recycled Satin Canvas, and a range of recyclable HP media with a take-back program; ENERGY STAR® certified; EPEAT® registered |
| Ethernet LAN * | | ✓ | | |
| USB port * | | ✓ | | |
| USB connector | | USB Type-A | | |
| USB 2.0 ports quantity | | 1 | | |
| Ethernet LAN data rates | | 10,100,1000 Mbit/s | | |

| Ports & interfaces | | Weight & dimensions | |
|---------------------------------|--|-------------------------------|--|
| Wi-Fi Direct | ✓ | Width | 1293 mm |
| RJ-45 ports quantity | 1 | Depth | 695 mm |
| Mobile printing technologies | HP ePrint | Height | 998 mm |
| Performance | | Weight | 66 kg |
| Product colour * | Grey | Packaging data | |
| Built-in display * | ✓ | Package width | 1440 mm |
| Display | LED | Package depth | 766 mm |
| Internal memory | 4096 MB | Package height | 718 mm |
| Internal storage capacity | 500 GB | Package weight | 97 kg |
| Storage media | HDD | Cartridge(s) included | ✓ |
| Sound power level (standby) | 33 dB | Drivers included | ✓ |
| Sound pressure level (printing) | 42 dB | Quick start guide | ✓ |
| Country of origin | China | | |
| Certification | Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC), South Africa (SABS) | Bundled software | HP Click printing software, HP PrintOS, HP Web Jetadmin, HP DesignJet Utility including HP Color Center, HP Partner Link, HP JetAdvantage Security Manager (optional), HP SmartStream (optional) |
| | | | |
| HP segment | Business | Other features | |
| | | Electromagnetic compatibility | EU (EMC Directive), South Africa (SABS) |
| | | Safety | EU (LVD and EN 60950-1 compliant); Russia, Belarus, Kazakhstan (EAC) |
| | | Logistics data | |
| | | Harmonized System (HS) code | 84433210 |



0192018667518



192018667518



0192018667532



192018667532




0191628790845



191628790845



0192018667525



192018667525



0191628726615



191628726615



0192018667549



192018667549



0194441079883



194441079883



0196068887452



196068887452

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.