EPSON

Epson WorkForce DS-70000N

Brand : Epson   **Product family:** WorkForce   **Product code:** B11B204331BT

Product name : Epson
WorkForce DS-70000N

600 DPI, A3, 70ppm, ReadyScan LED, Gigabit Ethernet
Epson WorkForce DS-70000N. Maximum scan size: 297 x 2540 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: Flatbed & ADF scanner, Product colour: Grey. Daily duty cycle (max): 8000 pages, Scan to: E-mail, FTP. Auto document feeder (ADF) input capacity: 200 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, A4, A5, A6, ISO B-series sizes (B0...B9): B4, B5, B6

Scanning

Maximum scan size *	297 x 2540 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Duplex scanning *	✔
Input colour depth	48 bit
Output colour depth	24 bit
Film scanning	✘
ADF scan speed (b/w, A4)	70 ppm
ADF scan speed (colour, A4)	70 ppm

Design

Scanner type *	Flatbed & ADF scanner
Product colour *	Grey
Display	✔
Built-in display *	✔

Performance

Daily duty cycle (max) *	8000 pages
Scan to	E-mail, FTP

Input capacity

Auto document feeder (ADF) input capacity	200 sheets

Paper handling

Maximum ISO A-series paper size *	A3
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
ISO B-series sizes (B0...B9)	B4, B5, B6
Letter	✔
Legal	✔
Auto Document Feeder (ADF) media weight	35 - 128 g/m²

Ports & interfaces

Standard interfaces	Ethernet

Packaging data

Quantity per pack	1 pc(s)
Package width	534 mm
Package depth	875 mm
Package height	750 mm
Package weight	34.8 g

Packaging content

Bundled software	Epson Event Manager (Mac Only), EpsonNet Config, Epson Scan, Epson Document Capture Pro Server (on free download), Epson Document Capture Pro, ABBYY FineReader Sprint 9.0 (Windows), ABBYY FineReader Sprint 8.0 (MacOS)

System requirements

Mac compatibility	✔
Windows operating systems supported	Windows 7 Home Premium, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Server operating systems supported	Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64

Network

Ethernet LAN	✔

Power

Power supply type *	AC
Power consumption (typical)	82 W
Power consumption (standby)	4.1 W
Input voltage	100-240 V

Weight & dimensions

Width	640 mm
Depth	522 mm
Height	289 mm
Weight	26.9 kg

Operational conditions

Operating temperature (T-T)	6 - 35 °C
Storage temperature (T-T)	-25 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 85%

Other features

Network ready	✔
Standard media sizes	A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive

Logistics data

Products per pallet	3 pc(s)
Country of origin	China
Pallet gross length	120 cm
Pallet gross width	80 cm
Pallet gross height	60 cm
Products per pallet layer	1 pc(s)
Products per pallet layer (UK)	1 pc(s)
Products per pallet (UK)	3 pc(s)
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	60 cm
Harmonized System (HS) code	84716070

8715946510606

4053162313835

Catalog Object Cloud