NEC MultiSync P555 139.7 cm (55") IPS 700 cd/m 2 4K Ultra HD Black 24/7

Brand : NEC Product family: MultiSync Product code: 60005058

Product name: P555

55", 138 cm, IPS, 16:9, 3840 x 2160, 60 Hz, 700 cd/m², 100-240 V AC, 50/60 Hz NEC MultiSync P555. Display diagonal: 139.7 cm (55"), Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 700 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Product colour: Black





Display		Performance	
LED backlighting type	Edge-LED	International Protection (IP) code	IPX5
Display diagonal *		Power	
Display technology * IPS Display resolution * 3840 x 2160 pixels Display brightness * 700 cd/m² HD type * 4K Ultra HD Native aspect ratio 16:9 Response time 8 ms Contrast ratio (typical) 8000:1 Viewing angle, horizontal 178° Display diagonal (metric) 138.8 cm Horizontal scan range 15 - 135 kHz	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) Energy efficiency class (HDR) Energy consumption (SDR) per 1000 hours Energy consumption (HDR) per 1000 hours AC input voltage AC input frequency Weight & dimensions	110 W 2 W G G T G 109 kWh 103 kWh 100-240 V 50 - 60 Hz	
Vertical scan range Native refresh rate Haze rate	23 - 76 Hz 60 Hz 28%	Width Depth Height	1239.6 mm 61.1 mm 713 mm
Ports & interfaces		Weight	27.6 kg
HDMI ports quantity * 3 DisplayPorts quantity * 3 USB port * USB ports quantity 3 USB version 2.0	Packaging data Package width Package depth Package height Package weight	1430 mm 250 mm 920 mm 37.7 kg	
Ethernet LAN (BL 45) and the		Packaging content	
Ethernet LAN (RJ-45) ports 2 Ethernet LAN data rates 100 Mbit/s RS-232 interface	Remote control included Batteries included	/	
Design		Cables included	AC, HDMI
Placement supported * Indoor Orientation Horizontal/Vertical Product colour * Black VESA mounting * ✓ Panel mounting interface 300 x 300 mm Bezel width (bottom) 1.56 cm	Operational conditions Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H)	0 - 40 °C 20 - 80% -20 - 60 °C 10 - 90%	
		Logistics data	
Bezel width (side)	1.25 cm	Harmonized System (HS) code	85285210

Design	
Bezel width (top)	1.2 cm
Performance	
Ambient light sensor	✓
Operating hours (hours/days)	24/7



5028695119383



5054444577098



0805736072778



805736072778

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.