## **ZYXEL**

## Zyxel GS1200-5HP v2 Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

**Brand :** Zyxel **Product code:** GS1200-5HPV2-EU0101F

Product name: GS1200-5HP v2



GS1200-5HP v2 - 5-Port Web Managed PoE Gigabit Switch

Zyxel GS1200-5HP v2. Switch type: Managed. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3af, IEEE 802.3a, IEEE 802.3a, IEEE 802.3x,.... Power over Ethernet (PoE)



Management features		Design	
Switch type *	Managed	Reset button	✓
Quality of Service (QoS) support	✓	LED indicators	Link, PoE, Power
Web-based management	✓	On/off switch	<b>✓</b>
Ports & interfaces		Safety	LVD EN60950-1
Basic switching RJ-45 Ethernet ports	5	Performance	
quantity *	3	Firmware upgradeable	1
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
Network		Output current	1.3 A
Networking standards *	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power consumption (max)	72 W
		Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	1
10G support *	×	Power over Ethernet (PoE) ports	5
Port mirroring	<b>√</b>	quantity	
Full duplex	<b>√</b>	Power over Ethernet plus (PoE+) ports quantity	4
Flow control support	✓	Total Power over Ethernet (PoE)	60 W
Link aggregation	<b>√</b>	budget	
Broadcast storm control	<b>✓</b>	Operational conditions	
Auto MDI/MDI-X	✓	Operating temperature (T-T)	0 - 40 °C
VLAN support	✓	Storage temperature (T-T)	-40 - 70 °C
Virtual LAN features	Port-based VLAN	Operating relative humidity (H-H)	10 - 90%
Data transmission		Storage relative humidity (H-H)	10 - 90%
Switching capacity *	10 Gbit/s	Weight & dimensions	
MAC address table *	2000 entries	Width	193 mm
Store-and-forward	✓	Depth Height	84 mm 26 mm
Jumbo frames support	<b>/</b>	Weight	392 g

Data transmission		Packaging data	
Jumbo frames	9000	Package type	Box
Packet buffer memory	0.1 MB	Package width	210 mm
Security		Package depth	132 mm
DHCP features	DHCP client	Package height Package weight	78 mm 950 g
IGMP snooping	✓	Certificates	
Multicast features			
Multicast support	/	Certification	CE, FCC, C-Tick, Class A
Number of multicast groups filtered		Logistics data	
Design		Harmonized System (HS) code	85176990
Rack mounting *	×		
Stackable *	×		

Product colour

Grey



4718937598717

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.