



## Canon MAXIFY GX6050 MegaTank Inkjet A4 600 x 1200 DPI Wi-Fi

**Brand :** Canon

**Product family:** MAXIFY

**Product code:** 4470C006

**Product name :** GX6050  
MegaTank

MAXIFY GX6050 Wireless 3-in-1 Refillable MegaTank

Canon MAXIFY GX6050 MegaTank. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 600 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 300 x 300 DPI. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, Yellow



### Printing

Duplex printing mode	Auto
Print technology *	Inkjet
Printing *	Colour printing
Duplex printing *	✓
Maximum resolution *	600 x 1200 DPI
Print speed (ISO/IEC 24734) black	24 ppm
Print speed (ISO/IEC 24734) colour	15.5 ppm

### Copying

Duplex copying *	✓
Duplex copying mode	Auto/Manual
Copying *	Colour copying
Copy speed (colour, normal quality, A4)	12.7 cpm
Copy speed (black, draft, A4)	22.2 cpm
Copy speed (colour, draft, A4)	12.2 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function	✓
N-in-1 copy function (N=)	2, 4
ID-card copy function	✓
Edge erase function	✓

### Scanning

Scanning *	Colour scanning
Optical scanning resolution *	300 x 300 DPI
Scanner type *	Flatbed & ADF scanner
Scan technology	CIS
Scan to	E-mail, Network folder, USB
Scan speed (colour)	16.9 ppm
Scan speed (black)	22.2 ppm
Input colour depth	16 bit

### Paper handling

ISO B-series sizes (B0...B9)	B5
Envelopes sizes	Com-10, DL
Photo paper sizes	18x25,10x15,13x18,20x25
Custom media width	89 - 216 mm
Custom media length	127 - 1200 mm
Paper tray media weight	64 - 105 g/m²

### Ports & interfaces

Direct printing *	✓
USB port	✓
USB connector	USB Type-B
Optional connectivity	Ethernet, Wireless LAN

### Network

Wi-Fi *	✓
Ethernet LAN *	✓
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	WEP, WPA-PSK, WPA2-PSK
Mobile printing technologies	Apple AirPrint, Canon Easy-PhotoPrint, Mopria Print Service, PIXMA Cloud Link

### Performance

Sound pressure level (printing)	49 dB
---------------------------------	-------

### Design

Product colour *	Black, Yellow
Market positioning *	Home & office
Built-in display *	✓
Display	LCD
Display diagonal	6.86 cm (2.7")
Control type	Touch

Scanning		Design	
Output colour depth	8 bit	Colour display	✓
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Features		Power	
Maximum duty cycle *	45000 pages per month	Power consumption (copying)	21 W
Duplex functions *	Copy, Print	Power consumption (standby)	1.6 W
Ink tank system	✓	Power consumption (off)	0.2 W
Number of print cartridges *	4	Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
Printing colours *	Black, Cyan, Magenta, Yellow	AC input voltage	100 - 240 V
Replacement cartridges	GI-56 BK GI-56 C GI-56 M GI-56 Y	AC input frequency	50 - 60 Hz
Input & output capacity		System requirements	
Total number of input trays *	2	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Total input capacity *	350 sheets	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
Paper tray 1 input capacity	100 sheets	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Paper tray 2 input capacity	250 sheets	Other operating systems supported	Android, iOS
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	10 - 90%
Paper tray media types *	Banner, Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi-glossy paper	Operating temperature (T-T)	5 - 35 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6		
		Weight & dimensions	
		Width	399 mm
		Depth	410 mm
		Height	254 mm
		Weight	11.6 kg
		Logistics data	
		Harmonized System (HS) code	84433100



4549292173475

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.