PHILIPS

Philips B Line 242B1/00 LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

Brand : Philips Product family: B Line Product code: 242B1/00

Product name: 242B1/00

Business Monitor 242B1 LCD monitor with PowerSensor

Philips B Line 242B1/00 LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black:

Get your best work done with this Philips monitor. IPS screen with crisp FHD gives the clarity to see your work. Loaded with features to improve productivity and sustainability. Eye comfort features with TUV certified to reduce eye fatigue.

Philips B Line 242B1/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	15 cm
Panel type *	IPS	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	×	Swivelling	1
Display brightness (typical)	300 cd/m ²	Swivel angle range	-180 - 180°
Response time *	4 ms	Tilt adjustment	✓
Display surface	Matt	Tilt angle range	-5 - 35°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape * Supported graphics resolutions Aspect ratio Contrast ratio (typical) * Contrast ratio (dynamic)	Flat 1920 x 1080 (HD 1080) 16:9 1000:1 50000000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Dynamic contrast ratio marketing name	SmartContrast	Number of OSD languages	21
Maximum refresh rate *	75 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	LED indicators	Operation, Stand-by
Viewing angle, vertical	178°	Power	
Display number of colours *	16.7 million colours	Energy efficiency class (SDR) *	D
Pixel pitch Pixel density	0.2745 x 0.2745 mm 93 ppi	Energy consumption (SDR) per 1000 hours *	17 kWh
Horizontal scan range	30 - 85 kHz	Power consumption (typical) *	14.5 W
Vertical scan range	48 - 75 Hz	Power consumption (standby) *	0.35 W
Viewable size, horizontal	52.7 cm	Power consumption (off)	0 W
Viewable size, vertical	29.6 cm	Power consumption (PowerSave)	10.4 W

		_	
Display		Power	
Digital horizontal frequency	30 - 85 kHz	AC input voltage	100 - 240 V
Digital vertical frequency	48 - 75 Hz	AC input frequency	50 - 60 Hz
Sync-on-green (SOG)	✓	Power supply type	Internal
Display diagonal (metric)	60.5 cm	Energy efficiency scale	A+++ to D
DDC/CI	✓	European Product Registry for	420473
Haze rate	25%	Energy Labelling (EPREL) code	
Surface hardness	3H	Operational conditions	
Colour gamut standard	sRGB	Operating temperature (T-T)	0 - 40 °C
Colour gamut	91%	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	107%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	91%	Operating altitude	0 - 3658 m
Display sRGB	✓	Non-operating altitude	0 - 12192 m
Performance		Weight & dimensions	
VESA Adaptive Sync support	1	Width (with stand)	540 mm
	Separate sync, Sync-on-green	Depth (with stand)	205 mm
Component video sync	(SOG)	Height (with stand)	501 mm
Flicker-free technology	✓	Weight (with stand)	4.57 kg
Low Blue Light technology	✓	Width (without stand)	540 mm
		Depth (without stand)	51 mm
Multimedia		Height (without stand)	323 mm
Number of speakers	2	Weight (without stand)	2.99 kg
RMS rated power	2 W	Packaging data	
Built-in speaker(s) *	•	Package width	730 mm
Built-in camera *	×	Package depth	198 mm
Design		Package height	465 mm
Market positioning *	Business	Package weight	7.36 kg
Product colour *	Black	Package type	Box
Front bezel colour	Black	Packaging content	
Detachable stand	✓		
Feet colour	Black	Stand included	VCA HDAN Display Doub Avylin
Ports & interfaces		Cables included	VGA, HDMI, DisplayPort, Audio (3.5mm), AC
		Manual	/
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Sustainability	
USB upstream port type	USB Type-B		
Number of upstream ports	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports quantity	4	Doesn't contain	PVC/BFR, Mercury
VGA (D-Sub) ports quantity	1	Other features	
DVI port	/	Exterior finish type	Textured
DVI-D ports quantity	1	Picture enhancement	SmartImage
HDMI *	·	Recyclable packaging material	100%
HDMI ports quantity	1		CB; FCC Class B; ICES-003; CE Mark;
HDMI version	1.4	Regulatory Approvals	TUV Ergo; TUV/GS; CU-EAC; CCC; CECP; CEL; UKRAINIAN; TUV Eye
DisplayPorts quantity	1		Comfort certified
DisplayPort version	1.2	Heavy metals free	Hg (mercury)
Audio input	×	Light sensor	✓
Headphone out *	^ /	EasyRead mode	✓
Headphone outputs	1	LowBlue mode	✓
Headphone connectivity	3.5 mm	Compliance certificates	RoHS
PC Audio in	J.J IIIIII ✓	Mean time between failures (MTBF)	70000 h
			CB, EPA, FCC Class B, ICES-003, CE
HDCP	1.4		Mark, TUV Ergo, TUV/GS, SEMKO,
HDCP version	1.4	Certification	CU-EAC, CCC, CECP, CEL, UKRAINIAN, TUV Eye Comfort
AC (power) in	✓		
(<u> </u>		certified
Ergonomics	•	Recycling data	certified
	•	Recycling data Post-consumer recycled plastic	certified 85%

	::	4-4-
LOG	istics	aata

Harmonized System (HS) code

85285210



8712581764210

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.