PHILIPS

Philips S Line LCD monitor with SoftBlue Technology 243S7EHMB/00

Brand: Philips **Product family:** S Line Product code: 243S7EHMB/00

Product name: LCD monitor with SoftBlue Technology

243S7EHMB/00

243S7EHMB LCD monitor with SoftBlue Technology

Philips S Line LCD monitor with SoftBlue Technology 243S7EHMB/00:

Our S Line monitor delivers business efficiency. A wide-view IPS display with SoftBlue technology is great $for easy-on-the-eyes\ productivity.\ The\ height-adjustable,\ frameless\ display\ allows\ for\ tiling\ multiple$ monitors for an expanded view.

Philips S Line LCD monitor with SoftBlue Technology 243S7EHMB/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Tilt angle range	-5 - 25°
Display resolution *	1920 x 1080 pixels	On Screen Display (OSD)	✓
HD type * Native aspect ratio * Display technology * Panel type * Backlight type	Full HD 16:9 LED IPS W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	×	Number of OSD languages	21
Display brightness (typical)	250 cd/m²	Plug and Play	✓
Response time *	5 ms	LED indicators	Operation, Stand-by
Screen shape *	Flat	Power	
Supported graphics resolutions	1920 x 1080 (HD 1080)	Energy efficiency class (SDR) *	E
Aspect ratio Contrast ratio (typical) *	16:9 1000:1	Energy consumption (SDR) per 1000 hours *	18 kWh
Contrast ratio (dynamic)	20000000:1	Power consumption (typical) *	12.84 W
Dynamic contrast ratio marketing name	SmartContrast	Power consumption (standby) *	0.5 W
Maximum refresh rate *	60 Hz	Power consumption (max)	20 W
Viewing angle, horizontal	178°	Power consumption (off) Power consumption (PowerSave)	0.3 W 11 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50 - 60 Hz
Pixel pitch	0.275 x 0.275 mm	Power supply type	Internal
Pixel density	93 ppi	Energy efficiency scale	A to G
Horizontal scan range Vertical scan range	30 - 83 kHz 56 - 76 Hz	European Product Registry for Energy Labelling (EPREL) code	421951
Viewable size, horizontal	52.7 cm	Annual energy consumption	29 kWh
Viewable size, vertical	29.6 cm	Operational conditions	
Digital horizontal frequency	30 - 83 kHz	•	0. 40.00
Digital vertical frequency	56 - 76 Hz	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C

Display		Operational conditions	
		Operational conditions Operating relative humidity (H-H)	20 - 80%
Sync-on-green (SOG)	√	Operating relative numidity (H-H)	20 - 80% 0 - 3658 m
Display diagonal (metric)	60.5 cm	Non-operating altitude	0 - 12192 m
DDC/CI	√		0 12132 111
Colour gamut standard	sRGB	Weight & dimensions	
3D	X	Width (with stand)	540 mm
Separate H/V sync	/	Depth (with stand)	202 mm
Display sRGB	/	Height (with stand) Weight (with stand)	483 mm 5 kg
Performance		Width (without stand)	5 kg 540 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Depth (without stand)	45 mm 325 mm
Flicker-free technology	✓	Height (without stand) Weight (without stand)	3.1 kg
Multimedia		Packaging data	· ,
Number of speakers	2	Package width	602 mm
RMS rated power	2 W	Package depth	199 mm
Built-in speaker(s) *	✓	Package height	457 mm
Built-in camera *	×	Package weight	7.29 kg
Design		Package type	Box
Market positioning *	Home	Packaging content	
Product colour *	Black	Stand included	✓
Front bezel colour	Black	Cables included	VGA, HDMI, Audio (3.5mm), AC
Detachable stand	✓	Manual	✓ ✓
Feet colour	Black	Bundled software	SmartControl
Ports & interfaces		Sustainability	
Ports & interfaces Built-in USB hub *	×	Sustainability Sustainability certificates	ENERGY STAR TOO
	x 1	Sustainability Sustainability certificates Doesn't contain	ENERGY STAR, TCO PVC/BFR, Mercury
Built-in USB hub *		Sustainability certificates Doesn't contain	ENERGY STAR, TCO PVC/BFR, Mercury
Built-in USB hub * VGA (D-Sub) ports quantity	1	Sustainability certificates Doesn't contain Other features	PVC/BFR, Mercury
Built-in USB hub * VGA (D-Sub) ports quantity DVI port	1 x	Sustainability certificates Doesn't contain Other features On/off switch	PVC/BFR, Mercury
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI *	1 × ✓	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated	PVC/BFR, Mercury ✓ ×
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity	1 X 1.4	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type	PVC/BFR, Mercury ✓ × Textured
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version	1 X ✓ 1.4 1.4	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution	PVC/BFR, Mercury
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input	1 X ✓ 1.4 1.4 X	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement	PVC/BFR, Mercury
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out *	1 X / 1.4 1.4 X /	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100%
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs	1 X / 1.4 1.4 X /	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in	1 X / 1.4 1.4 X /	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003;
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics	1 x / 1.4 1.4 x / 1 / 1 / / / / / / / / / / / / / /	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting *	1 X / 1.4 1.4 X / / / / / / / / / / / /	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury)
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	1 x 1.4 1.4 1.4 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury)
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot *	1 x 1.4 1.4 1.4 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; CETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) RoHS
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max)	1 x 1.4 1.4 1.4 X 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO,
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment *	1 x 1.4 1.4 1.4 x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates Mean time between failures (MTBF)	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, EPA, WEEE,
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle	1 x 1.4 1.4 1.4 X 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO,
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle Swivelling	1 X / 1.4 1.4 X / 1 / 100 x 100 mm / Kensington / 13 cm / 90 - 90° /	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates Mean time between failures (MTBF)	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) V ROHS 70000 h CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, EPA, WEEE, UKRAINIAN, ICES-003,
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * Headphone outputs PC Audio in AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle	1 X / 1.4 1.4 X / 1 / 100 x 100 mm / Kensington / 13 cm / 90 - 90°	Sustainability certificates Doesn't contain Other features On/off switch TV tuner integrated Exterior finish type Recommended resolution Picture enhancement Recyclable packaging material Regulatory Approvals Heavy metals free SoftBlue EasyRead mode Compliance certificates Mean time between failures (MTBF)	PVC/BFR, Mercury X Textured 1920 x 1080 @ 60 Hz SmartImage 100% CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; EPA; WEEE; UKRAINIAN; ICES-003; TUV/ISO9241-307; PSB; CECP; TUV Cert. — blue light cut-off Hg (mercury) ROHS 70000 h CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, EPA, WEEE, UKRAINIAN, ICES-003, TUV/ISO9241-307, PSB, CECP, TUV





8712581744281

4058154201923

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.