Epson WorkForce Pro WF-M5299DW

Brand: Epson Product family: WorkForce Pro Product code: C11CG07401

Product name : WorkForce Pro

WF-M5299DW

- Save time: With a fast FPOT
- Low intervention: Print with minimal downtime
- Save time: High yield and paper capacity mean less time is spent refilling
- Built for business: PDL compatibility (PCL and PostScript 3)
- PrecisionCore technology: Epson's most advanced printhead technology WorkForce Pro WF-M5299DW

Epson WorkForce Pro WF-M5299DW. Colour, Maximum duty cycle: 45000 pages per month. Maximum resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 34 ppm. Duplex printing. Display: LCD. Wi-Fi. Product colour: Black, White





Features		Power	
Recommended duty cycle	250 - 2500 pages per month	Power consumption (printing) *	23 W
Duplex printing *	✓	Power consumption (off)	0.2 W
Duplex printing mode	Auto	Power consumption (standby)	1.1 W
Page description languages *	PCL 6, PostScript 3, ESC/P-R, PDF 1.7, PCL 5e	Power consumption (ready) Energy Star Typical Electricity	7 W
Printing colours *	Black	Consumption (TEC)	0.2 kWh/week
Colour *	✓	AC input voltage	220 - 240 V
Maximum duty cycle *	45000 pages per month	AC input frequency	50 - 60 Hz
Printing		System requirements	
Maximum resolution *	1200 x 2400 DPI	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP, Windows XP Professional
Print speed (black, normal quality, A4/US Letter) *	34 ppm		
Time to first page (black, normal)	4.8 s		Mac OS X 10.10 Yosemite, Mac OS X
Print speed (ISO/IEC 24734) mono	24 ipm	Mac operating systems supported	10.7 Lion, Mac OS X 10.8 Mountain
Duplex print speed (black, normal quality, A4/US Letter)	15 ppm	Linux operating systems supported	Lion, Mac OS X 10.9 Mavericks ✓
Duplex print speed (ISO/IEC 24734, A4) black	15 ppm	Server operating systems supported	Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016
Input & output capacity		Server operating systems supported	
Total number of input trays *	3		56.76. 2010
Total input capacity *	330 sheets		
Total output capacity *	150 sheets		
Maximum number of input trays *	2		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	80 sheets		
Maximum input capacity	1330 sheets		

Innut & outnut cansette		System requirements	
Input & output capacity	Paner tray	System requirements	Citrix YanAnn 7.6 und hähar Citrix
Paper input type	Paper tray		Citrix XenApp 7.6 und höher, Citrix XenDesktop Version 7.6, Linux, Mac
Paper handling Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes Photo paper sizes Custom media width Custom media length Paper tray media weight Ports & interfaces USB port *	A4 Thick paper A4, A5, A6 B5, B6 C5 10, C4, C5, C6, DL 9x13,10x15,13x18 148 - 216 mm 210 - 297 mm 64 - 256 g/m²	Compatible operating systems	OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8 (32/64 Bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 Bit), Windows Vista (32/64 Bit), Windows Vista (64-Bit-Version, Windows XP SP2 oder höher, Windows XP SP3, Windows XP, 64-Bit-Version, Windows XP SP3, Windows XP, 64-Bit-Version, Windows XP SP2 oder höher, Windows XP SP3, Windows XP, 64-Bit-Version, Windows Server 2003 R2, Windows XP Professional
USB 2.0 ports quantity	1		x64 Edition, XP Professional x64 Edition SP2
Direct printing Standard interfaces	✓ Ethernet, NFC, USB	Sustainability	
Network	Edicinet, Ni C, OSB	Sustainability certificates	ENERGY STAR
		Weight & dimensions	
Ethernet LAN * Wi-Fi * Wi-Fi Direct * Wi-Fi standards	✓ ✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Width Depth Height Weight	425 mm 535 mm 357 mm 14.9 kg
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-AES, WPA2-PSK, WPA2-AES	Packaging data	
Supported network protocols Mobile printing technologies	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Google Cloud Print	Quantity per pack AC adapter included Cables included Power cord included	1 pc(s) AC
Performance		Drivers included	✓
Sound pressure level (printing) Sound power level (printing) Design Market positioning *	55 dB 6.9 dB Business	Manual Package width Package depth Package height Package weight	536 mm 546 mm 490 mm 18.6 kg
Product colour *	Black, White		10.0 kg
Built-in display *	✓	Logistics data	
Display Colour display Display diagonal Country of origin	LCD ✓ 6.1 cm (2.4") Indonesia	Pallet gross length Pallet gross width Pallet gross height Products per pallet layer Products per pallet layer (UK) Products per pallet (UK) Pallet weight (UK) Pallet length (UK) Pallet width (UK) Pallet height (UK) Harmonized System (HS) code Pallet gross weight Products per pallet	120 cm 80 cm 42 cm 2 pc(s) 2 pc(s) 8 pc(s) 0 g 120 cm 100 cm 42 cm 84433210 0 g 8 pc(s)
		Other features	
		Printing method Print technology Ink drop	Epson PrecisionCore Inkjet Mit Variable-sized Droplet- Technologie
		Box contents	Driver and utilities (CD), Initialization Ink Supply Units, Power cable, Setup guide, User manual (CD)



8715946634272

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.