

## Brother PT-H110 label printer Thermal transfer 180 x 180 DPI 20 mm/sec TZe QWERTY

**Brand :** Brother

**Product code:** PT-H110

**Product name :** PT-H110

LCD, QWERTY, 6 x AAA, 180 dpi, ZTe tape, 3.5/6/9/12 mm tape width, 400 g  
Brother PT-H110. Keyboard layout: QWERTY. Tape type: TZe. Print technology: Thermal transfer,  
Maximum resolution: 180 x 180 DPI, Print speed: 20 mm/sec. Supported paper width: 3.5, 6, 9, 12 mm.  
Battery type: AAA. Product colour: Black



Printing		Power	
Print technology *	Thermal transfer	Auto power off	✓
Maximum resolution *	180 x 180 DPI	Weight & dimensions	
Print speed *	20 mm/sec	Width	105 mm
Maximum printing width *	1.2 cm	Depth	190 mm
Maximum print height	9 mm	Height	285 mm
Minimum print length	3 cm	Weight	477 g
Vertical printing	✓	Packaging data	
Mirror printing	✓	Package width	190 mm
Maximum print length	0.3 m	Package depth	104 mm
Paper handling		Package height	285 mm
Supported paper width	3.5, 6, 9, 12 mm	Package weight	890 g
Ports & interfaces		Packaging content	
Ethernet LAN *	✗	Cartridge(s) included	✓
Wi-Fi *	✗	Cartridges quantity	1 pc(s)
Performance		Warranty card	✓
Number of fonts	3	Manual	✓
Tape type	TZe	Logistics data	
Tape cutting	Manual	Harmonized System (HS) code	84433210
Number of styles	10	Pallet gross height	13.5 cm
Number of printing lines (max)	2	Pallet gross weight	148.2 kg
Underline	✓	Master (outer) cases per pallet	48 pc(s)
Maximum text length per line	80 characters	Master (outer) cases per pallet layer	12 pc(s)
Design		Layers per pallet	4 pc(s)
Product colour *	Black	Products per pallet	144 pc(s)
Built-in display	✓	Technical details	
Display *	LCD	Pallet type	800 x 1200 mm

Design		Other features	
Display number of lines	1 lines	Number of label formats	15
Display number of characters	16	Print preview	✓
Keyboard layout	QWERTY	Label memory	15 label(s)
Power		Navigation key	✓
Battery type	AAA	Country of origin	Philippines
Number of batteries supported	6	Spare part retention	5 year(s)




4977766760645



4977766761789



4977766761802




4977766765299



4977766765312



4977766765329



4977766775236



0012502643890



012502643890

**Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.