

HP Smart Tank Plus 655 Wireless All-in-One Color Printer, Copier, Scanner

Brand : HP Product family: Smart Tank Product code: Y0F74A

Plus

Product name : Smart Tank Plus 655 Wireless All-in-One Color Printer, Copier, Scanner

- Scan to PDF

- Print, Copy, Scan, Fax, ADF and Wireless

- Print speed up to 11 ppm (black) and 5 ppm (colour)

- Up to 1200 x 1200 rendered dpi

Smart Tank Plus 655 Wireless All-in-One

HP Smart Tank Plus 655 Wireless All-in-One Color Printer, Copier, Scanner. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 5 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Colour faxing. Duplex functions: Fax. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black





Printing		Paper handling	
Duplex printing mode Print resolution colour Print resolution black Print technology *	Manual 4800 x 1200 DPI 1200 x 1200 DPI Thermal inkjet	Borderless printing media sizes Custom media width Custom media length Paper tray media weight	A4, Letter 76.2 - 215 mm 127 - 355 mm 60 - 300 g/m ²
Printing *	Colour printing	Ports & interfaces	
Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Print speed (colour, normal quality,	4800 x 1200 DPI 11 ppm	Direct printing * USB port USB 2.0 ports quantity Optional connectivity	✓ ✓ 1 Bluetooth, USB 2.0
A4/US Letter)	5 ppm	,	Didectootii, GSB 2.0
Print speed (black, draft quality, A4/US Letter)	22 ppm	Network Wi-Fi *	✓
Print speed (colour, draft quality, A4/US Letter) Print speed (ISO/IEC 24734) black Print speed (ISO/IEC 24734) colour Time to first page (black, normal) Time to first page (colour, normal) Print margin top (min) Print margin bottom (min) Print margin left (min) Print margin right (min) Borderless printing Copying Duplex copying *	16 ppm 11 ppm 5 ppm 14 s 21 s 3 mm 3 mm 3 mm	Ethernet LAN * Wi-Fi standards Wi-Fi Direct Bluetooth Mobile printing technologies Performance Maximum internal memory Internal memory * Built-in processor Processor frequency Sound power level (printing)	X 802.11b, 802.11g, Wi-Fi 4 (802.11n) Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service 256 MB 256 MB 800 MHz 6.4 dB
Copying *	Colour copying	Design	
Maximum copy resolution * Copy speed (black, normal quality, A4)	600 x 600 DPI 22 cpm	Product colour * Market positioning * Built-in display *	Black Home & office ✓
Copy speed (colour, normal quality, A4) Copy speed (black, draft, A4)	14 cpm 22 cpm	Display diagonal Control type Colour display	5.59 cm (2.2") Touch
Copy speed (colour, draft, A4) Maximum number of copies	14 cpm 99 copies	Power	
Copier resize ID-card copy function Auto fit function	25 - 400%	Power consumption (ready) Power consumption (sleep) Power consumption (off)	3.82 W 0.71 W 0.11 W

Scanning × Repower Scamning** Consumption (TCC) 0.017 kWillyweek Optical Scanning resolution 1.200 x 1200 ppl A Energy Start Typical Electricity 100 - 240 V Optical Scanning resolution 1.200 x 1200 ppl A Engul verbage 100 - 240 V Optical Scanning resolution 1.200 x 1200 ppl Branch England 5060 H Maximum scan resolution 1.200 x 1200 ppl Branch Specific Resolute 7 Scanner Resolution 1.200 x 1200 ppl HP Enfort 7 Scanner Resolution 1.200 x 1200 ppl HP Enfort 7 Scanner Resolution 1.200 x 1200 ppl HP Enfort Resolution 1.200 x 1200 ppl Scanner Resolution 3.200 x 1200 ppl HP Enfort Resolution 1.200 x 1200 ppl Scann technology 1.200 x 1200 ppl HP Enfort Resolution Windows 10, Win	_			
Seaming Colour standing Consumption FECH Colour Manual Colour Windows Colour	Scanning		Power	
Scientify Color Scientify	Duplex scanning *	X		0.17 kWh/week
Optical saraning resolution (black) 200 x 1200 pp Brandsame resolution (black) 200 x 1200 pp Per Perint Fer Perint Per Perint Per Perint Per Perint Per Perint Per Perint Per Per Perint Per	•	•	•	100 - 240 V
Opcode Samming resolution (colors) 1200 x 1200 pp Parad-specific features Features Maximum scan resolution 1200 x 1200 pp HP ePrint Maximum scan resolution 1200 x 1200 pp HP ePrint Scan technology GS 150 x 297 mm HP Auto-Gn/Auto-Off Scan technology GS Sear to Color PRA Software, E-mail Server System requirements Windows 10, Windows	•			
Maximum scan resolution 1200 x 1200 DPH He Perinat / ** Scanner Lype* Platted & ADF scanner HE Auto On/Auto-Off ** Scan Certonlogy CIS Seamer System 1252-543942238 Scan Speed (colour) 3 ppm Windows speraring systems supported Windows 1,0 Windows 8, Windows 5,		• •		
Maximum scan area 216 x 297 mm IP Auto- On/Auto-Off 122545948258 Scan technology CIS Scan technology 132545948258 Scan seed (cloud) 5 xx 50 fixare, E-mail Server Windows a peraing systems Windows 1, Windows 8, Windows 5, Wind	· =	• •		
Scan technology				
Scan Inchenology			•	
Scan speed (colour) Fax, Software, Email Server System requirements Windows operating systems supported supporte			HP GTIN (EAN/UPC)	192545948258
Scan speed (black) 5 pm supported 11, Windows 8.1, Windows 8.1, Windows 8.1, Windows 1.0 Windows 8.1, Windows 1.0 Windows 8.1, Windows 1.0 Windows 1	= -	Fax, Software, E-mail Server	System requirements	
Seri Speel (Jueks) Spin	Scan speed (colour)	3 ppm		
Document formats supported Document formats supported 10,14 Mojave, Mac OS X 10,11 El Capalta, Mac GS X 11,0 Wentura, Mac Greyscale levels 256	Scan speed (black)	5 ppm	supported	
Document formats supported project of the place	- ''	BMP, JPEG, PNG, TIFF		
Input colour depth	• • • • • • • • • • • • • • • • • • • •		Mac operating systems supported	Capitan, Mac OS X 13.0 Ventura,
Separation Sep	·		3 3 3	5 .
Fax Operational conditions Unput (pack pairing) Forming (pack pairing) 1 5 - 80% Fax risgo (pack pack pack pack pack pack pack pack	•			
Duplex faxing		IWAIN	Operational conditions	
Recollining Pax resolution (black) 300 x 300 DPI 350 x 300 DPI 350 x 300 DPI 350 x 300 DPI 300 x 300 x 300 x 300 DPI 300 x	Fax		Operating relative humidity (H-H)	15 - 80%
Fax resolution (colour) 200 x 200 DPI 500 age temperature (T-T) 5 × 40 °C Fax resolution (colour) 200 x 200 DPI 500 age temperature (T-T) 5 × 40 °C Fax transmission speed 33.6 kbit/s 5 × 90%				
Fax resolution (colour) 200 x 200 DPI Operating temperature (T-T) 5 - 40 °C Fax transmission speed 4 sec/page Non-operating relative humidity (non-condensing) 5 - 90% Auto-redialing - Certificates CERTIFICATE Speed dialling - Certification CISPR 32:2015/EN 55032:2015 (Dis B : CISPR 24:2010/EN 55022:2015 (EN 5002-2016) (EN 61000-33-2013); EN 61000-33-2013; EN 65002-2016 (EN 61000-33-2013); EN 61000-33-2013; EN 61	•	<u> </u>	-	
Fax transmission speed 4 sec/page Modem speed 4 sec/page Modem speed Non-operating relative humidity (non-condensing) 5 - 90% Autor-redialing 4 Certificates Control Speed dialling 4 Certificates Class 8; 22015/EN 55032; 2015 (Class 8; CSPR42; 2010/EN 55032; 2015; EAS 500) Class 8; 22015/EN 55032; 2015; EAS 500; 2013; EAS 500; EAS 5				
Modem speed 33.6 Kolt/s (non-condensing) 5°90% Auto-redialing / Certificates Speed dialling / Certification CISPR 32:2015/EN 55032:2015 Class 8:105/EN 55032:2015 (ass 6:105/EN 32:0013) (ass 6:105 Class 8:105/EN 32:0013) (ass 6:105 Class 8:105/EN 32:0013) (ass 6:105 Class 8:105/EN 32:0013) (ass 6:105 Class 8:105) (ass 6:105) (5 - 40 °C
Auto-redialing Y Speed dialling Y Exx forwarding Y Fax forwarding Y Fax delayed sending Y Auto reduction Y Auto reduction Y Features For 61000-33:2013; FCC FR4 19 F18 6100-33:2013; FCC FR4 19 F18 6100-33:2014;	· ·	, =		5 - 90%
Speed dialling Y CISPR 32:2015/EN 55032:2015 Class B: CISPR 32:2015/EN 55032:2015 Cass B: CISPR 32:2015/EN 5503:2016 Cass B: CISPR 32:2013/EN 500:2013 Cass B: CISPR 32:2015/EN 5503:2016 Cass B: CISPR 32:2015/EN 500:2015 Cast B: CISPR 32:2015/EN 500:2015 Cast B: CISPR 32:2015/EN 500:2015	·	•		
Exa forwarding Y Case (alayed sending) Y Certification Case (alayed sending) Y Certification Case (alayed sending) Y Certification Certification Certification Case (alayed sending) Y EN (aloon-3::2013; FCC CFR 47 Part 158; ICS-5003;2016 issue 6; EN 3010 489-1 V2.11:2017; EN 301 489-1 V2.11:20	-		certificates	CISDD 32-2015/EN 55032-2015
Fax delayed sending V Certification EN 61000-3-2:2018; EN 61000-3-2:2018		4		
Auto reduction Y Certification Part 158; (CES-003,2016 Issue 6; EN 301 489-1 V2.11.2017; EN 301 4	-	•		
Features 489-17 V3.1.1:2017; EN 301 A898-17 V3.1.1:2017; EN 30		•	Certification	
Recommended duty cycle	Auto reduction	•		
Maximum duty cycle* 1000 pages per month Sustainability Digital sender * Sustainable technologies and materials No Ink tank system * Carbon footprint Number of print cartridges* 4 Total carbon footprint (kg of CO2e) 60 Printing colours* Magenta, Yellow Carbon emissions, manufacturing (kg of CO2e) 50 All-In-One-multitasking * Carbon emissions, manufacturing (kg of CO2e) 50 Country of origin PCL 3 GUI Carbon emissions, manufacturing (kg of CO2e) 6 Country of origin HP 32 90-ml Black Original Ink Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VV25AE; HP 31 70-ml Yellow Original Ink Bottle 1VV25AE; HP 31	Features			
Duplex functions Fax Digital sender ***Carbon footprint** Number of print cartridges All-In-One-multitasking Collin, Vietnam HP 32 90-ml Black Original Ink Bottle 1VV2AE; HP 31 70-ml Cyan Original Ink Bottle 1VV2AE; HP 31 70-ml Yellow Original Ink Bottle 1VV2AE; HP 31 70-ml Yellow Original Ink Bottle 1VV2AE; HP 32 11 135-ml Black Original Ink Bottle 1VV2AE; HP 32 11 135-ml Black Original Ink Bottle 1VV2AE; HP 32 10-ml Yellow Origin	* *	· - ·		B; ES 203 021-2/ES 203 021-3
Digital sender V Sustainable technologies and materials No Ink tank system V Carbon footprint V Number of print cartridges* 4 Total carbon footprint (kg of CO2e) 60 Printing colours* Magenta, Yellow Carbon emissions, manufacturing (kg of CO2e) 50 All-In-One-multitasking Y Carbon emissions, logistics (kg of CO2e) 4 Country of origin HP 32 90-ml Black Original Ink Bottle 1VU26AE; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AE; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AE; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2AF4; HP 31 70-ml Veal (AF) The Magenta Original Ink Bottle 1VU2	• •		Sustainability	
Ink tank system Number of print cartridges* All-In-One-multitasking Country of origin All-In-One-multitasking Country of origin All-In-One-multitasking Country of origin All-In-One-multitasking Country of origin Country of origin All-In-One-multitasking Country of origin Country of origin All-In-One-multitasking Country of origin China, Vietnam Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VV25AE; HP 31 70-ml Vellow Original Ink Bottle 1VV25AE; HP 31 70-ml Vellow Original Ink Bottle 1VV25AE; HP 31 70-ml Yellow Original Ink Bottle 1VV25AE; HP 31 70-ml Yellow Original Ink Bottle 1VV25AE; HP 31 70-ml Yellow Original Ink Bottle 1VV25AE; HP 31 90-ml Black Original Ink Bottle 1VV25AE; HP 32 90-ml Black Original Ink Bottle 1VV25AE; HP 31 70-ml Yellow Veight & dimensions Packaging data Input & output capacity Total number of input trays * 1 Package depth 495 mm Total output capacity * 100 sheets Package height 480 mm Total output capacity * 30 sheets Package weight 8.5 kg Auto document feeder (ADF) input capacity 35 sheets Auto document feeder (ADF) input capacity 40 sheets Auto document feeder (ADF) input capacity 10 sheets Bundled software Printer Software, HP Update, HP Photo Creations	'		Sustainable technologies and	No
Number of print cartridges* 4 Printing colours* Magenta, Yellow Page description languages All-In-One-multitasking Country of origin Page description languages All-In-One-multitasking Country of origin All-In-One-multitasking Carbon emissions, manufacturing Country of CO2e) All-In-One-multitasking All-In-One-multitasking Carbon emissions, logistics (kg of CO2e) All-In-One-multitasking All-In-One-multitask		•	materials	NO
Printing colours * Magenta, Yellow Page description languages PCL 3 GUI All-In-One-multitasking Country of origin PB Sttle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VU25AE; HP 31 70-ml Yellow Original Ink Bottle 1VU25AE; HP 31 70-ml Yellow Original Ink Bottle 1VV25AE; HP 31 70-ml Syang Original Ink Bottle 1VV25AE; HP 32 90-ml Black Original Ink Bo	•	•	Carbon footprint	
Page description languages PCL 3 GUI Carbon emissions, manufacturing (kg of CO2e) 50 All-In-One-multitasking ✓ Carbon emissions, logistics (kg of CO2e) 4 Country of origin China, Vietnam Total carbon emissions, w/o use portion of CO2e) 6 Replacement cartridges HP 32 90-ml Black Original Ink Bottle 1VU2DAE; HP 31 70-ml Yellow Original Ink Bottle 1VU2DAE; HP 31 70-ml Yellow Original Ink Bottle 1VU2DAE; HP 31 70-ml Yellow Bottle 1VU2DAE; HP 31 70-ml Yellow Original Ink Bottle 1VU2DAE; HP 32 90-ml Black Original Ink Bottle 1VV2DAA; HP 32 90-ml Black Original Ink Bottle 1VV2DAA; HP 32 90-ml Black Original Ink Bottle 1VV2DAA Weight & dimensions HP segment Home Packaging data 198 mm Input & output capacity Package width 495 mm Total number of input trays * 1 Package depth 238 mm Total input capacity * 100 sheets Package depth 8.5 kg Auto document feeder (ADF) input capacity * 35 sheets Cables included AC Maximum number of input trays 1 Packaging content Y Auximum number of input trays 30 sheets Cables included AC Auximum number of input trays 1 Y <	,		Total carbon footprint (kg of CO2e)	60
All-In-One-multitasking Country of origin China, Vietnam HP 32 90-ml Black Original Ink Bottle 1VU25AE; HP 31 70-ml Cyan Original Ink Bottle 1VU27AE; HP 31 70-ml Yellow Original Ink Bottle 1VU28AE; HP 32X1 135-ml Black Original Ink Bottle 1VV25AA HP segment Home Home Packaging data Input & output capacity Total number of input trays * 1 Total output capacity * 100 sheets Auto document feeder (ADF) Auto document feeder (ADF) input capacity Maximum number of input trays 1	•	-		50
Country of origin China, Vietnam HP 32 90-ml Black Original Ink Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VU26AE; HP 31 70-ml Yellow Replacement cartridges Replacement cartridges Profile Coze Weight & dimensions Width Aday mm Depth 373 mm Height 198 mm Weight Weight Packaging data Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Auto document feeder (ADF) input capacity Maximum number of input trays Input tapacity Maximum input capacity Total output capacity * Auto document feeder (ADF) input capacity Maximum input capacity Total output capacity Total carbon emissions, w/o use Weight dimensions Width Aday mm Packaging data Package width Package weight ABO mm 4 405 mm 480 mm 480 mm 505 kg Total carbon emissions, w/o use Packaging Coze Packaging data Package weight ABO mm 480 m			. •	
HP 32 90-ml Black Original Ink Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VV26AE; HP 31 70-ml Cyan 70-ml Magenta Original Ink Bottle 1VV26AE; HP 31 70-ml Yellow Original Ink Bottle 1VV28AE; HP 31 70-ml Yellow Original Ink Bottle 1VV28AE; HP 31 70-ml Yellow Original Ink Bottle 1VV28AE; HP 32 90-ml Black Original Ink Bottle 1VV28AE; HP 31 70-ml Yellow Original Ink Bottle 1VV28AE; HP 32 90-ml Black Original Ink Bottle 1VV28AE; HP 32 90-ml Black Original Ink Bottle 1VV25AA HP segment Home Packaging data Input & output capacity Package width 495 mm Total number of input trays 1 Total input capacity Package Height 480 mm Total output capacity Package Weight 8.5 kg Auto document feeder (ADF) input capacity 35 sheets Auto document feeder (ADF) input capacity 100 sheets Maximum number of input trays 1 Maximum input capacity 100 sheets Bundled software Photo Creations Photo Creations 100 sheets Bundled software Photo Creations 100 sheets Photo Photo Creations 100 sheets Photo Ph	J			4
Replacement cartridges Weight & dimensions Width Depth Josh mm Depth Height Weight Weight Replacement Replacement cartridges Width Depth Josh mm Reckaging data Package width Package width Package depth Total number of input trays * Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) Auto document feeder (ADF) input capacity Raximum number of input trays Total output capacity Replacement Cartridges Weight & dimensions Width Depth Height Weight Replacement Nidth Packaging data Package width Package depth Package depth Replacement Replacement Replacement Replacement Replacement Replacement Red iman (Auto Moment Red iman (Auto Moment Replacement Replacement Red iman (Auto Moment Replacement Replacement Red iman (Auto Moment	country or origin			6
Replacement cartridges Normal Magenta Original Ink Bottle 1VU27AE; HP 31 70-ml Yellow Original Ink Bottle 1VU28AE; HP 31 70-ml Yellow Original Ink Bottle 1VU24AA; HP 32 90-ml Black Original Ink Bottle 1VV25AA HP 32 90-ml Black Original Ink Bottle 1VV25AA HP 32 90-ml Black Original Ink Bottle 1VV25AA Height 198 mm Weight 6.19 kg Home		Bottle 1VV25AE; HP 31 70-ml Cyan	phase (kg of CO2e)	·
Replacement cartridges 1VU27AE; HP 31 70-ml Yellow Original Ink Bottle 1VU28AE; HP 32XL 135-ml Black Original Ink Bottle 1VV24AA; HP 32 90-ml Black Original Ink Bottle 1VV25AA Height Height 198 mm Weight 6.19 kg			Weight & dimensions	
Signature Sig	Replacement cartridges	1VU27AE; HP 31 70-ml Yellow	Width	449 mm
Bottle 1VV24AA; HP 32 90-ml Black Original Ink Bottle 1VV25AA HP segment Home Packaging data Input & output capacity Total number of input trays * 1			Depth	373 mm
HP segment Home Packaging data Input & output capacity Package width 495 mm Total number of input trays * 1 Package depth 238 mm Total input capacity * 100 sheets Package height 480 mm Total output capacity * 30 sheets Package weight 8.5 kg Auto document feeder (ADF) ✓ Packaging content Auto document feeder (ADF) input capacity 35 sheets Cables included AC Maximum number of input trays 1 Warranty card ✓ HP Printer Software, HP Update, HP Photo Creations		Bottle 1VV24AA; HP 32 90-ml Black	-	
Input & output capacity Total number of input trays * 1 Package depth 238 mm Total input capacity * 100 sheets Package height 480 mm Total output capacity * 30 sheets Package weight 8.5 kg Auto document feeder (ADF) ✓ Packaging content Auto document feeder (ADF) input capacity * 35 sheets Cables included AC Maximum number of input trays 1 Warranty card ✓ HP Printer Software, HP Update, HP Photo Creations	LIB	•	Weight	6.19 kg
Total number of input trays * 1 Package depth 238 mm Total input capacity * 100 sheets Package height 480 mm Total output capacity * 30 sheets Package weight 8.5 kg Auto document feeder (ADF) Auto document feeder (ADF) input capacity Auto document feeder (ADF) input capacity Maximum number of input trays 1 Maximum input capacity 100 sheets Bundled software HP Printer Software, HP Update, HP Photo Creations		поте	Packaging data	
Total input capacity * 100 sheets Package height 480 mm Total output capacity * 30 sheets Package weight 8.5 kg Auto document feeder (ADF) ✓ Packaging content Auto document feeder (ADF) input capacity 35 sheets Cables included AC Maximum number of input trays 1 Warranty card ✓ Maximum input capacity 100 sheets Bundled software HP Printer Software, HP Update, HP Photo Creations			· ·	495 mm
Total output capacity * 30 sheets Package weight 8.5 kg Auto document feeder (ADF) ✓ Packaging content Auto document feeder (ADF) input capacity 35 sheets Cables included AC Maximum number of input trays 1 Warranty card ✓ Maximum input capacity 100 sheets Bundled software HP Printer Software, HP Update, HP Photo Creations	· · ·			
Auto document feeder (ADF) Auto document feeder (ADF) input capacity Maximum number of input trays Maximum input capacity 100 sheets Packaging content Cables included AC Warranty card Warranty card HP Printer Software, HP Update, HP Photo Creations				
Auto document feeder (ADF) input capacity Maximum number of input trays Maximum input capacity 100 sheets Cables included Warranty card Warranty card HP Printer Software, HP Update, HP Photo Creations			5 5	ช. э Кg
capacity Maximum number of input trays Maximum input capacity 1 Warranty card ✓ Maximum input capacity 100 sheets Bundled software HP Printer Software, HP Update, HP Photo Creations		•	Packaging content	
Maximum number of input trays1Warranty card✓Maximum input capacity100 sheetsBundled softwareHP Printer Software, HP Update, HP Photo Creations		35 sheets	Cables included	AC
Photo Creations	· ·	1	Warranty card	✓
Maximum output capacity 30 sheets	Maximum input capacity	100 sheets	Bundled software	
	Maximum output capacity	30 sheets		i noto Cicadolis

Paper handling Logistics data Maximum ISO A-series paper size * Harmonized System (HS) code 8443319090 A4 Maximum print size 216 x 355 mm Pallet gross weight 425 kg Envelopes, Glossy paper, Matte Layers per pallet 5 pc(s) Paper tray media types * paper, Photo paper, Plain paper Products per pallet 50 pc(s) ISO A-series sizes (A0...A9) * A4, A6 Master (outer) cases per pallet layer 10 pc(s) General Product Safety Regulation (GPSR) URL https://sup ISO B-series sizes (B0...B9) В5 Non-ISO print media sizes Legal Other features Envelopes sizes B5, DL Number of users 3 user(s) Pallet dimensions (W x D x H) 3740 x 1000 x 2400 mm Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB Recommended system available hard disk space, Internet connection, USB port, Internet Explorer. requirements PictBridge Pallet dimensions (W x D x H) 3739.9 x 1000 x 2397.5 mm (147.2 x 39.4 x (imperial) 94.4") Pallet weight (imperial) 424.6 kg (936 lbs) Number of print heads One year standard or 30,000 pages limited warranty and get up to 3 years extended warranty upon registration at Manufacturer warranty http://www.hp.com/go/SmartTank3yearswarranty. User replaceable parts have separate warranty

periods.













Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.