HP LaserJet M209dw Wireless Black and white Printer, Duplex

Brand : HP

Product family: LaserJet

Product code: 6GW62F

Product name : LaserJet M209dw Wireless Black and white Printer, Duplex

- Two-sided printing; Compact Size; Energy Efficient; Dualband Wi-Fi
- Print
- Up to 29 ppm (black)
- Up to 600 x 600 dpi
LaserJet M209dw Printer

HP LaserJet M209dw Wireless Black and white Printer, Duplex:

Super capable. Super compact – with reliable wireless. A high-productivity compact mono laser printer with the fastest two-sided printing in its class[1] and the time-saving HP app.[2,3] Count on more reliable connections and a worry-free experience,[4,5] and get legendary HP quality.. HP JetIntelligence Cartridge

HP LaserJet M209dw Wireless Black and white Printer, Duplex. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 20000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 29 ppm, Duplex printing. Wi-Fi. Product colour: White

Printing

Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Colour *	✗
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	29 ppm
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm
Warm-up time	30 s
Time to first page (black, normal)	7 s
Secure printing	✔

Features

Maximum duty cycle *	20000 pages per month
Recommended duty cycle	200 - 2000 pages per month
Printing colours *	Black
Number of print cartridges *	1
Page description languages *	URF, PWG, PCLmS
Country of origin	China, Japan, Mexico, Philippines, Singapore, Thailand, Vietnam
Replacement cartridges	HP 135A Original Black LaserJet Toner Cartridge, W1350A (~1100); HP 135X Original Black LaserJet Toner Cartridge, W1350X (~2400)
HP segment	Small medium business

Input & output capacity

Total number of input trays *	1
Total input capacity *	150 sheets
Total output capacity *	100 sheets
Paper tray 1 input capacity	150 sheets
Maximum number of input trays	1

Power

Power consumption (PowerSave)	0.04 W
Power consumption (off)	0.04 W
Energy Star Typical Electricity Consumption (TEC)	0.224 kWh/week
AC input voltage	110 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 11, Windows 10, Windows 8.1, Windows 8
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Linux operating systems supported	✔
Other operating systems supported	Linux

Operational conditions

Operating temperature (T-T)	15 - 32.5 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%

Sustainability

Sustainability compliance	✔
Sustainability certificates	Blue Angel, ENERGY STAR
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury

Carbon footprint

Total carbon footprint (kg of CO2e)	270
Carbon emissions, manufacturing (kg of CO2e)	227
Carbon emissions, logistics (kg of CO2e)	19
Carbon emissions, end-of-life (kg of CO2e)	19

Input & output capacity

Maximum input capacity	150 sheets
Maximum output capacity	100 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Maximum print size	216 x 354 mm
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Postcard, Rough paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Legal, Letter
JIS B-series sizes (B0...B9)	B5
Custom media width	101.6 - 216 mm
Custom media length	152.4 - 356 mm
Paper tray media weight	60 - 163 g/m²

Ports & interfaces

Direct printing *	✔
USB port *	✔
USB 2.0 ports quantity	1

Network

Network ready	✘
Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi Direct	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth	✔
Security algorithms	SNMPv2, SNMPv3, SSL/TLS
Mobile printing technologies	Apple AirPrint, Mopria Print Service

Performance

Internal memory *	64 MB
Maximum internal memory	64 MB
Built-in processor	✔
Processor frequency	500 MHz
Sound pressure level (printing)	54 dB
Sound power level (printing)	6.7 dB

Design

Market positioning *	Home & office
Product colour *	White
Built-in display *	✘
Control type	Buttons
Certification	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6.

Power

Power consumption (printing) *	420 W
Power consumption (ready)	2 W

Carbon footprint

Total carbon emissions, w/o use phase (kg of CO2e)	11

Weight & dimensions

Width	355 mm
Depth	279.5 mm
Height	205 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2594 mm
Weight	5.6 kg

Packaging data

Package width	432 mm
Package depth	331 mm
Package height	272 mm
Package weight	7.3 kg

Packaging content

Cartridge(s) included	✔
Included cartridge capacity (black)	1 pages
Warranty card	✔
Cables included	AC

Brand-specific features

HP Auto-On/Auto-Off	✔
HP Dynamic security	✔
HP GTIN (EAN/UPC) with options	(ABT) 194850664236; (ABY) 194850664250; (B19) 194850664267; (BAZ) 194850664274
HP GTIN (EAN/UPC)	194850664236, 194850664250, 194850664267, 194850664274

Logistics data

Harmonized System (HS) code	8443321010
Pallet gross weight	548.3 kg
Layers per pallet	9 pc(s)
Products per pallet	72 pc(s)

Technical details

Master (outer) cases per pallet layer	8 pc(s)
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-m207-m212-printer-series/model/30836593?sku=6GW62F ; https://h10032.www1.hp.com/ctg/Manual/c06977277.pdf ; https://h10032.www1.hp.com/ctg/Manual/c06977277.pdf

Other features

Recommended system requirements	Microsoft® Windows® 10, 8.1, 8, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer.
Recommended humidity operating range	30 - 70%
Pallet weight (imperial)	547.1 kg (1206.2 lbs)
Acoustic power emissions (ready)	25 dB
Acoustic pressure emissions bystander (ready)	15 dB
Manufacturer warranty	One-year limited warranty

0194850664243

194850664243

0194850664281

194850664281

0194850664274

194850664274

0194850664250

194850664250

0194850664236

194850664236