



HP Color LaserJet Enterprise Flow LaserJet Enterprise Flow M776zs Wireless Multifunction Color Printer, Copier, Scanner; Duplex

Brand : HP

Product family: Color LaserJet Enterprise Flow **Product code:** T3U56A

Product name : LaserJet Enterprise Flow M776zs Wireless Multifunction Color Printer, Copier, Scanner; Duplex

- Two-sided printing; Scan to email
 - Print, copy, scan and fax
 - Print speed up to 45 ppm (black) and 45 ppm (colour)
 - Up to 1200 x 1200 dpi
- Color LaserJet Enterprise Flow MFP M776zs

HP Color LaserJet Enterprise Flow LaserJet Enterprise Flow M776zs Wireless Multifunction Color Printer, Copier, Scanner; Duplex:

HP JetIntelligence Cartridge


Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	B5, C5, C6, DL
Print resolution colour	1200 x 1200 DPI	Custom media width	64 - 320 mm
Print resolution black	1200 x 1200 DPI	Custom media length	127 - 457.2 mm
Print technology *	Laser	Paper tray media weight	60 - 256 g/m ²
Printing *	Colour printing	Multi-Purpose Tray media weight	60 - 300 g/m ²
Duplex printing *	✓	Ports & interfaces	
Maximum resolution *	1200 x 1200 DPI	Direct printing *	✓
Print speed (black, normal quality, A4/US Letter) *	46 ppm	USB port	✓
Print speed (colour, normal quality, A4/US Letter)	46 ppm	USB 2.0 ports quantity	3
Print speed (black, draft quality, A4/US Letter)	45 ppm	Network	
Print speed (black, normal quality, A3)	26 ppm	Wi-Fi *	✓
Print speed (colour, normal quality, A3)	26 ppm	Ethernet LAN *	✓
Warm-up time	210 s	Cabling technology	10/100/1000Base-T(X)
Time to first page (black, normal)	6.7 s	Ethernet LAN data rates	10,100,1000 Mbit/s
Time to first page (colour, normal)	7.1 s	Bluetooth	✓
Print margin top (min)	5 mm	Security algorithms	EAP-TLS, FIPS 140, FIPS 140-2, IPSec, PEAP, SNMPv3, SSL/TLS, WPA2-Enterprise
Print margin bottom (min)	5 mm	Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service
Print margin left (min)	5 mm	Performance	
Print margin right (min)	5 mm	Maximum internal memory	7168 MB
N-in-1 print function	✓	Memory slots	1

Printing		Performance	
Watermark printing	✓	Internal storage capacity	500 GB
Secure printing	✓	Card reader integrated	✗
Copying		Internal memory *	5120 MB
Duplex copying *	✓	Built-in processor	✓
Copying *	Colour copying	Processor frequency	1200 MHz
Maximum copy resolution *	600 x 600 DPI	Sound pressure level (printing)	53 dB
Copy speed (black, normal quality, A4)	46 cpm	Sound pressure level (scanning)	50 dB
Copy speed (colour, normal quality, A4)	46 cpm	Sound power level (printing)	6.9 dB
Copy speed (black, normal quality, A3)	26 cpm	Design	
Copy speed (colour, normal quality, A3)	26 cpm	Product colour *	Black, White
Time to first copy (black, normal)	6.7 s	Market positioning *	Business
Time to first copy (colour, normal)	8.8 s	Built-in display *	✓
Maximum number of copies	9999 copies	Display	LCD
Copier resize	25 - 400%	Display diagonal	22.9 cm (9")
N-in-1 copy function	✓	Touchscreen	✓
ID-card copy function	✓	Control type	Touch
Auto fit function	✓	Colour display	✓
Scanning		Power	
Duplex scanning *	✓	Power consumption (average operating)	900 W
Scanning *	Colour scanning	Power consumption (PowerSave)	0.07 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (printing)	900 W
Maximum scan resolution	600 x 600 DPI	Power consumption (ready)	100 W
Maximum scan area	297 x 432 mm	Power consumption (sleep)	0.8 W
Scanner type *	Flatbed & ADF scanner	Power consumption (off)	0.07 W
Scan technology	CIS/CCD	Energy Star Typical Electricity Consumption (TEC)	0.734 kWh/week
Scan to	E-mail, Network folder, USB, TWAIN, Software	AC input voltage	110 - 240 V
Scan speed (colour)	120 ppm	AC input frequency	50/60 Hz
Scan speed (black)	120 ppm	Brand-specific features	
Image formats supported	JPEG, MTIFF, TIFF	HP Auto-On/Auto-Off	✓
Document formats supported	CSV, HTML, PDF, RTF, UNICODE, XPS	HP Dynamic security	✓
Input colour depth	48 bit	HP GTIN (EAN/UPC) with options	(ABT) 193015438064; (ABY) 193015438071; (ACQ) 193015438088; (B13) 193015438095; (B19) 193015438101; (BAZ) 193015438118
Greyscale levels	256		193015438064, 193015438071, 193015438088, 193015438095, 193015438101, 193015438118
Scan drivers	TWAIN	HP GTIN (EAN/UPC)	
Fax		System requirements	
Faxing *	Colour faxing	Windows operating systems supported	Windows 10, Windows 8, Windows 11, Windows Vista, Windows 7
Fax resolution (black)	300 x 300 DPI	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.15 Catalina
Fax transmission speed	6 sec/page		
Modem speed	33.6 Kbit/s	Other operating systems supported	Android
Fax memory	500 pages	Operational conditions	
Auto-redialing	✓	Operating relative humidity (H-H)	10 - 80%
Speed dialling	✓	Recommended humidity operating range	30 - 70%
Fax forwarding	✓	Operating temperature (T-T)	10 - 32.5 °C
Fax delayed sending	✗		
Auto reduction	✓		
Features			
Recommended duty cycle	0 - 40000 pages per month		
Maximum duty cycle *	200000 pages per month		
Duplex functions *	Print, Copy, Scan		
Digital sender	✓		
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 5, PCL 6, PDF 1.7, PostScript 3		


Features		Certificates	
Printer fonts	PostScript, Scalable, Barcode, TrueType	Certification	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
All-In-One-multitasking	✓		
Country of origin	Japan, Mexico		
Replacement cartridges	W2010A HP 659A Black LaserJet Toner Cartridge (16,000 pages); W2011A HP 659A Cyan LaserJet Toner Cartridge (13,000 pages); W2012A HP 659A Yellow LaserJet Toner Cartridge (13,000 pages); W2013A HP 659A Magenta LaserJet Toner Cartridge (13,000 pages); W2010X HP 659X Black LaserJet Toner Cartridge (34,000 pages); W2011X HP 659X Cyan LaserJet Toner Cartridge (29,000 pages); W2012X HP 659X Yellow LaserJet Toner Cartridge (29,000 pages); W2013X HP 659X Magenta LaserJet Toner Cartridge (29,000 pages); W2004A HP 660A Original LaserJet Imaging Drum (65,000 pages, universal for all 4 colours)	Sustainability	
HP segment	Business	Sustainability compliance	✓
Input & output capacity		Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Gold, EPEAT Silver
Total number of input trays *	4	Sustainable technologies and materials	Mercury free
Total input capacity *	1750 sheets	Doesn't contain	Mercury
Total output capacity *	700 sheets	Carbon footprint	
Paper tray 1 input capacity	100 sheets	Total carbon footprint (kg of CO2e)	1080
Paper tray 2 input capacity	550 sheets	Carbon emissions, manufacturing (kg of CO2e)	572
Multi-Purpose tray	✓	Carbon emissions, logistics (kg of CO2e)	36
Multi-Purpose tray input capacity	100 sheets	Total carbon emissions, w/o use phase (kg of CO2e)	436
Auto document feeder (ADF)	✓	Weight & dimensions	
Auto document feeder (ADF) input capacity	200 sheets	Width	705 mm
Maximum number of input trays	4	Depth	712 mm
Maximum input capacity	1750 sheets	Height	1155 mm
Maximum output capacity	700 sheets	Weight	126.8 kg
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A3	Package width	856 mm
Maximum print size	302 x 454.2 mm	Package depth	760 mm
Paper tray media types *	Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Plain paper, Recycled paper, Thick paper, Transparencies	Package height	1556 mm
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Package weight	131.2 kg
ISO B-series sizes (B0...B9)	B5	Packaging content	
ISO C-series sizes (C0...C9)	C5, C6	Cables included	AC
Non-ISO print media sizes	Oficio, 16K	Logistics data	
JIS B-series sizes (B0...B9)	B4, B5, B6	Pallet gross weight	126.8 kg
		Layers per pallet	1 pc(s)
		Products per pallet	1 pc(s)
		Technical details	
		Master (outer) cases per pallet layer 1 pc(s) General Product Safety Regulation (GPSR) URL https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-mfp-m776-series/model/21298759?sku=T3U56A ; https://h10032.www1.hp.com/ctg/Manual/c06362773.pdf	
		Other features	
		Number of users	20 user(s)
		Pallet dimensions (W x D x H)	856 x 760 x 1556 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
		Acoustic power emissions (ready)	49 dB
		Acoustic pressure emissions bystander (ready)	32 dB
		Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.



0193015438118




193015438118



0193015438040




193015438040



0193015438163



193015438163



0193015438057




193015438057



0193905826810




193905826810



0193015438149




193015438149



0193015438156




193015438156



0193015438002




193015438002




0193015438071




193015438071



0193015438019



193015438019



0193015438026




193015438026



0193015438064




193015438064



0193015438125




193015438125



0193015438132




193015438132




0193015438033



193015438033



0193015438088



193015438088

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.