StarTech.com 5-port industrial Ethernet switch - DIN rail mountable

Brand: StarTech.com **Product code: IES5102**

Product name: 5-port industrial Ethernet switch - DIN rail

mountable

StarTech.com 5 Port Industrial Ethernet Switch - DIN Rail Mount - 10/100 Unmanaged Network Switch -IP30-rated - Energy-Efficient Ethernet

StarTech.com 5-port industrial Ethernet switch - DIN rail mountable. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex, Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3az, IEEE 802.3u. Rack mounting





Management features		Performance	
Switch type * Quality of Service (QoS) support	Unmanaged ✓	Maximum data transfer rate Mean time between failures (MTBF)	200 Mbit/s 1179133 h
Ports & interfaces		Power	
Basic switching RJ-45 Ethernet ports quantity *	3	Input voltage Power consumption (max)	12 - 48 V 2.12 W
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Operational conditions	
Network		Operating temperature (T-T) Storage temperature (T-T)	-10 - 60 °C -25 - 85 °C
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3az, IEEE 802.3u	Operating relative humidity (H-H)	5 - 95%
10G support *	×	Weight & dimensions	
Full duplex Auto MDI/MDI-X Auto-negotiation	* * *	Width Depth Height Weight	25 mm 70 mm 110 mm 148 q
Data transmission		Packaging content	-
Store-and-forward Jumbo frames support	×	Manual	✓
Design		Packaging data	
Rack mounting * Product colour Housing material LED indicators International Protection (IP) code	Terminal block included Package width Package width Package depth Plastic Package height Activity, Link, Power Package weight Package weight Package weight	178 mm 198 mm 79 mm	
Regulatory Approvals	EN61000-6-2, EN61000-6-4, EN61000-4-3, EN61000-4-4, EN61000-4-6, EN61000-4-8, IEC60068-2-6 Fc, IEC60068-2-27 Ea	Certificates Certification	CE, FCC

Performance		Logistics data
Maximum cable length	100 m	Harmonized System (HS) code 8517699
Buffer size	56 KB	





065030859745

0065030859745



5054629182659

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.