

Travel A/V adapter: 3-in-1 Mini DisplayPort to DisplayPort DVI or HDMI converter

Product ID: MDP2DPDVHD



The MDP2DPDVHD mini DisplayPort® to DisplayPort®, DVI or HDMI® Multifunction Adapter converts a mini DisplayPort (mDP®) input to DisplayPort, DVI or HDMI output signals - all in a single compact adapter.

This multifunction adapter offers the unique ability to connect almost any display to your mini DisplayPort equipped PC or Mac, providing the perfect solution for business environments that have mixed display hardware - saving the expense of purchasing new displays for compatibility. This Mini DisplayPort adapter is the perfect accessory for any of your MacBook® or Microsoft® Surface™ Pro devices with mDP.

A plug-and-play solution that requires no software or drivers, this versatile mDP adapter offers a quick and simple installation for the utmost convenience.



Data Sheet

Compatible with Intel® Thunderbolt $^{\text{TM}}$, when connected directly to a supporting DisplayPort over Thunderbolt $^{\text{TM}}$ I/O port.

This adapter allows for audio pass-through if supported by the video source. Please review the video source manual to confirm support.

Backed by a StarTech.com 3-year warranty and free lifetime technical support.









Certifications, Reports and Compatibility











Applications

- Ideal for digital entertainment centers, home offices, business conference rooms and trade show displays
- Use your existing DVI, HDMI® or DisplayPort® monitors with a new mini DisplayPort® device
- Perfect for IT professionals seeking a solution for connecting mixed display hardware to mini DisplayPort computers

Features

- Adapt Mini DisplayPort to DisplayPort, HDMI or DVI
- Supports resolutions up to 2560x1600 using DisplayPort, 1920x1200 using HDMI/DVI
- No software/drivers required
- Compact design
- Compatible with Intel® Thunderbolt™



Data Sheet

Parameter And Parameter And Parameter Style Passive Adapters Audio Yes AV Tuput Mini-DisplayPort AV Output DisplayPort Performance Audio Specifications 5.1 Surround Sound Performance Audio Specifications 5.1 Surround Sound Connector (s) Connector A 1 SiplayPort: 2560x1600 DVI/HDMI; 1920x1200 Purport Properties Connector B 1 - Nini-DisplayPort (20 pin) Male Environmental Humidity 1 - DVI-D (25 pin) Female 1 - HOMI (19 pin) Female 1 - HOMI (19 pin) Female Physical Storage Temperature 0 C to 70°C (32°F to 158°F) Storage Temperature 0 Potot to 80°C (14°F to 156°F) Physical Female 1 - 10°C to 80°C (14°F to 176°F) Physical Female 1 - 10°C to 80°C (14°F to 158°F) Female 1 - 10°C to 80°C (14°F to 156°F) Physical Female 1 - 10°C to 80°C (14°F to 156°F) Product Height 1 - 10°C to 80°C (14°F to 156°F) Product Height 2 - 10°C to 80°C (14°F to 156°F) Product Width 1 - 81 (24 cm) Product Width 2 - 10°C to 15°C (14°F to 156°F) Product Width		Warranty	3 Years
Audio Yes AV Input Mini-DisplayPort AV Output DisplayPort DVI HDMI Performance Audio Specifications 5.1 Surround Sound Maximum Digital Resolutions DisplayPort (2560x1600 DVI/HDMI; 1920x1200 Connector(s) Connector A 1 - Mini-DisplayPort (20 pin) Male Connector B 1 - DisplayPort (20 pin) Female 1 - DVI-D (25 pin) Female 1 - DVI-D (25 pin) Female 1 - HDMI (19 pin) Female 1 - HDMI (Hardware	Active or Passive Adapter	Passive
AV Input		Adapter Style	Adapters
AV Output DisplayPort DVI HDMI		Audio	Yes
DVI HDMI		AV Input	Mini-DisplayPort
Performance Audio Specifications S.1 Surround Sound Maximum Digital Resolutions DisplayPort: 2560x1600 DVI/HDMI; 1920x1200 Connector(s) Connector B Connector C		AV Output	DisplayPort
Performance Audio Specifications 5.1 Surround Sound Maximum Digital Resolutions DisplayPort: 2560x1600 DVI/HDMI; 1920x1200 Connector(s) Connector A 1 - Minil-DisplayPort (20 pin) Male Connector B 1 - DVI-D (25 pin) Female 1 - DVI-D (25 pin) Female 1 - HDMI (19 pin) Female Environmental Humidity 10~85% RH Operating Temperature 0°C to 70°C (32°F to 158°F) Storage Temperature -10°C to 80°C (14°F to 176°F) Physical Characteristics Color Black Enclosure Type Plastic Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Package Height 0.7 in [19 mm] Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]			DVI
Maximum Digital Resolutions DisplayPort: 2560x1600 DVI/HDMI; 1920x1200 Connector(s) Connector A Connector B Connector			HDMI
Connector(s) Connector A 1 - Mini-DisplayPort (20 pin) Male	Performance	Audio Specifications	5.1 Surround Sound
Connector B		Maximum Digital Resolutions	
T - DVI-D (25 pin) Female 1 - DVI-D (25 pin) Female 1 - HDMI (19 pin) Female 10~85% RH 10~85% RH 10~85% RH 10°C to 80°C (14°F to 158°F) 10°C to 80°C (14°F to 176°F) 10°C to 80°C to 156°F) 10°C to 80°C to 156°F) 10°C	Connector(s)	Connector A	1 - Mini-DisplayPort (20 pin) Male
Environmental Humidity 10~85% RH Operating Temperature 0°C to 70°C (32°F to 158°F) Storage Temperature -10°C to 80°C (14°F to 176°F) Physical Characteristics Color Black Enclosure Type Plastic Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Height 7.9 in [20 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Connector B	1 - DisplayPort (20 pin) Female
EnvironmentalHumidity10~85% RHOperating Temperature0°C to 70°C (32°F to 158°F)Storage Temperature-10°C to 80°C (14°F to 176°F)Physical CharacteristicsCable Length5.9 in [150 mm]ColorBlackEnclosure TypePlasticProduct Height0.6 in [1.5 cm]Product Length9.4 in [24 cm]Product Width1.8 in [45 mm]Weight of Product1.7 oz [47 g]Packaging InformationPackage Height0.7 in [19 mm]Package Length8.7 in [22 cm]Package Width7.9 in [20 cm]Shipping (Package) Weight2 oz [56 g]			1 - DVI-D (25 pin) Female
Operating Temperature 0°C to 70°C (32°F to 158°F) Storage Temperature -10°C to 80°C (14°F to 176°F) Physical Characteristics Color Black Enclosure Type Plastic Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]			1 - HDMI (19 pin) Female
Storage Temperature -10°C to 80°C (14°F to 176°F) Physical Characteristics Color Black Enclosure Type Plastic Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]	Environmental	Humidity	10~85% RH
Physical CharacteristicsCable Length5.9 in [150 mm]ColorBlackEnclosure TypePlasticProduct Height0.6 in [1.5 cm]Product Length9.4 in [24 cm]Product Width1.8 in [45 mm]Weight of Product1.7 oz [47 g]Packaging InformationPackage Height0.7 in [19 mm]Package Length8.7 in [22 cm]Package Width7.9 in [20 cm]Shipping (Package) Weight2 oz [56 g]		Operating Temperature	0°C to 70°C (32°F to 158°F)
Color Black Enclosure Type Plastic Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Height 7.9 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Storage Temperature	-10°C to 80°C (14°F to 176°F)
Enclosure Type Plastic Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Height 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Cable Length	5.9 in [150 mm]
Product Height 0.6 in [1.5 cm] Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Height 0.7 in [19 mm] Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Color	Black
Product Length 9.4 in [24 cm] Product Width 1.8 in [45 mm] Weight of Product 1.7 oz [47 g] Packaging Information Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Enclosure Type	Plastic
Product Width Weight of Product 1.7 oz [47 g] Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight 1.8 in [45 mm] 0.7 oz [47 g] 8.7 in [19 mm] 7.9 in [22 cm] 2 oz [56 g]		Product Height	0.6 in [1.5 cm]
Weight of Product 1.7 oz [47 g] Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight 1.7 oz [47 g] 0.7 in [19 mm] 8.7 in [22 cm] 7.9 in [20 cm] 2 oz [56 g]		Product Length	9.4 in [24 cm]
Packaging Information Package Height 0.7 in [19 mm] Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Product Width	1.8 in [45 mm]
Package Length 8.7 in [22 cm] Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Weight of Product	1.7 oz [47 g]
Package Width 7.9 in [20 cm] Shipping (Package) Weight 2 oz [56 g]		Package Height	0.7 in [19 mm]
Shipping (Package) Weight 2 oz [56 g]		Package Length	8.7 in [22 cm]
		Package Width	7.9 in [20 cm]
What's in the Box Included in Package 1 - MDP to DP/DVI/HDMI Adapter		Shipping (Package) Weight	2 oz [56 g]
	What's in the Box	Included in Package	1 - MDP to DP/DVI/HDMI Adapter

Product appearance and specifications are subject to change without notice.