

Epson WorkForce DS-970 Sheet-fed scanner 600 x 600 DPI A4 Grey, White

Brand : Epson

Product family: WorkForce

Product code: B11B251401

Product name : DS-970

Epson WorkForce DS-970. Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Grey, White, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 9000 pages, Scan file formats: JPEG, PDF, TIFF. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), ISO A-series sizes (A0...A9): A3, A4, A5, A6



Scanning		Power	
Optical scanning resolution *	600 x 600 DPI	Power supply type *	AC
Colour scanning	✓	Power consumption (typical)	40 W
Duplex scanning *	✓	Power consumption (off)	0.1 W
Input colour depth	30 bit	AC input frequency	50 - 60 Hz
Output colour depth	24 bit	Sleep mode	✓
Input greyscale depth	10 bit	Input voltage	100 - 240 V
Output greyscale depth	8 bit		
ADF scan speed (b/w, A4)	85 ppm		
ADF scan speed (colour, A4)	85 ppm		
Design		Weight & dimensions	
Scanner type *	Sheet-fed scanner	Width	296 mm
Product colour *	Grey, White	Depth	169 mm
Display	LCD	Height	167 mm
Display diagonal	3.81 cm (1.5")	Weight	3.6 kg
Colour display	✓		
Built-in display *	✓		
Performance		Packaging data	
Sensor type *	CIS	Quantity per pack	1 pc(s)
Scan file formats	JPEG, PDF, TIFF	Package width	260 mm
Daily duty cycle (max) *	9000 pages	Package depth	363 mm
Scan to	Cloud	Package height	310 mm
Scan drivers	TWAIN, ISIS, SANE, WIA	Package weight	4.6 kg
Password protection	✓		
Ultrasonic sensor	✓		
Scanning noise level	55 dB		
		Packaging content	
		Cables included	AC
		AC adapter included	✓
		Drivers included	✓
		Bundled software	Document Capture Pro 2.0, Epson Device Admin (EDA), Epson Scan 2

Input capacity		System requirements		
Auto document feeder (ADF) input capacity	100 sheets	Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64 Bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3	
Paper handling				
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)		Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Maximum ISO A-series paper size *	A4			
ISO A-series sizes (A0...A9)	A3, A4, A5, A6			
ISO B-series sizes (B0...B9)	B4, B5, B6	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2	
Letter	✓			
Legal	✓			
Auto Document Feeder (ADF) media weight	27 - 413 g/m²	Operational conditions		
Maximum scan area (ADF)	215.9 x 6096 mm	Operating temperature (T-T)	5 - 35 °C	
Minimum scan area (ADF)	50.8 x 50.8 mm	Storage temperature (T-T)	25 - 60 °C	
Ports & interfaces		Operating relative humidity (H-H)	15 - 80%	
USB port *	✓	Storage relative humidity (H-H)	15 - 85%	
Network		Other features		
USB version	3.2 Gen 1 (3.1 Gen 1)	Control panel	5-line LCD with Push Scan features	
Optional connectivity	Ethernet	Output resolutions	1200 dpi	
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)	Image formats supported	BMP, JPEG, TIFF, PNG	
Network		Technical details		
Ethernet LAN	✓	Scan technology	ReadyScan LED	
Supported network protocols (IPv6)	Yes	Logistics data		
Supported network protocols (IPv4)	TCP/IP, DHCP, DNS, SNMP, SLP	Products per pallet	48 pc(s)	
IPv6 support	✓	Country of origin	Indonesia	
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP	Pallet gross weight	0 g	
		Products per pallet layer	8 pc(s)	
		Products per pallet layer (UK)	10 pc(s)	
		Products per pallet (UK)	60 pc(s)	
		Pallet weight (UK)	0 g	
		Harmonized System (HS) code	84716070	



8715946660851

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.