## Epson EB-800F Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) White

**Brand**: Epson **Product code**: V11H923540

**Product name:** EB-800F

Epson EB-800F. Projector brightness: 5000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 3.9 mm, Zoom type: Auto. Video processing: 10 bit, Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode, Multi-projection. Serial interface type: RS-232C





Projector		Features	
Screen size compatibility *	1651 - 3302 mm (65 - 130")	Country of origin	China
Projection distance (wide)	0 - 0.4 m	Password protection	✓
Projection distance (tele)	0 - 0.8 m	Multimedia	
Projector brightness *	5000 ANSI lumens		
Projection technology *	3LCD 1080p (1920x1080) 2500000:1	Built-in speaker(s) *	<b>✓</b>
Projector native resolution *		RMS rated power	8 W
Contrast ratio (typical) *		Number of built-in speakers	2
Native aspect ratio *	16:9	Design	
Number of colours	1.07 billion colours	Market positioning *	Business
Projector brightness (economic mode)	3500 ANSI lumens	Product type * Product colour *	Ultra short throw projector White
Vertical scan range	192 - 240 Hz	Placement	Ceiling, Desktop, Wall
Keystone correction, horizontal	-3 - 3°	Cable lock slot	✓
Keystone correction, vertical	-3 - 3°		
Matrix size	1.57 cm (0.62")	Cable lock slot type	Kensington
Heat dissipation	1244 BTU/h	Power	
Light source		Power source *	AC
Light source type *	Laser	Power consumption (typical) *	366 W
Service life of light source *	20000 h	Power consumption (standby) *	0.5 W
Service life of light source (economic mode)	30000 h	Power consumption (economy mode)	262 W
Lens system		AC input voltage	220-240 V
Focus *	Manual	AC input frequency	50 - 60 Hz
Fixed focal length	Manual 3.9 mm	Software	
Zoom capability Zoom type Zoom ratio Throw ratio	Auto 1.35:1 0.27 - 0.37:1	Software support	via: Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Video		Operational conditions	
		Storage temperature (T-T)	-10 - 60 °C
Full HD *	✓	Operating relative humidity (H-H)	20 - 80%
3D *	×	Storage relative humidity (H-H)	10 - 90%
Video processing	10 bit	Weight & dimensions	
ideo colour modes  Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode, Multi-projection	Width Depth Height	458 mm 375 mm 210 mm	

Ports & interfaces		Weight & dimensions	
HDBaseT port USB 2.0 ports quantity USB 2.0 Type-B ports quantity Audio (L/R) in * Audio (L/R) out Serial interface type * VGA (D-Sub) ports quantity * HDMI ports quantity * Composite video in * DVI port *	2 1 3 1 RS-232C 3 4 1	Weight * Package width Package depth Package height Package weight	9.4 kg 530 mm 595 mm 345 mm 13.2 kg
		Packaging content	
		Remote control included * Batteries included Cables included	AC
Network		Warranty card	<b>✓</b>
Smart TV * Ethernet LAN *	×	WLAN adapter included Packaging content	✓ CD manual, cable cover, lens cap, warranty document Inhalt DIY-App, EasyMP Multi PC
Ethernet LAN (RJ-45) ports Ethernet LAN data rates Wi-Fi *	1 10,100 Mbit/s ×	Bundled software	Projection, Epson Projektor Content Manager, Epson Projektor Management
Web browser	✓	Technical details	
Storage		Sustainability certificates	TCO
Card reader integrated *	×	Logistics data	
Features  Noise level (economic mode)  Noise level *	27 dB 36 dB	Quantity per pack Products per pallet Pallet gross weight Products per pallet (UK) Pallet weight (UK) Harmonized System (HS) code	1 pc(s) 12 pc(s) 0 g 12 pc(s) 0 g 85286200
		Other features	
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946688992

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.