

## Epson EcoTank ET-M16600 Inkjet A3 4800 x 2400 DPI 25 ppm Wi-Fi

**Brand :** Epson

**Product family:** EcoTank

**Product code:** C11CJ41401

**Product name :** ET-M16600

PrecisionCore Print Head, Print, Scan, Copy, 1200 DPI x 2400 DPI, USB, Ethernet, Wireless LAN IEEE 802.11a/b/g/n, 20.2 kg

Epson EcoTank ET-M16600. Print technology: Inkjet, Printing: Mono printing, Maximum resolution: 4800 x 2400 DPI. Copying: Mono copying. Scanning: Mono scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A3. Wi-Fi. Product colour: Black



Printing		Performance	
Duplex printing mode	Auto	Card reader integrated	✗
Print technology *	Inkjet	Design	
Printing *	Mono printing	Product colour *	Black
Duplex printing *	✓	Market positioning *	Home & office
Maximum resolution *	4800 x 2400 DPI	Built-in display *	✓
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Display	LCD
Print speed (ISO/IEC 24734) black	25 ppm	Display diagonal	6.86 cm (2.7")
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm	Touchscreen	✓
Duplex print speed (ISO/IEC 24734, A4) black	16 ppm	Control type	Touch
		Colour display	✓
Copying		Power	
Copying *	Mono copying	Power consumption (copying)	19 W
Scanning		Power consumption (ready)	8 W
Duplex scanning *	✓	Power consumption (off)	0.15 W
Scanning *	Mono scanning	AC input frequency	50 - 60 Hz
Optical scanning resolution *	1200 x 2400 DPI	System requirements	
Scan technology	CIS	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64
Scan to	Cloud	Mac operating systems supported	✓
Image formats supported	BMP, JPEG, TIFF, PNG	Weight & dimensions	
Document formats supported	PDF	Width	515 mm
Fax		Depth	500 mm
Faxing *	✗	Height	350 mm
Features		Weight	20.2 kg
Maximum duty cycle *	5800 pages per month	Packaging data	
Number of print cartridges *	1	Package width	560 mm
Printing colours *	Black	Package depth	585 mm
Country of origin	Indonesia		

Input & output capacity		Packaging data	
Total number of input trays *	1	Package height	440 mm
Total output capacity *	125 sheets	Package weight	23.6 kg
Auto document feeder (ADF)	✓	Quantity per pack	1 pc(s)
Auto document feeder (ADF) input capacity	50 sheets	Packaging content	
Maximum input capacity	550 sheets	Included cartridge capacity (black)	4500 pages
Paper handling		Cables included	AC
Maximum ISO A-series paper size *	A3	Warranty card	✓
Paper tray media types *	Envelopes	Logistics data	
ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6	Harmonized System (HS) code	84433100
ISO B-series sizes (B0...B9)	B4, B5, B6	Pallet gross weight	0 g
Non-ISO print media sizes	Legal, Letter	Products per pallet	8 pc(s)
Envelopes sizes	C4, C6, DL	Pallet weight (UK)	0 g
Photo paper sizes	10x15,13x18,20x25	Products per pallet (UK)	8 pc(s)
Paper tray media weight	64 - 255 g/m²	Other features	
Ports & interfaces		Printing method	Epson PrecisionCore
USB port	✓	Number of users	4 user(s)
Network		Compatible operating systems Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 Bit), Windows 8.1 (32/64 bit), Windows 8.1 x64 Edition, Windows Server 2003, Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 Bit)	
Wi-Fi *	✓		
Ethernet LAN *	✓		
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP		
Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Mopria Print Service	Ink drop	3.8
		Print head nozzles	800 nozzles black
		Supported network protocols	IPv4, IPv6



8715946683676

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.