## **ASUS STRIX RAID PRO Interne 7.1 canaux PCI-E**

Marque : ASUS Code produit: 90YB00I0-M1UA00

Nom du produit : STRIX RAID PRO

ASUS STRIX RAID PRO. Canaux de sortie audio: 7.1 canaux, Qualité audio: 24 bit, Le rapport signal sur bruit (SNR): 116 dB. Interface de l'hôte: PCI-E. Jeu de composants: C-Media 6632AX. Prise en charge du système d'exploitation Windows: Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64,.... Mémoire vive (RAM) minimale: 256 Mo





Audio		Connectivité		
Interne *	✓	Entrée jack microphone	✓	
Qualité audio * Canaux de sortie audio * Le rapport signal sur bruit (SNR) * Rapport Signal sur bruit à l'entrée Line-in	24 bit 7.1 canaux 116 dB 110 dB	Caractéristiques		
		Jeu de composants	C-Media 6632AX	
		Logiciel		
		Logiciei	Windows 7 Enterprise, Windows 7	
Conversion Numérique-Analogique	24 bits/192 kHz	Enterprise x64, Windows  Basic, Windows 7 Home B  Windows 7 Home Premiur  Windows 7 Home Premiur  Windows 7 Professional, V  Professional x64, Window  Starter, Windows 7 Starte	Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7	
Taux de distortion harmonique en entrée Line-in	0,000316%			
Taux de distorsion harmonique en sortie Line-Out	0,003%			
Gamme de fréquence	10 - 48000 Hz		Starter, Windows 7 Starter x64,	
Connectivité		d'exploitation Windows Windows 7 Ultimate, Windows 8, Windows 9, W		
Interface de l'hôte *	PCI-E	8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1		
Entrée ligne	✓		x64, Windows 8 x64, Windows 8.1,	
Sortie de casque	5			
Port de sortie S/PDIF	✓			
Sortie du Subwoofer	<b>/</b>		8.1 x64	
		Configuration minimale du système		
		Mémoire vive (RAM) minimale	256 Mo	
		Poids et dimensions		
		Largeur	130 mm	
		Profondeur	190 mm	
		Hauteur	22 mm	
		Autres caractéristiques		
		Espace disque minimal	60 Mo	
		Tension grandeur nature	5,65 V	
		Commande de volume	Rotatif	
		Modèle de processeur	High-Definition Sound	
		Guide de démarrage rapide	✓	

Données l	logistiques
DO:::::CC3 :	ogistiques

Code du système harmonisé

84733020





4712900005967

0889349005965



889349005965

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.