

HP Smart Tank 7005 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner

Brand: HP Product family: Smart Tank Product code: 28B54A

Product name : Smart Tank 7005 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner



- Print, scan, copy, wireless
- Print speed up to 15 ppm (black) and 9 ppm (color)
- Up to 1200 x 1200 rendered dpi Smart Tank 7005 All-in-One Printer



Full of features. Full of savings. Printing is seamless from start to finish with a cartridge-free printer designed for the whole family. Create a variety of outstanding-quality colour documents at a low cost, with up to three years of Original HP ink included in the box. [1].

HP Smart Tank 7005 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 9 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO Aseries paper size: A4. Wi-Fi. Direct printing. Product colour: Grey, White





Printing		Network	
Duplex printing mode	Auto	Wi-Fi *	✓
Print resolution colour Print resolution black	4800 x 1200 DPI 1200 x 1200 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Print technology *	Thermal inkjet	Wi-Fi Direct	✓
Printing *	Colour printing	Bluetooth	✓
Duplex printing *	✓	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Maximum resolution *	4800 x 1200 DPI	Performance	
Print speed (black, normal quality, A4/US Letter) *	15 ppm	Maximum internal memory	128 MB
Print speed (colour, normal quality, A4/US Letter)	9 ppm	Card reader integrated Internal memory *	X 128 MB
Print speed (black, draft quality, A4/US Letter)	23 ppm	Built-in processor	✓
Print speed (colour, draft quality, A4/US Letter)	22 ppm	Processor frequency Sound power level (printing)	800 MHz 6.5 dB
Print speed (ISO/IEC 24734) black	15 ppm	Design	
Print speed (ISO/IEC 24734) colour	9 ppm	Product colour *	Grey, White
Time to first page (black, normal)	14 s	Market positioning *	Home & office
Time to first page (colour, normal)	16 s	Built-in display *	✓
Borderless printing	✓	Display	LCD
Copying		Display diagonal	5.08 cm (2")
Duplex copying *	/	Control type	Buttons
Copying *	Colour copying	Power	
Maximum copy resolution *	600 x 600 DPI	Power consumption (sleep)	2 W
Copy speed (black, normal quality,	13 cpm	Power consumption (off)	0.1 W
A4) Copy speed (colour, normal quality,	6 cpm	Energy Star Typical Electricity Consumption (TEC)	0.3 kWh/week
A4)		AC input voltage	100 - 240 V
Maximum number of copies Copier resize	99 copies 25 - 400%	AC input frequency	50/60 Hz
Auto fit function	∠3 - 400%	Brand-specific features	
Copy margin (auto center)	/	HP GTIN (EAN/UPC) with options	(622) 198828246295; (BHC) 195908302377

Copy margin (custom)	Copying		Brand-specific features	
Scanning X System requirements Duplex scanning X Windows operating systems 7 Optical scanning resolution (back) 1200 x 1200 pPI Mac operating systems supported 72 to K 5 X 13.0 Venture, Mac OS X Optical scanning resolution (back) 1200 x 1200 pPI Operating relative hundridg (H+II 5 - 80% 120 k 1200 pPI Optical scanning resolution (colour) 1200 x 1200 pPI Operating relative hundridg (H+II 5 - 80% 15 - 80% Scanner Spea* Flabbed scanner 400 cmmended hundridg (H+II 5 - 80% 40 - 60 °C Scan technology 5 ppm Storout emperature (T-T) 5 - 40 °C Scan speed (black) 5 ppm (peratup elementary (T-T) 5 - 40 °C Scan speed (black) 5 ppm (peratup elementary (T-T) 5 - 40 °C Document formats supported 9PF (peratup elementary (T-T) 5 - 40 °C Scan diverse 25 ppm (peratup elementary (T-T) 5 - 40 °C Fex 27 ppm (peratup elementary (T-T) 5 - 40 °C Fex 27 ppm (peratup elementary (T-T) 5 - 40 °C Scan diverse <t< td=""><td></td><td>1</td><td>•</td><td>108828246205 105008302377</td></t<>		1	•	108828246205 105008302377
Diplex szaming		*		190020240293, 193900302377
Columnary Colu	-			Windows 11 Windows 10 Windows
	· -			7
	•	5	Mac operating systems supported	
Optical scanning resolution (colour) 1200 x 1200 pPI Operating relative humidity (HP) 15 - 80% Maximum scan area 216 x 297 mm Recommended humidity operating relative humidity (HP) 15 - 80% Scame trype* Platible scanner Storage temperature (T-T) 40 - 60 °C Scan technology CIS Operating release the multidity operating (T-T) 5 - 40 °C Scan speed (black) 5 ppm Operating release the multidity operating (T-T) 5 - 40 °C Scan speed (black) 5 ppm Operating release the multidity operating (T-T) 5 - 40 °C Document formats supported BPMP, JPCR, DRIGHTF Certificates Foreigne formats supported BPMP, JPCR, DRIGHTF Certificates Features TWAIN Certification CERTIFICATION (TABLE)			. 57	12.0 Monterey
	·	• •	•	
Sean Path	Maximum scan resolution	1200 x 1200 DPI		15 - 80%
Scannet by P			,	20 - 80%
Scan speed (colour) Software, E-mail Server Objecting (empleating relative humid) 5 - 90% Scan speed (colour) 3 ppm (non-condensing) 5 - 90% Scan speed (colour) 5 ppm Certificates Linage formats supported (pitc) BMP, PEG, PNG, TIFF Certification ISSP3.22015FN Lock or Greyscale Levise 256 Certification ENS.953.2017+41.12000 (ISSP3.52016; ENS.953.2017+41.12000 (ISSP3.52016; ENS.953.2017+41.12000,ISSP3.52016; ENS.95	- '		-	-40 - 60 °C
Scan speed (black) 3 ppm (non-contensing) (non-cont	= *			5 - 40 °C
Scan speed (black) Image formats supported (Document formats su			Non-operating relative humidity	5 - 90%
Image formats supported PDF PEG, PNG, TIFF PDC		• •		
	Image formats supported	BMP, JPEG, PNG, TIFF		CISDD 32:2015/EN
Greyscale levels 256 Act orivers TWAIN Certification 55024/2010+A1:2015; EN5033/2016; EN503				55032:2015+A11:2020 Class B;
Scan drivers TWAIN Certification ENSIGNS/SULP SURPLISE CONTR AY ENTRY SURPORT PRICE CRIT AY Part 15 Sulport R. ICES 003 Issue 7 part 15 part	•			· · · · · · · · · · · · · · · · · ·
Fax Fax Faxing * X Faxing * \$ 610003-32:013-32:019-FCC CFR 47 7:000; FR 301 4891 V2-2.3; EN 301 4	•			
Features		TWAII		61000-3-3:2013+A1:2019; FCC CFR 47
Peatures		V		•
Recommended duty cycle Maximum duty cycle* Solop pages per month Number of print cartridges* All-in-One-multitasking Country of origin Replacement cartridges Replacement cartridges All-in-One-multitasking China, Thailand, Vietnam Ha 32XL 135-mi Black bottle (-6000 pages), HP 31 70-mi Magenta bottle (-8000 pages), HP		*		489-17 V3.2.2
Maximum duty cycle* 5000 pages per month Sustainability certificates Blue Angel Number of print cartridges* 4 Sustainability certificates 256 post-consumer recycled plastic; Recyclable through HP planet Partners Printing colours* Black, Cyan, Magenta, Yellow Printing colours* Carbon footprint 256 post-consumer recycled plastic; Recyclable through HP planet Partners All-in-One-multitasking / Carbon footprint (kg of CO2e) 90 Country of origin China, Thailand, Vietnam Total carbon footprint (kg of CO2e) 79 Replacement cartridges HP 32XL 135-ml Black bottle (~6000 pages), HP 31.70-ml bottle (~6000 pages), HP 31.70-m		400 000 pages per menth		
Number of print cartridges				
Printing colours * Page description languages PCL 3 GUI			Sustainability certificates	_
Page description languages PCL 3 GUI Carbon footprint Prainet Partners All-In-One-multitasking China, Thailand, Vietnam Total carbon footprint (kg of CO2e) 90 Country of origin HP 32XL 135-ml Black bottle (-6000 pages), HP 31 70-ml Cycle bottle (-6000 pages), HP 31 70-ml		Black, Cyan, Magenta, Yellow	5	
Country of origin	Page description languages	PCL 3 GUI	materials	Planet Partners
HP 32XL 135-ml Black bottle (-6000 pages), HP 31 70-ml Cyan bottle (-8000 pages), HP 31 70-ml Cyan bottle (-8000 pages), HP 31 70-ml Magenta bottle (-8000 pages), HP 31 70-ml Magenta bottle (-8000 pages), HP 31 70-ml Vellow bottle (-8000 pages), HP 31 70-mlow bottle (-8000 pages), HP 31 70-ml Vellow bottle (-8000 pages),	All-In-One-multitasking	✓	Carbon footprint	
C-6000 pages), HP 31 70-ml Cyan Magenta bottle (~8000 pages), HP 31 70-ml Yellow bottle (~8000 pages), HP 31 70-ml Ye	Country of origin		Total carbon footprint (kg of CO2e)	90
Replacement cartridges Authors Color Co				79
Name Page			. •	4
fill and yield see www.hp.com/go/learnaboutsupplies home fill and yield see weight packaging data packaging data package width package depth package depth package depth package depth package weight	Replacement cartridges	31 70-ml Yellow bottle (~8000	,	·
HP segment Home Total carbon emissions, w/o use phase (kg of CO2e) Input & output capacity Total number of input trays* 1 Total number of input trays* 1 Total output capacity* 250 sheets Depth 364 mm Total output capacity* 100 sheets Height 198.6 mm Auto document feeder (ADF) X Maximum number of input trays 1 Maximum number of input trays 1 Maximum output capacity 250 sheets Packaging data Maximum output capacity 100 sheets Package depth 239 mm Maximum output capacity 100 sheets Package depth 239 mm Paper handling Package weight 410 mm Maximum ISO A-series paper size* A4 Package weight 410 mm Maximum print size 216 x 355.6 mm Maximum print size 216 x 355.6 mm Maximum print size 216 x 355.6 mm Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper ISO A-series sizes (8089) 85 Se-eries sizes (8089) 85 ISO C-series sizes (COC9) C5 C6 Hornories Sizes (COC9) C5 C6 Harmonized System (HS) code Set433100 Forducts per pallet 574 kg Envelopes sizes C5, C6, DL Freducts per pallet 60 (60 pc(s) Freducts per pallet 50 (60 pc(s) Freducts per pallet 50 (60 pc(s)				5
Input & output capacity Weight & dimensions Total number of input trays * 1 Width 427.5 mm Total input capacity * 250 sheets Depth 364 mm Total output capacity * 100 sheets Height 198.6 mm Auto document feeder (ADF) X Weight 6.38 kg Maximum number of input trays 1 Packaging data Maximum input capacity 250 sheets Package width 484 mm Maximum output capacity 100 sheets Package depth 239 mm Paper handling Package height 410 mm Maximum ISO A-series paper size * A4 Package weight 9.2 kg Maximum print size 216 x 355.6 mm Packaging content Paper tray media types * 216 x 355.6 mm Packaging content Paper tray media types * Glossy paper, Matte paper, Photopaper, Plain paper, Recycled paper, Thick paper Cables included AC Varranty card ✓ ISO A-series sizes (R0A9) * A4, A5, A6 Bundled software HP Printer Software, available online ISO C-series sizes (B0B9) B5 Logistics data ISO C-series sizes (B0B9) B5 Layers of weight 574 kg In a monized System (HS) code Pallet gross weight				3
Total number of input trays* 1 Depth 364 mm Total input capacity* 250 sheets Depth 364 mm Total output capacity* 100 sheets Height 198.6 mm Auto document feeder (ADF) X Weight 6.38 kg Maximum number of input trays 1 Packaging data Maximum input capacity 250 sheets Package width 484 mm Maximum output capacity 100 sheets Package depth 239 mm Paper handling Package height 410 mm Maximum ISO A-series paper size A4 Package weight 9.2 kg Maximum print size 216 x 355.6 mm Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper ISO A-series sizes (A0A9)* A4, A5, A6 Bundled software HP Printer Software, available online ISO B-series sizes (C0C9) C5, C6 Non-ISO print media sizes Hagaki card Non-ISO print media sizes Hagaki card JIS B-series sizes (B0B9) B5 Envelopes sizes (B0B9) B5 Envelope sizes (B0B9) B5 Envelope sizes (B0B9) B5 Envelope size	HP segment	Home	phase (kg of CO2e)	3
Total input capacity * 250 sheets Depth 364 mm Total output capacity * 100 sheets Height 198.6 mm Auto document feeder (ADF)				
Total output capacity * 100 sheets Height 198.6 mm Auto document feeder (ADF)	· · ·			
Auto document feeder (ADF)XWeight6.38 kgMaximum number of input trays1Packaging dataMaximum input capacity250 sheetsPackage width484 mmMaximum output capacity100 sheetsPackage depth239 mmPaper handlingPackage height410 mmMaximum ISO A-series paper size * A4Package weight9.2 kgMaximum print size216 x 355.6 mmPackaging contentPaper tray media types *216 x 355.6 mmCables includedACISO A-series sizes (A0A9) *A4, A5, A6Bundled softwareHP Printer Software, available onlineISO B-series sizes (B0B9)B5Logistics dataISO C-series sizes (C0C9)C5, C6Harmonized System (HS) code84433100Non-ISO print media sizesHagaki cardPallet gross weight574 kgJIS B-series sizes (B0B9)B5Layers per pallet6 pc(s)Envelopes sizesC5, C6, DLProducts per pallet60 pc(s)Borderless printing media sizesA4, LetterFechnical details			•	
Maximum number of input trays1Packaging dataMaximum input capacity250 sheetsPackage width484 mmMaximum output capacity100 sheetsPackage depth239 mmPaper handlingPackage height410 mmMaximum ISO A-series paper size * A4Package weight9.2 kgMaximum print size216 x 355.6 mmPackaging contentPaper tray media types *Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paperCables includedACISO A-series sizes (A0A9) *A4, A5, A6Bundled softwareHP Printer Software, available onlineISO B-series sizes (B0B9)B5Logistics dataISO C-series sizes (C0C9)C5, C6Harmonized System (HS) code84433100Non-ISO print media sizesHagaki cardHallet gross weight574 kgJIS B-series sizes (B0B9)B5Layers per pallet6 pc(s)Envelopes sizesC5, C6, DLProducts per pallet60 pc(s)Borderless printing media sizesA4, LetterTechnical details			-	
Maximum input capacity250 sheetsPackage width484 mmMaximum output capacity100 sheetsPackage depth239 mmPaper handlingPackage height410 mmMaximum ISO A-series paper size * A4Package weight9.2 kgMaximum print size216 x 355.6 mmPackaging contentPaper tray media types *Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paperCables included Warranty cardACISO A-series sizes (A0A9) *A4, A5, A6Bundled softwareHP Printer Software, available onlineISO B-series sizes (B0B9)B5Logistics dataISO C-series sizes (C0C9)C5, C6Harmonized System (HS) code84433100Non-ISO print media sizesHagaki cardPallet gross weight574 kgInvelopes sizesC5, C6, DLLayers per pallet6 pc(s)Envelopes sizesC5, C6, DLProducts per pallet60 pc(s)Borderless printing media sizesA4, LetterTechnical details				
Maximum output capacity100 sheetsPackage depth239 mmPaper handlingPackage height410 mmMaximum ISO A-series paper size *A4Package weight9.2 kgMaximum print size216 x 355.6 mmPackaging contentPaper tray media types *Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paperCables includedACISO A-series sizes (A0A9) *A4, A5, A6Bundled softwareHP Printer Software, available onlineISO B-series sizes (B0B9)B5Logistics dataISO C-series sizes (C0C9)C5, C6Harmonized System (HS) code84433100Non-ISO print media sizesHagaki cardPallet gross weight574 kgJIS B-series sizes (B0B9)B5Layers per pallet6 pc(s)Envelopes sizesC5, C6, DLProducts per pallet60 pc(s)Borderless printing media sizesA4, LetterTechnical details	•			484 mm
Paper handlingPackage height410 mmMaximum ISO A-series paper size *A4Package weight9.2 kgMaximum print size216 x 355.6 mmPackaging contentPaper tray media types *Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paperCables includedACISO A-series sizes (A0A9) *A4, A5, A6Bundled softwareHP Printer Software, available onlineISO B-series sizes (B0B9)B5Logistics dataISO C-series sizes (C0C9)C5, C6Harmonized System (HS) code84433100Non-ISO print media sizesHagaki cardPallet gross weight574 kgJIS B-series sizes (B0B9)B5Layers per pallet6 pc(s)Envelopes sizesC5, C6, DLProducts per pallet60 pc(s)Borderless printing media sizesA4, LetterTechnical details	Maximum output capacity	100 sheets	•	
Maximum print size Paper tray media types* Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper ISO A-series sizes (A0A9)* A4, A5, A6 Bundled software HP Printer Software, available online ISO B-series sizes (B0B9) B5 Logistics data ISO C-series sizes (C0C9) Non-ISO print media sizes Hagaki card Pallet gross weight ISB B-series sizes (B0B9) B5 Envelopes sizes C5, C6, DL Products per pallet Frechnical details Frechnical details Frechnical details	Paper handling			
Paper tray media types * Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper ISO A-series sizes (A0A9) * A4, A5, A6 Bundled software HP Printer Software, available online ISO B-series sizes (B0B9) B5 Logistics data ISO C-series sizes (C0C9) C5, C6 Harmonized System (HS) code Pallet gross weight 574 kg IS B-series sizes (B0B9) B5 Layers per pallet 6 pc(s) Envelopes sizes C5, C6, DL Products per pallet 60 pc(s) Borderless printing media sizes A4, Letter	Maximum ISO A-series paper size *	A4	Package weight	9.2 kg
Paper tray media types * paper, Plain paper, Recycled paper, Thick paper ISO A-series sizes (A0A9) * A4, A5, A6 Bundled software HP Printer Software, available online ISO B-series sizes (B0B9) B5 Logistics data ISO C-series sizes (C0C9) Non-ISO print media sizes Hagaki card Non-ISO print media sizes Hagaki card Pallet gross weight 574 kg Envelopes sizes (B0B9) B5 C5, C6, DL Products per pallet 6 pc(s) Products per pallet 60 pc(s) Products per pallet 60 pc(s)	Maximum print size	216 x 355.6 mm	Packaging content	
Thick paper ISO A-series sizes (A0A9) * A4, A5, A6 Bundled software HP Printer Software, available online ISO B-series sizes (B0B9) B5 Logistics data ISO C-series sizes (C0C9) Non-ISO print media sizes Hagaki card Non-ISO print media sizes Hagaki card Pallet gross weight 574 kg Envelopes sizes (B0B9) B5 Layers per pallet 6 pc(s) Products per pallet 60 pc(s) Products per pallet 60 pc(s)	Paner tray media types *		Cables included	AC
ISO B-series sizes (B0B9) B5 Logistics data ISO C-series sizes (C0C9) C5, C6 Harmonized System (HS) code B4433100 Pallet gross weight Finvelopes sizes C5, C6, DL Products per pallet Frechnical details Logistics data Logistics data Envelopes sizes (B0B9) B5 Layers per pallet Frechnical details	Tuper truy media types		Warranty card	✓
ISO C-series sizes (C0C9) Non-ISO print media sizes Hagaki card Pallet gross weight Finvelopes sizes C5, C6, DL Products per pallet Frechnical details	ISO A-series sizes (A0A9) *		Bundled software	HP Printer Software, available online
Non-ISO print media sizes Hagaki card Pallet gross weight Froducts per pallet Froducts pe			Logistics data	
IS B-series sizes (B0B9) Envelopes sizes C5, C6, DL Borderless printing media sizes A4, Letter Pallet gross weight Layers per pallet 6 pc(s) 60 pc(s) Technical details	· · · · · · · · · · · · · · · · · · ·		Harmonized System (HS) code	84433100
Envelopes sizes C5, C6, DL Layers per pallet 6 pc(s) Borderless printing media sizes A4, Letter Fachical details Layers per pallet 6 pc(s) Products per pallet 60 pc(s)	·	-	Pallet gross weight	574 kg
Borderless printing media sizes A4, Letter Products per pallet 60 pc(s) Technical details	=			•
	·			60 pc(s)
	Custom media width	88.9 - 215.9 mm		


Paper handling		Technical details		
		General Product Safety Regulation (GPSR) URL https://suppo	rt.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-7000-series/2100178899	
Custom media length Paper tray media weight	127 - 355.6 mm 60 - 250 g/m²	Other features		
ruper truy media weight	00 - 250 g/m	Number of users	3 user(s)	
Ports & interfaces		Pallet dimensions (W x D x H)	1220 x 1015 x 2590 mm	
Direct printing *		Recommended system requirements	Windows 11, Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.	
USB port	✓		'	
USB 2.0 ports quantity	1	PictBridge	X	
		Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2590.8 mm (48 x 40 x 102")	
		Number of print heads	2	
		Manufacturer warranty	Up to 3 years extended warranty upon registration at http://www.hp.com/go/SmartTank3yearswarranty. User replaceable parts have separate warranty periods.	















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.