Canon

Canon PIXMA GM4050 Inkjet A4 600 x 1200 DPI Wi-Fi

**Brand :** Canon **Product family:** PIXMA **Product code:** 3111C006

Product name : GM4050

Print/Copy/Scan, Wi-Fi, Ethernet

Canon PIXMA GM4050 Inkjet A4 600 x 1200 DPI Wi-Fi:

Push the workflow of your small business and cut the cost-per-page with a high-yield 3-in-1 refillable printer. Capable of printing up to 18,000 mono pages from 3 black ink bottles[1], this production-booster also has a 35-page Automatic Document Feeder (ADF) for more efficient copying and scanning and a large 350-sheet plain paper capacity. Remote working is also possible with smooth wireless connectivity – link up with Wi-Fi and take control via the Canon PRINT app for easy printing, scanning and copying away from your desk. For fast local connections, use the Ethernet link.
Canon PIXMA GM4050. Print technology: Inkjet, Printing: Mono printing, Maximum resolution: 600 x 1200 DPI. Copying: Mono copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black

Printing

Duplex printing mode	Auto
Print technology *	Inkjet
Printing *	Mono printing
Duplex printing *	✔
Maximum resolution *	600 x 1200 DPI

Copying

Duplex copying *	✔
Copying *	Mono copying
Time to first copy (black, normal)	12 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function	✔
N-in-1 copy function (N=)	2, 4
ID-card copy function	✔
Edge erase function	✔

Scanning

Scanning *	Colour scanning
Optical scanning resolution *	1200 x 2400 DPI
Maximum scan area	216 x 297 mm
Scanner type *	Flatbed & ADF scanner
Scan technology	CIS
Input colour depth	16 bit
Output colour depth	8 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit

Fax

Faxing *	✘

Features

Maximum duty cycle *	6000 pages per month

Input & output capacity

Total input capacity *	350 sheets
Auto document feeder (ADF)	✔
Auto document feeder (ADF) input capacity	35 sheets

Paper handling

ISO B-series sizes (B0...B9)	B5
Envelopes sizes	Com-10, DL
Custom media width	55 - 215.9 mm
Custom media length	89 - 676 mm

Ports & interfaces

USB port	✔
USB connector	USB Type-B

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	WEP, WPA-PSK, WPA2-PSK
Mobile printing technologies	PIXMA Cloud Link

Design

Product colour *	Black
Market positioning *	Home & office
Built-in display *	✔
Display	LCD
Display number of lines	2 lines

Power

Power consumption (printing)	10 W
Power consumption (off)	0.3 W
Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	✔
Mobile operating systems supported	Android, iOS

Operational conditions

Operating relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	5 - 35 °C

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Envelopes, High resolution paper, Plain paper
Multi-purpose tray media types	Envelopes, Legal, Letter
ISO A-series sizes (A0...A9) *	A4, A5

Weight & dimensions

Width	403 mm
Depth	369 mm
Height	234 mm
Weight	9.2 kg

Logistics data

Harmonized System (HS) code	84433100

4549292152555

Catalog Object Cloud