

## KYOCERA ECOSYS P2040dw 1200 x 1200 DPI A4 Wi-Fi

**Brand :** KYOCERA

**Product family:** ECOSYS

**Product code:** 1102RY3NL0

**Product name :** P2040dw

A4, Duplex, 40ppm, 1200 dpi, Gigabit LAN, Wi-Fi, USB, N-Up

[KYOCERA ECOSYS P2040dw 1200 x 1200 DPI A4 Wi-Fi:](#)

If you're looking for a fast, reliable and versatile A4 b/w office printer, you really can't go wrong with any model from our new ECOSYS series. But for all those who demand that little extra greatness, we present the P2040 devices. They sport a very short time to first print and an enhanced print speed of up to 40 pages per minute. It benefits your workflow with many features, such as standard duplex and network functionality, a high paper capacity and standard Wi-Fi for the P2040dw. The total cost of ownership is very low thanks to long-life, energy-efficient components. And as to expect from any KYOCERA device, they are extremely reliable, so you can stay productive at any time.



| Printing   |   | Network                           |  |
|--|---|-----------------------------------|--|
| Duplex printing mode                                     | Auto  | Near Field Communication (NFC)    | ✗  |
| Print resolution black                                   | 1200 x 1200 DPI   | Bluetooth                         | ✗  |
| Colour *   | ✗   | Security algorithms               | 802.1x RADIUS, HTTPS, IPPS, IPSEC, SNMP  |
| Print technology *                                       | Laser   | Mobile printing technologies      | Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service |
| Duplex printing *  | ✓   | Performance                       |  |
| Maximum resolution *                                     | 1200 x 1200 DPI   | Internal memory *                 | 256 MB   |
| Print speed (black, normal quality, A4/US Letter) *      | 40 ppm  | Maximum internal memory           | 256 MB   |
| Duplex print speed (black, normal quality, A4/US Letter) | 20 ppm  | Card reader integrated            | ✓  |
| Warm-up time   | 15 s  | Compatible memory cards           | SD, SDHC   |
| Time to first page (black, normal)                       | 6.4 s   | Built-in processor                | ✓  |
| Features   |   | Processor family                  | ARM Cortex   |
| Maximum duty cycle *                                     | 50000 pages per month   | Processor frequency               | 800 MHz  |
| Recommended duty cycle                                   | 2000 - 3000 pages per month   | Sound pressure level (printing)   | 48.8 dB  |
| Printing colours *                                       | Black   | Sound pressure level (quiet mode) | 45.5 dB  |
| Number of print cartridges *                             | 1   | Design                            |  |
| Page description languages *                             | Epson LQ, IBM ProPrinter, PCL 5e, PCL 6, PCL XL, PDF 1.7, PostScript 3, XPS | Market positioning *              | Home & office  |
| Replacement cartridges                                   | TK-1160 (7.200 pagina's)  | Product colour *                  | Black, White   |
| Input & output capacity                                  |   | Built-in display *                | ✓  |
| Total number of input trays *                            | 1   | Display                           | LCD  |
| Total input capacity *                                   | 250 sheets  | Colour display                    | ✗  |

| Input & output capacity           |                                     | Design  |                         |
|-----------------------------------|-------------------------------------|---|-------------------------|
| Total output capacity *           | 250 sheets                          | Display number of lines                           | 2 lines                 |
| Paper tray 1 input capacity       | 250 sheets                          | Certification                                     | TÜV-GS, CE              |
| Multi-Purpose tray                | ✓                                   | Power   |                         |
| Multi-Purpose tray input capacity | 100 sheets                          | Power consumption (printing) *                    | 620 W                   |
| Maximum number of input trays     | 3                                   | Power consumption (ready)                         | 8 W                     |
| Maximum input capacity            | 850 sheets                          | Power consumption (PowerSave)                     | 0.8 W                   |
| Maximum output capacity           | 250 sheets                          | Energy Star Typical Electricity Consumption (TEC) | 1.6 kWh/week            |
| Paper handling                    |                                     | AC input voltage                                  | 220 - 240 V             |
| Maximum ISO A-series paper size * | A4                                  | AC input frequency                                | 50 Hz                   |
| Maximum print size                | 216 x 356 mm                        | System requirements                               |                         |
| Paper tray media types *          | Plain paper                         | Windows operating systems supported               | ✓                       |
| ISO A-series sizes (A0...A9) *    | A4, A5, A6                          | Mac operating systems supported                   | ✓                       |
| ISO B-series sizes (B0...B9)      | B5, B6                              | Linux operating systems supported                 | ✓                       |
| Non-ISO print media sizes         | Legal, Letter                       | Sustainability                                    |                         |
| Custom media width                | 70 - 216 mm                         | Sustainability certificates                       | Blue Angel, ENERGY STAR |
| Custom media length               | 148 - 356 mm                        | Weight & dimensions                               |                         |
| Paper tray media weight           | 60 - 163 g/m²                       | Width   | 375 mm                  |
| Multi-Purpose Tray media weight   | 60 - 220 g/m²                       | Depth   | 393 mm                  |
| Duplex media weight               | 60 - 163 g/m²                       | Height  | 272 mm                  |
| Ports & interfaces                |                                     | Weight  | 14 kg                   |
| Standard interfaces               | Ethernet, USB 2.0, Wireless LAN     | Packaging data                                    |                         |
| Direct printing *                 | ✓                                   | Package width                                     | 500 mm                  |
| USB port *                        | ✓                                   | Package depth                                     | 516 mm                  |
| USB 2.0 ports quantity            | 1                                   | Package height                                    | 400 mm                  |
| Network                           |                                     | Package weight                                    | 18 kg                   |
| Network ready                     | ✓                                   | Packaging content                                 |                         |
| Wi-Fi *                           | ✓                                   | Cartridge(s) included                             | ✓                       |
| Ethernet LAN *                    | ✓                                   | Included cartridge capacity (black)               | 3600 pages              |
| Cabling technology                | 10/100/1000Base-T(X)                | Cables included                                   | AC                      |
| Ethernet LAN data rates           | 10,100,1000 Mbit/s                  | Logistics data                                    |                         |
| Wi-Fi Direct                      | ✓                                   | Harmonized System (HS) code                       | 84433210                |
| Wi-Fi standards                   | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |   |                         |



0632983040256



632983040256

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.