

## HP 72 130-ml Matte Black DesignJet Ink Cartridge

Brand: HP Product code: C9403A

Product name: 72 130-ml Matte Black DesignJet Ink

Cartridge

- Ideal for professionals and workteams who print technical applications.
- Ink cartridge

72 130-ml Matte Black DesignJet Ink Cartridge

## HP 72 130-ml Matte Black DesignJet Ink Cartridge:

Ideal for professionals and workteams who print technical applications.

Reliable, trouble-free printing. Accurate, vivid, fast-drying prints. Time-saving supplies management and ordering<sup>[1]</sup> features. Original HP cartridges with Original HP inks help you present your professional best while keeping your productivity high.

HP 72 130-ml Matte Black DesignJet Ink Cartridge. Colour ink type: Pigment-based ink, Cartridge capacity: High (XL) Yield, Black ink type: Pigment-based ink, Black ink volume: 130 ml, Printing colours: Matte black, Quantity per pack: 1 pc(s)





Features		Packaging data	
Black ink type	Pigment-based ink	Package depth	40 mm
Colour ink type	Pigment-based ink	Package height	129 mm
Compatibility *	HP DesignJet T610, T620, T770, T1100, T1200, T1200 HD, T2300 eMFP, T790, T1300	Package weight	240 g
		Brand-specific features	
Quantity per pack *	1 pc(s)	HP GTIN (EAN/UPC)	883585273379
Black ink cartridges quantity	1	Technical details	
Black ink volume	130 ml	Box contents	Ink cartridge
Type *	Original	Louistico doto	
Cartridge capacity	High (XL) Yield	Logistics data	
Ink type	Dye-based ink	Pallet dimensions (W x D x H)	1219 x 1016 x 1500 mm
Printing colours *	Matte black	Products per pallet	1680 pc(s)
Brand compatibility *	HP	Master (outer) cases per pallet	84 pc(s)
OEM code	C9403A	Layers per pallet	6 pc(s)
Country of origin	Singapore	Master (outer) cases per pallet layer	14 pc(s)
HP segment	Business	Pallet gross weight	463 g
Operational conditions		Products per master (outer) case	20 pc(s)
Operating relative humidity (H-H)	20 - 80%	Master (outer) case gross weight	5.28 g
Storage temperature (T-T)	15 - 35 °C	Pallet size (EU)	1219 x 1016 x 1500 mm
Operating temperature (T-T)	15 - 35 °C	Products per larger master (outer) case	20 pc(s)
Weight & dimensions		Larger master (outer) case gross weight	5.28 g
Width	202 mm	Maximum number of stacking	5 ()
Depth	40 mm	cartons	6 pc(s)
Height	129 mm	Harmonized System (HS) code	84439990
Weight	191.86 g		
Packaging data			
Package width	202 mm		




































































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.