

Brother TD-2130N label printer Direct thermal 300 x 300 DPI 152.4 mm/sec Wired Ethernet LAN

Brand : Brother Product code: TD-2130N

Product name: TD-2130N

300 x 300 dpi, 63mm, 16MB SDRAM, 152.4mm/sec, USB 2.0, Ethernet LAN Brother TD-2130N. Print technology: Direct thermal, Maximum resolution: 300 x 300 DPI, Print speed: 152.4 mm/sec. Connectivity technology: Wired. Product colour: Black, Grey





Printing		System requirements	
Print technology * Maximum resolution * Print speed * Maximum printing width * Vertical printing	Direct thermal 300 x 300 DPI 152.4 mm/sec 5.6 cm ✓		Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Prefisional, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business
Paper handling Autocutter	,		
Ribbon length	1 m	Windows operating systems supported	
Maximum label length	1 m		
Ports & interfaces		x64, Windows Vista Enterpris Windows Vista Enterprise x64	
Connectivity technology *	Wired		Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Ethernet LAN *	✓		
Wi-Fi *	X		
USB port * USB 2.0 ports quantity	✓ 1		
RS-232 ports	1		
Optional connectivity	Bluetooth, Wireless LAN		Windows Server 2003, Windows
Performance		Server operating systems supported	Server 2008, Windows Server 2008 R2, Windows Server 2012
Page description languages Internal memory	ESC P 32 MB	Operational conditions	
Flash memory	16 MB	Operating relative humidity (H-H)	20 - 80%
Built-in barcodes	2D, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Data Matrix, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, UPC-A, UPC-E	Storage relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	5 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Weight & dimensions	205
Number of fonts	10	Width	285 mm

Performance		Weight & dimensions	
Tape cutting Underline	Automatic 🗸	Depth Height	185 mm 265 mm
Oridenine	128-bit WEP, 64-bit WEP, EAP-TLS,	Weight	2.12 kg
Security algorithms	EAP-TTLS, LEAP, PEAP, SSID, TKIP, WPA-PSK, WPA2-PSK	Packaging data	2.12 Ng
Design		Package weight	2.83 kg
Product colour *	Black, Grey	Packaging content	
Built-in display	✓	Cables included	AC, USB
Display *	LCD	Drivers included	✓
Control type	Buttons	AC adapter included	✓
Power		Logistics data	
AC adapter output voltage AC adapter output current	25 V 6 A	Harmonized System (HS) code Pallet gross height	84433210 15.8 cm
System requirements		Pallet gross weight	294 kg
Minimum storage drive space Minimum RAM	70 MB 128 MB	Master (outer) cases per pallet Master (outer) cases per pallet layer Layers per pallet Products per pallet	30 pc(s) 6 pc(s) 5 pc(s) 90 pc(s)
		Technical details	
		Pallet type	1200 x 1000 mm
		Other features	
		Character sets	Abicomp, ASCII, BRASCII, ISO 8859-15, ISO Latin 1, Italic, PC437, PC850, PC858, PC860, PC861, PC863, PC865, Roman 8
		LED indicators	✓
		Country of origin	China
		Spare part retention	5 year(s)





012502634584

0012502634584





4977766719711

5054533730120

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.