

SafePay MENA

GSMA MENA Ignite
Phase 2 live demo

Adaptive telecom evidence before instant payments move

A working prototype that keeps routine payments on a zero-call path, then lets a bounded AI agent select the CAMARA evidence needed for elevated-risk cases.

DEMO PROMISE

Fast for normal users. Evidence-led when risk changes. Policy-controlled at release.

Nokia Network as Code sandbox + CAMARA APIs + Gemini function calling

PROBLEM

One decision point, multiple fraud paths

Payment systems see accounts and transactions. Mobile networks can add fresh evidence about the number, SIM, device, and network state before release.

Coerced transfer

A customer is instructed to send money to a new payee. Identity may verify, but intent is still unsafe.

SIM takeover

An unusual session appears after a recent SIM or device change. Combined evidence can justify a protective block.

Card leakage


A checkout cannot verify the registered number and shows independent device anomalies.

First setup

A new installation must establish fresh number and SIM evidence before it becomes trusted.

SafePay does not claim that one telecom signal proves fraud. It combines bank context, network observations, and explicit release policy.

Use evidence only when the context earns it



Agentic orchestration with hard boundaries



- Scenario labels are hidden from the model; it receives observable transaction facts.
- Repeated, unsupported, malformed, or over-budget tool requests fail closed to RETRY.
- A deterministic policy owns the final release decision and can override unsafe approval.
- No active-call API is claimed or simulated as Nokia evidence.
-

What is actually integrated and verified

SIM Swap

Check a recent SIM change within the requested window.

USED

Number Verification

OAuth-bound match between bearer and expected number.

USED

Device Swap

Independent evidence of a recent network device change.

USED

Roaming

Travel context; never treated as fraud by itself.

USED

Reachability

Available through the adapter for targeted investigation; non-reachability is not proof of fraud.

Evidence boundary

Verified against Nokia Network as Code sandbox on 8 Sep 2026.
Production operators and subscriber traffic are not connected.

The live demo leads with the decision

S

SafePay MENA

Adaptive telecom evidence for instant payments

Service ready

Payment review

Routine payments stay instant. Elevated risk triggers a bounded evidence investigation before money moves.

FIXTURE + NOKIA SANDBOX

1 Choose context

2 Run review

3 Inspect outcome

Transaction context

Select a repeatable judge scenario or Nokia sandbox mode.

Market

Egypt

Saudi Arabia

United Arab Emirates

Evidence mode

Repeatable fixture

Scenario

Everyday payment

A familiar recipient, established device, usual amount.

Amount

200

Recipient relationship

Family / known

EGP

Egypt - InstaPay / IPN

Review payment

No payment is executed. Live mode is restricted to Nokia's documented simulator subjects.

LOCAL SCREENING

Payment approved

Required checks found no blocking evidence. The payment may continue.

Pre-call score

0

Final risk score

0

Agent + API calls

0

Why this happened

Routine context stayed below the investigation threshold; no external evidence was requested.

Network evidence

Agent and policy trace

JUDGE FLOW

- Choose Egypt, Saudi Arabia, or UAE.
- Select a fraud or enrollment scenario.
- Run fixture mode for repeatability.
- Switch to Nokia sandbox for the live wire.
- Inspect evidence and agent trace only when needed.
- Run the 36-case acceptance evaluation.

SafePay MENA | Phase 2 working prototype | Sandbox and synthetic evidence

6 / 10

One orchestration layer, three market contexts

Egypt

InstaPay / IPN context. Demonstrates routine transfers, new payees, account takeover, and first setup.

Saudi Arabia

sarie context. The same decision contract can sit before a bank's release step with locally configured policy.

United Arab Emirates

Aani context. Supports the same evidence vocabulary without claiming production operator availability.

The prototype localizes currency, rail name, and transaction context. It does not claim certification, regulatory compliance, or live operator coverage in these markets.

Why it can scale

CAMARA-style contracts separate bank workflow from operator implementation. Commercial rollout still requires operator/API availability, consent design, bank integration, security review, and measured pilots.

Evaluation is part of the product, not a slide claim

36 / 36

synthetic acceptance cases across three markets

Failure behavior

Timeouts, invalid JSON, malformed OAuth, missing evidence, and exhausted tool budgets return UNKNOWN or RETRY.

Workflow integrity

Idempotency, session isolation, cancellation, expiry, enrollment, velocity and policy override are tested.

Browser acceptance

Desktop and 375px mobile journeys verify the routine zero-call path, enrollment continuation, no overflow, and literal rendering of model markup.

What this does not prove

Synthetic acceptance tests demonstrate software behavior. They are not real-world fraud detection accuracy, production latency, or business ROI.

Commercially simple; evidence still required

Buyer

Banks, wallets, payment service providers, and fraud platforms that need network evidence at a release decision.

Model

Platform subscription plus metered orchestrated checks. Carrier charges and model use remain explicit cost inputs.

Integration

Session, enrollment, payment decision, cancellation, audit evidence, and evaluation endpoints.

Pilot scorecard

- Measure fraud loss, false positives, abandonment, API availability, and cost per reviewed transaction.
- Calibrate bank-owned thresholds by rail, segment, and jurisdiction.
- Confirm operator/API coverage and consent flows before making production claims.

The ask: move from sandbox evidence to a measured pilot

1 Operator access

Confirm target-country API and operator coverage for SIM Swap and Number Verification.

2 Bank workflow

Connect a non-production release decision and define approved fallback actions.

3 Pilot evidence

Measure safety, friction, reliability, latency, and unit economics with agreed baselines.

Primary references

- CAMARA Number Verification: github.com/camaraproject/NumberVerification
- CAMARA SIM Swap: github.com/camaraproject/SimSwap
- Nokia Network as Code sandbox: networkascode.nokia.io
- SAMA sarie: sama.gov.sa/en-us/payment/pages/Sarie.aspx
- CBUAE retail payment rules: rulebook.centralbank.ae
-

SafePay MENA is a working hackathon prototype. All bank context is synthetic. Nokia results use simulator subjects. No production payment is executed.