

Mon, 27 Nov 2017 14:33:58 -0500

Controller Information	
Controller Name	Floodlight
Software Build Version	1.2
Controller IP Address	192.168.84.1
OpenFlow port	6653
Connection Mode	TCP
OpenFlow Version(s)	1.0

Test Configuration	
Test Type	Latency
Test Mode	Normal
Flow Measurement By	Packet-out
Test Duration (sec)	1
# of iteration(s)	5
Iteration Delay (sec)	1
Warmup Time (sec)	0
# of Switch(es)	8

Switch Group - 16 Switch				
OpenFlow Version	1.0	# of Switch(es)	8	
Start MAC Address	00:00:00:00:00:01	# of Port(s)	2	
Traffic Profile	TCP	Packet Length	64	
Selected Modifier	Source MAC	# of Flow(s)	64	
# of Flow Table(s)	4	# of Group Table(s)	1	
# of Meter Table(s)	1	Max. Entries per	CE E2C	
Switch Buffers Size	0	Flow Table	65,536	
Switch Capabilities	Flow Stats, Table Stats, Port Stats			


Performance Chart

Total OF Connection Time (ms)

1058.890

Average OF Connection Time (ms)

1058.890





S.No	Iteration	Latency (ms)
1	1	10.7994
2	2	10.5131
3	3	9.9436
4	4	9.9769
5	5	10.5537

Hillanded for commercial use