

TP 2

```
eya@eya-virtual-machine:~$ [ -d/sys/firmware/efi ] && 'echo' "session EFI" || echo "session non EFI"
session EFI
```

```
eya@eya-virtual-machine:~$ efibootmgr
BootCurrent: 0006
BootOrder: 0006,0000,0001,0002,0003,0004,0005
Boot0000* EFI VMware Virtual SCSI Hard Drive (0.0)
Boot0001* EFI Floppy
Boot0002* EFI VMware Virtual SATA CDROM Drive (0.0)
Boot0003* EFI VMware Virtual SATA CDROM Drive (1.0)
Boot0004* EFI Network
Boot0005* EFI Internal Shell (Unsupported option)
Boot0006* ubuntu
```

```
eya@eya-virtual-machine:~$ efibootmgr -v
BootCurrent: 0006
BootOrder: 0006,0000,0001,0002,0003,0004,0005
Boot0000* EFI VMware Virtual SCSI Hard Drive (0.0)          PciRoot(0x0)/Pci(0x10,0x0)/SCSI(0,0)
Boot0001* EFI Floppy          PciRoot(0x0)/Pci(0x7,0x0)/Floppy(0x0)
Boot0002* EFI VMware Virtual SATA CDROM Drive (0.0)        PciRoot(0x0)/Pci(0x11,0x0)/Pci(0x4,0x0)/Sata(0,0,0)
Boot0003* EFI VMware Virtual SATA CDROM Drive (1.0)        PciRoot(0x0)/Pci(0x11,0x0)/Pci(0x4,0x0)/Sata(1,0,0)
Boot0004* EFI Network        PciRoot(0x0)/Pci(0x11,0x0)/Pci(0x1,0x0)/MAC(000c2936e4b8,0)
Boot0005* EFI Internal Shell (Unsupported option)          MemoryMapped(11,0xeb58018,0xf07e017)/FvFile(c57ad6b7-0515-40a8-9d21-551652854e37)
Boot0006* ubuntu          HD(2,GPT,551aa9ff-ff25-44db-9111-812b1d00fb0c,0x1000,0x100800)/File(\EFI\ubuntu\shimx64.efi)
eya@eya-virtual-machine:~$
```

```
eya@eya-virtual-machine:~$ sudo efibootmgr -o 0006,0000,0002,0001,0003,0004,0005
[sudo] password for eya:
BootCurrent: 0006
BootOrder: 0006,0000,0002,0001,0003,0004,0005
Boot0000* EFI VMware Virtual SCSI Hard Drive (0.0)
Boot0001* EFI Floppy
Boot0002* EFI VMware Virtual SATA CDROM Drive (0.0)
Boot0003* EFI VMware Virtual SATA CDROM Drive (1.0)
Boot0004* EFI Network
Boot0005* EFI Internal Shell (Unsupported option)
Boot0006* ubuntu
```

```
eya@eya-virtual-machine:~$ sudo gedit /etc/default/grub

(gedit:6668): dconf-WARNING **: 10:12:28.455: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:6668): dconf-WARNING **: 10:12:28.466: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:6668): dconf-WARNING **: 10:12:28.926: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:6668): dconf-WARNING **: 10:12:28.927: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:6668): dconf-WARNING **: 10:12:28.927: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)


** (gedit:6668): WARNING **: 10:15:52.447: Set document metadata failed: Setting
attribute metadata::gedit-spell-language not supported

** (gedit:6668): WARNING **: 10:15:52.448: Set document metadata failed: Setting
attribute metadata::gedit-encoding not supported
^C
```

```
eya@eya-virtual-machine:~$ sudo update-grub
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/init-select.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-85-generic
Found initrd image: /boot/initrd.img-6.8.0-85-generic
Found linux image: /boot/vmlinuz-6.8.0-84-generic
Found initrd image: /boot/initrd.img-6.8.0-84-generic
Memtest86+ needs a 16-bit boot, that is not available on EFI, exiting
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
eya@eya-virtual-machine:~$ reboot
```

```
eya@eya-virtual-machine:~$ sudo update-grub
[sudo] password for eya:
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/init-select.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-85-generic
Found initrd image: /boot/initrd.img-6.8.0-85-generic
Found linux image: /boot/vmlinuz-6.8.0-84-generic
Found initrd image: /boot/initrd.img-6.8.0-84-generic
Memtest86+ needs a 16-bit boot, that is not available on EFI, exiting
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
eya@eya-virtual-machine:~$
```

```
eya@eya-virtual-machine:~$ sudo update-grub
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/init-select.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-85-generic
Found initrd image: /boot/initrd.img-6.8.0-85-generic
Found linux image: /boot/vmlinuz-6.8.0-84-generic
Found initrd image: /boot/initrd.img-6.8.0-84-generic
Memtest86+ needs a 16-bit boot, that is not available on EFI, exiting
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
eya@eya-virtual-machine:~$ sudo gedit /etc/default/grub
```



```
eya@eya-virtual-machine:~$ ls /etc/grub.d
00_header      10_linux_zfs    30_os-prober    40_custom
05_debian_theme 20_linux_xen    30_uefi-firmware 41_custom
10_linux        20_memtest86+  35_fwupd        README
eya@eya-virtual-machine:~$
```

```
eya@eya-virtual-machine:~$ grep -r "GNU/Linux" /etc/grub.d
/etc/grub.d/10_linux_zfs: OS=GNU/Linux
/etc/grub.d/10_linux_zfs: OS="${GRUB_DISTRIBUTOR} GNU/Linux"
/etc/grub.d/20_linux_xen: OS=GNU/Linux
/etc/grub.d/20_linux_xen: OS="${GRUB_DISTRIBUTOR} GNU/Linux"
/etc/grub.d/10_linux: OS=GNU/Linux
/etc/grub.d/10_linux: OS="${GRUB_DISTRIBUTOR} GNU/Linux"
eya@eya-virtual-machine:~$ sudo gedit /etc/grub.d/10_Linux
[sudo] password for eya:
```

```
eya@eya-virtual-machine:~$ sudo gedit /etc/grub.d/10_Linux
[sudo] password for eya:

(gedit:3275): dconf-WARNING **: 10:39:13.252: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3275): dconf-WARNING **: 10:39:13.263: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3275): dconf-WARNING **: 10:39:13.491: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3275): dconf-WARNING **: 10:39:13.492: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3275): dconf-WARNING **: 10:39:13.492: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

** (gedit:3275): WARNING **: 10:39:14.325: Set document metadata failed: Setting
attribute metadata::gedit-position not supported

(gedit:3275): dconf-WARNING **: 10:39:14.327: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)
eya@eya-virtual-machine:~$
```

```
eya@eya-virtual-machine:~$ sudo gedit /etc/grib.d/40_custom

(gedit:3317): dconf-WARNING **: 10:39:20.132: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3317): dconf-WARNING **: 10:39:20.138: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3317): dconf-WARNING **: 10:39:20.384: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3317): dconf-WARNING **: 10:39:20.385: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3317): dconf-WARNING **: 10:39:20.385: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)

(gedit:3317): dconf-WARNING **: 10:39:20.406: failed to commit changes to dconf:
Failed to execute child process "dbus-launch" (No such file or directory)
```

```
eya@eya-virtual-machine:~$ sudo update-grub
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/init-select.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-87-generic
Found initrd image: /boot/initrd.img-6.8.0-87-generic
Found linux image: /boot/vmlinuz-6.8.0-85-generic
Found initrd image: /boot/initrd.img-6.8.0-85-generic
Found linux image: /boot/vmlinuz-6.8.0-84-generic
Found initrd image: /boot/initrd.img-6.8.0-84-generic
Memtest86+ needs a 16-bit boot, that is not available on EFI, exiting
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
eya@eya-virtual-machine:~$ reboot
```




```
eya@eya-virtual-machine:~/Downloads$ ls
linux-headers-5.19.0-051900_5.19.0-051900.202207312230_all.deb
linux-headers-5.19.0-051900-generic_5.19.0-051900.202207312230_amd64.deb
linux-image-unsigned-5.19.0-051900-generic_5.19.0-051900.202207312230_amd64.deb
linux-modules-5.19.0-051900-generic_5.19.0-051900.202207312230_amd64.deb
TP_GRUB2_22-23.pdf
eya@eya-virtual-machine:~/Downloads$ sudo dpkg -i ./*.deb
[sudo] password for eya:
Selecting previously unselected package linux-headers-5.19.0-051900.
(Reading database ... 209228 files and directories currently installed.)
Preparing to unpack .../linux-headers-5.19.0-051900_5.19.0-051900.202207312230_all.deb ...
Unpacking linux-headers-5.19.0-051900 (5.19.0-051900.202207312230) ...
Selecting previously unselected package linux-headers-5.19.0-051900-generic.
Preparing to unpack .../linux-headers-5.19.0-051900-generic_5.19.0-051900.202207312230_amd64.deb ...
Unpacking linux-headers-5.19.0-051900-generic (5.19.0-051900.202207312230) ...
Selecting previously unselected package linux-image-unsigned-5.19.0-051900-generic.
Preparing to unpack .../linux-image-unsigned-5.19.0-051900-generic_5.19.0-051900.202207312230_amd64.deb ...
```

```
I: /boot/vmlinuz is now a symlink to vmlinuz-5.19.0-051900-generic
I: /boot/initrd.img is now a symlink to initrd.img-5.19.0-051900-generic
Setting up linux-modules-5.19.0-051900-generic (5.19.0-051900.202207312230) ...
Processing triggers for linux-image-unsigned-5.19.0-051900-generic (5.19.0-051900.202207312230) ...
/etc/kernel/postinst.d/initramfs-tools:
update-initramfs: Generating /boot/initrd.img-5.19.0-051900-generic
/etc/kernel/postinst.d/zz-update-grub:
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/init-select.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-87-generic
Found initrd image: /boot/initrd.img-6.8.0-87-generic
Found linux image: /boot/vmlinuz-6.8.0-85-generic
Found initrd image: /boot/initrd.img-6.8.0-85-generic
Found linux image: /boot/vmlinuz-5.19.0-051900-generic
Found initrd image: /boot/initrd.img-5.19.0-051900-generic
Memtest86+ needs a 16-bit boot, that is not available on EFI, exiting
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
eya@eya-virtual-machine:~/Downloads$
```

5. Démarrage en mode «

```
old-kernel GNU/Linux, with Linux 6.8.0-87-generic
old-kernel GNU/Linux, with Linux 6.8.0-87-generic (recovery mode)
old-kernel GNU/Linux, with Linux 6.8.0-85-generic
old-kernel GNU/Linux, with Linux 6.8.0-85-generic (recovery mode)
old-kernel GNU/Linux, with Linux 5.19.0-051900-generic
old-kernel GNU/Linux, with Linux 5.19.0-051900-generic (recovery mode)
```

The image shows a terminal window with a dark background. At the top, the prompt is 'eya@eya-virtual-machine: ~'. Below it, there are several status messages from dconf: 'Failed to execute child process "dbus-launch" (No such file or directory)', 'gedit:3340): dconf-WARNING **: 11:56:34.094: failed to commit changes to dconf:', and 'Failed to C'. The main part of the terminal shows a series of commands and their outputs:

```
ya@eya-vir  
udo: gedit  
ya@eya-vir  
gedit:3393  
Failed to  
gedit:3393  
Failed to  
gedit:3393  
Failed to  
gedit:3393  
Failed to  
gedit:3393  
Failed to
```


The editor window, titled '*40_custom /etc/grub.d', shows the following content:

```
1#!/bin/sh  
2exec tail -n +3 $0  
3# This file provides an easy way to add custom menu entries. Simply type the  
4# menu entries you want to add after this comment. Be careful not to change  
5# the 'exec tail' line above  
6  
7menuentry "Arret" {  
8halt  
9}  
10  
11menuentry "Redemarrage" {  
12reboot  
13}  
14menuentry "NewKernel"  
15recordfail  
16load_video  
17gfxmode $linux_gfx_mode  
18insmod gzio  
19if [ x$grub_platform = xxen ]; then insmod xzio; insmod lzopio; fi  
20insmod part_gpt  
21insmod ext2  
22set root='hd0,gpt3'  
23if [ x${feature_platform_search_hint} = xy ]; then  
24search --no-floppy --fs-uuid --set=root --hint-bios=hd0,gpt3 --hint-  
efi=hd0,gpt3 --hint-baremetal=ahci0,gpt3 cd998119-a39a-41d8-b25a-1210ea09a740  
25else  
26search --no-floppy --fs-uuid --set=root cd998119-a39a-41d8-b25a-1210ea09a740  
27fi  
28echo 'Loading Linux 5.19.0-051900-generic ...'  
29linux /boot/vmlinuz-5.19.0-051900-generic root=UUID=cd998119-a39a-41d8-  
b25a-1210ea09a740 ro find_preseed=/preseed.cfg auto noprompt priority=critical locale=en_US  
quiet splash $vt_handoff  
30echo 'Loading initial ramdisk ...'  
31initrd /boot/initrd.img-5.19.0-051900-generic  
32
```

```
** (gedit:3393): WARNING **: 12:04:06.753: Set document metadata failed: Setting attribute metadata::gedit-spell-language not supported
** (gedit:3393): WARNING **: 12:04:06.755: Set document metadata failed: Setting attribute metadata::gedit-encoding not supported
^C
eya@eya-virtual-machine:~$ sudo update-grub
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/init-select.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-6.8.0-87-generic
Found initrd image: /boot/initrd.img-6.8.0-87-generic
Found linux image: /boot/vmlinuz-6.8.0-85-generic
Found initrd image: /boot/initrd.img-6.8.0-85-generic
Found linux image: /boot/vmlinuz-5.19.0-051900-generic
Found initrd image: /boot/initrd.img-5.19.0-051900-generic
memtest86+ needs a 16-bit boot, that is not available on EFI, exiting
Warning: os-prober will not be executed to detect other bootable partitions.
Systems on them will not be added to the GRUB boot configuration.
Check GRUB_DISABLE_OS_PROBER documentation entry.
Adding boot menu entry for UEFI Firmware Settings ...
done
eya@eya-virtual-machine:~$
```

```
eya@eya-virtual-machine: ~
eya@eya-virtual-machine:~$ uname -sr
Linux 5.19.0-051900-generic
eya@eya-virtual-machine:~$
```



```
eya@eya-virtual-machine: ~
Open ▾
*grub
/etc/default
Save
1 # If you change this file, run 'update-grub' afterwards to update
2 # /boot/grub/grub.cfg.
3 # For full documentation of the options in this file, see:
4 #   info -f grub -n 'Simple configuration'
5
6 GRUB_DEFAULT=5
7 GRUB_TIMEOUT_STYLE=menu
8 GRUB_TIMEOUT=20
9 #GRUB_DISTRIBUTOR=`lsb_release -i -s 2> /dev/null || echo Debian`
10 GRUB_DISTRIBUTOR="old-kernel"
11 GRUB_CMDLINE_LINUX_DEFAULT="quiet splash"
12 GRUB_CMDLINE_LINUX="find_preseed=/preseed.cfg auto noprompt priority=critical locale=en_US"
13
14 # Uncomment to enable BadRAM filtering, modify to suit your needs
15 # This works with Linux (no patch required) and with any kernel that obtains
16 # the memory map information from GRUB (GNU Mach, kernel of FreeBSD ...)
17 #GRUB_BADRAM="0x01234567,0xfefefefe,0x89abcdef,0xefefefef"
18
19 # Uncomment to disable graphical terminal (grub-pc only)
20 #GRUB_TERMINAL=console
21
22 # The resolution used on graphical terminal
23 # note that you can use only modes which your graphic card supports via VBE
24 # you can see them in real GRUB with the command `vbeinfo'
25 #GRUB_GFXMODE=640x480
26
27 # Uncomment if you don't want GRUB to pass "root=UUID=xxx" parameter to Linux
28 #GRUB_DISABLE_LINUX_UUID=true
29
30 # Uncomment to disable generation of recovery mode menu entries
31 #GRUB_DISABLE_RECOVERY="true"
32
33 # Uncomment to get a beep at grub start
34 #GRUB_INIT_TUNE="480 440 1"
```

Plain Text ▾ Tab Width: 8 ▾ Ln 6, Col 15 ▾ INS

Laabidi eya