Nicaragua

Data



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.

Analysis

Number of divergent transitions = 0

Maximum $\hat{R}$ = 1.003582

Minimum Bulk ESS = 1261.703

Minimum Tail ESS = 1082.075



Contact rate function:

$$cr(t; t^*, \lambda_j, \kappa) = \lambda_j + \frac{1 - \lambda_j}{1 + \exp(\kappa(t - t^*))}$$

where

$$\lambda_j \sim \texttt{Beta}(3, 1)$$
$$\kappa \sim \texttt{NegHalfNormal}(0, 1).$$

Contact Rate



Vertical dotted lines represent the first seeding day and the epidemic start date.
Ribbons represent the 80% credible intervals.

Mobility effect



Vertical dotted lines represent the first seeding day and the epidemic start date.
Ribbons represent the 80% credible intervals.





Mobility linear model: $\beta_1 \cdot X_{\text{residential}} + \beta_2 \cdot X_{\text{transit}} + \beta_3 \cdot X_{\text{average}}$.

β





Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths.
Vertical dotted lines represent the first seeding day and the epidemic start date.

Imputed Cases



IFR