Canada

Data



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.

Analysis

Number of divergent transitions = 1

Maximum $\hat{R}$ = 1.531799

Minimum Bulk ESS = 7.144474

Minimum Tail ESS = 4.700294



Contact rate function:

$$cr(t; t^*, \lambda_j, \kappa) = \lambda_j + \frac{1 - \lambda_j}{1 + \exp(\kappa(t - t^*))}$$

where

$$\lambda_j \sim \texttt{Beta}(3, 1)$$
$$\kappa \sim \texttt{NegHalfNormal}(0, 1).$$

Contact Rate



Vertical dotted lines represent the first seeding day and the epidemic start date.
Ribbons represent the 80% credible intervals.

Mobility effect



Vertical dotted lines represent the first seeding day and the epidemic start date.
Ribbons represent the 80% credible intervals.





Mobility linear model: $\beta_1 \cdot X_{\text{residential}} + \beta_2 \cdot X_{\text{transit}} + \beta_3 \cdot X_{\text{average}}$.



Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths.
Vertical dotted lines represent the first seeding day and the epidemic start date.

Imputed Cases




IFR
CA
Alberta
British Columbia
Ontario
Saskatchewan
Newfoundland and Labrador
Quebec
Nova Scotia
Manitoba
0.000
0.005
0.010