

Bolivia

Data



Vertical dotted lines represent the first seeding day and the epidemic start date



Vertical dotted lines represent the first seeding day and the epidemic start date



Vertical dotted lines represent the first seeding day and the epidemic start date.

Analysis


Number of divergent transitions = 0

Maximum $\hat{R} = 1.003239$

Minimum Bulk ESS = 1339.067

Minimum Tail ESS = 1076.116

 $R_{0, m}$



Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.


Contact rate function:

$$cr(t; t^*, \lambda_j, \kappa) = \lambda_j + \frac{1 - \lambda_j}{1 + \exp(\kappa(t - t^*))}$$

Apr

where


$$\lambda_j \sim \text{Beta}(3,1)$$
 $\kappa \sim \text{NegHalfNormal}(0,1).$



Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.




Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.




Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.

Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths. Vertical dotted lines represent the first seeding day and the epidemic start date.


Mobility linear model: $\beta_1 \cdot X_{residential} + \beta_2 \cdot X_{transit} + \beta_3 \cdot X_{average}$.







New Cases predicted vs observed



Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths. Vertical dotted lines represent the first seeding day and the epidemic start date.

