

Portugal

Data



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date



Vertical dotted lines represent the first seeding day and the epidemic start date.

Analysis


Number of divergent transitions = 0


Maximum $\hat{R} = 1.536733$

Minimum Bulk ESS = 7.140994

Minimum Tail ESS = 6.626435

 $R_{0, m}$





Vertical dotted lines represent the first seeding day and the epidemic start date.

Ribbons represent the 80% credible intervals.


Contact rate function:

$$cr(t;t^*,\lambda_j,\kappa) = \lambda_j + \frac{1-\lambda_j}{1+\exp(\kappa(t-t^*))}$$


where

$$\lambda_j \sim \text{Beta}(3,1)$$
 $\kappa \sim \text{NegHalfNormal}(0,1).$







Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.




Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.




Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.





Mobility linear model: $\beta_1 \cdot X_{residential} + \beta_2 \cdot X_{transit} + \beta_3 \cdot X_{average}$.





Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths. Vertical dotted lines represent the first seeding day and the epidemic start date.

Imputed Cases

