

Bahamas

Data



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.

Analysis


Number of divergent transitions = 0


Maximum $\hat{R} = 1.003152$

Minimum Bulk ESS = 1465.157

Minimum Tail ESS = 1216.425

 $R_{0,\,m}$





Vertical dotted lines represent the first seeding day and the epidemic start date.


Ribbons represent the 80% credible intervals.

Contact rate function:

$$cr(t; t^*, \lambda_j, \kappa) = \lambda_j + \frac{1 - \lambda_j}{1 + \exp(\kappa(t - t^*))}$$

where

$$\begin{split} &\lambda_{j} \sim \texttt{Beta}(3,1) \\ &\kappa \sim \texttt{NegHalfNormal}(0,1). \end{split}$$




May


Apr

Vertical dotted lines represent the first seeding day and the epidemic start date.

Ribbons represent the 80% credible intervals.



Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.




Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.


Mobility linear model: $\beta_1 \cdot X_{residential} + \beta_2 \cdot X_{transit} + \beta_3 \cdot X_{average}$.

Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths. Vertical dotted lines represent the first seeding day and the epidemic start date.





New Cases predicted vs observed



Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths. Vertical dotted lines represent the first seeding day and the epidemic start date.

