



# France


## Data



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.



Vertical dotted lines represent the first seeding day and the epidemic start date.

# Analysis



Number of divergent transitions =

Maximum  $\hat{R}$  =

Minimum Bulk ESS =

Minimum Tail ESS =

$R_{0,m}$



Vertical dotted lines represent the first seeding day and the epidemic start date. Ribbons represent the 80% credible intervals.

Contact rate function:


$$cr(t; t^*, \lambda_j, \kappa) = \lambda_j + \frac{1 - \lambda_j}{1 + \exp(\kappa(t - t^*))}$$

where


$$\lambda_j \sim \text{Beta}(3, 1)$$


$$\kappa \sim \text{NegHalfNormal}(0, 1).$$

### Contact Rate




### Mobility effect






Mobility linear model:  $\beta_1 \cdot X_{\text{residential}} + \beta_2 \cdot X_{\text{transit}} + \beta_3 \cdot X_{\text{average}}$ .


$\beta$



## Imputed Cases




## New Cases predicted vs observed



Solid black line: observed new deaths. Grey ribbon: posterior predicted new deaths. Vertical dotted lines represent the first seeding day and the epidemic start date.

## IFR



# Diagnostics

