Model Selection Demo:

In [2]: **import** numpy **as** np

```
import pandas as pd
        import statsmodels.api as sm
        from itertools import combinations
In [3]: # Simulate data
        np.random.seed(0)
        n = 1000
        p = 5
        X = np.random.randn(n, p)
        beta = np.array([3, 2, 0, 0, 0]) # Only two variables are nonzero
        y = X @ beta + np.random.randn(n) * 0.5
        # Add a constant to X for intercept
        X = sm.add constant(X)
In [4]: # Best subset selection
        def best subset selection(X, y):
            n, p = X.shape
            models = []
            for k in range(1, p + 1): # Iterate over subset sizes
                for combo in combinations(range(1, p), k): # Generate combinations
                    combo = (0,) + combo # Include the intercept
                    X subset = X[:, combo]
                    model = sm.OLS(y, X_subset).fit()
                    models.append((model, combo))
            return models
In [5]: # Calculate metrics
        def calculate_metrics(model, X, y):
            n = len(y)
            k = model.df_model # Number of predictors, excluding intercept
            # AIC
            aic = model.aic
            # BIC
            bic = model.bic
            # PRESS (Prediction Sum of Squares)
            hat_matrix = X @ np.linalg.inv(X.T @ X) @ X.T
            residuals = model.resid
            press = np.sum((residuals / (1 - np.diag(hat_matrix))) ** 2)
            # Adjusted R-squared
```

9/30/24, 2:41 PM model_selection

```
r2 = model.rsquared
            adj_r2 = 1 - (1 - r2) * (n - 1) / (n - k)
            return aic, bic, press, adj_r2, int(k) #dont consider intercept as a pre
In [6]: # Run best subset selection
        models = best_subset_selection(X, y)
In [7]: # Store results in pd DataFrame
        results = []
        for model, combo in models:
            aic, bic, press, adj_r2, num_predictors = calculate_metrics(model, X[:,
            results.append({
                'Predictors': combo,
                'n_Predictors': num_predictors,
                'AIC': aic,
                'BIC': bic,
                'PRESS': press,
                'Adjusted R^2': adj_r2
            })
        # Convert results to pd DataFrame
        results_df = pd.DataFrame(results)
        results df = results df.sort values(by='n Predictors').reset index(drop=True
In [8]: # Display our results
        pd.set_option('display.max_columns', None) # Show all columns
        results df #0 represents intercept — all models include intercept
```

9/30/24, 2:41 PM model_selection

Out[8]:

	Predictors	n_Predictors	AIC	BIC	PRESS	Adjusted R^2
0	(0, 1)	1	4168.840872	4178.656382	3785.152258	0.707679
1	(0, 2)	1	5038.813069	5048.628579	9034.712100	0.302274
2	(0, 3)	1	5398.209642	5408.025152	12939.470547	0.000532
3	(0, 4)	1	5397.641492	5407.457002	12933.138971	0.001100
4	(0, 5)	1	5398.175148	5407.990659	12939.770161	0.000567
5	(0, 4, 5)	2	5399.000246	5413.723512	12950.664816	0.000740
6	(0, 3, 5)	2	5399.630015	5414.353281	12957.963976	0.000111
7	(0, 3, 4)	2	5399.106491	5413.829757	12951.514629	0.000634
8	(0, 2, 5)	2	5039.863992	5054.587258	9043.968854	0.302238
9	(0, 2, 4)	2	5039.363033	5054.086299	9040.554097	0.302587
10	(0, 2, 3)	2	5040.795516	5055.518782	9051.813650	0.301587
11	(0, 1, 5)	2	4170.835013	4185.558279	3792.691273	0.707387
12	(0, 1, 4)	2	4170.831107	4185.554373	3793.241268	0.707389
13	(0, 1, 3)	2	4167.760183	4182.483448	3780.874128	0.708286
14	(0, 1, 2)	2	1424.115862	1438.839128	243.221770	0.981232
15	(0, 3, 4, 5)	3	5400.451808	5420.082829	12968.914241	0.000286
16	(0, 2, 4, 5)	3	5040.303544	5059.934565	9048.707510	0.302627
17	(0, 2, 3, 5)	3	5041.849107	5061.480128	9061.154207	0.301548
18	(0, 2, 3, 4)	3	5041.345866	5060.976887	9057.644658	0.301900
19	(0, 1, 4, 5)	3	4172.824529	4192.455550	3800.766596	0.707097
20	(0, 1, 2, 3)	3	1425.005414	1444.636436	243.514714	0.981234
21	(0, 1, 3, 4)	3	4169.750085	4189.381106	3789.024898	0.707996
22	(0, 1, 2, 5)	3	1425.430861	1445.061882	243.507077	0.981226
23	(0, 1, 2, 4)	3	1426.061285	1445.692306	243.710573	0.981215
24	(0, 1, 3, 5)	3	4169.751048	4189.382069	3788.374057	0.707996
25	(0, 2, 3, 4, 5)	4	5042.289172	5066.827948	9065.882384	0.301937
26	(0, 1, 2, 3, 4)	4	1426.950318	1451.489094	244.003823	0.981217
27	(0, 1, 2, 3, 5)	4	1426.300991	1450.839767	243.798024	0.981229
28	(0, 1, 2, 4, 5)	4	1427.357141	1451.895918	243.996967	0.981209

9/30/24, 2:41 PM model_selection

		Predictors	n_Predictors	AIC	ВІС	PRESS	Adjusted R^2
	29	(0, 1, 3, 4, 5)	4	4171.740037	4196.278814	3796.512782	0.707706
	30	(0, 1, 2, 3, 4, 5)	5	1428.226372	1457.672904	244.288229	0.981211
In []:							
In []:							