


Easy

When the form loads, if **Category = Network**, show a message: *“Network team will handle this”*.

The screenshot shows a web browser window with the URL `dev364702.service-now.com/now/nav/ui/...`. The ServiceNow interface displays the incident details for **INC0000002**. At the top, there's a navigation bar with the ServiceNow logo and various tabs. Below the navigation bar, the incident title is **INC0000002**. A message bar at the top of the form area states: **Network Team will handle this**. The form fields are organized into two columns. The left column includes: **Number** (INC0000002), **Caller** (Fred Luddy), **Category** (Network), **Subcategory** (-- None --), **Service**, **Service offering**, and **Configuration item** (FileServerFloor2). The right column includes: **Channel** (-- None --), **State** (On Hold), **On hold reason** (Awaiting Vendor), **Impact** (1 - High), **Urgency** (1 - High), **Priority** (1 - Critical), **Assignment group** (Network), and **Assigned to** (Howard Johnson). Below the form fields, there's a **Short description** field with the text "Network file shares access issue" and a **Description** field with the text "User can't get to any of his files on the file server." At the bottom of the form, there's a **Related Search Results** button. Below the form, there's a section for **Notes**, **Related Records**, and **Resolution Information**. The **Work notes** section is active, showing a text area for adding notes and a **Post** button. The **Activities** section shows a list of activities, including an activity by **admin user** with a screenshot of a file explorer window.

When **Priority = High**, make the **Description** field mandatory.



dev364702.service-now.com/now/nav/ui/...

Incident - INC0000002

Application scope: Global
Update set: Default [Global]

Incident INC0000002

Manage Attachments (1): Pasted Image [rename][download][p]

Network Team will handle this

Number: INC0000002

Channel: -- None --

* Caller: Fred Luddy

State: On Hold

Category: Network

* On hold reason: Awaiting Vendor

Subcategory: -- None --

Impact: 2 - Medium

Service:

Urgency: 1 - High

Service offering:

Priority: 2 - High

Configuration item: FileServerFloor2

Assignment group: Network

Assigned to: Howard Johnson

* Short description: Network file shares access issue

* Description: User can't get to any of his files on the file server.

Related Search Results >

Notes | Related Records | Resolution Information

Watch list | Work notes list

* Work notes: Work notes

Comments (Customer visible): Comments (Customer visible)

Activities: 3

When **State = Closed**, make all fields read-only.

The screenshot shows the ServiceNow interface for configuring a Client Script. The browser address bar shows the URL `dev364702.service-now.com/now/nav/ui/...`. The ServiceNow header includes the logo, a search bar, and the text "Application scope: Global" and "Update set: Default [Global]". The main title is "Client Script - Easy 3".


The configuration form includes the following fields:


- Name:** Easy 3
- Table:** Incident [incident]
- UI Type:** All
- Type:** onLoad
- Application:** Global
- Active:** ☒
- Inherited:** ☐
- Global:** ☒

The **Description** and **Messages** fields are empty. The **Script** field contains the following JavaScript code:

```
1 function onLoad() {
2   if (g_form.getValue('state') == '7') {
3     var fields = g_form.getEditableFields();
4     for (var x = 0; x < fields.length; x++) {
5       g_form.setReadOnly(fields[x], true);
6     }
7   }
8 }
```

At the bottom, the **Isolate script** checkbox is checked.





When **Category** is cleared, clear the **Subcategory** field automatically.

The screenshot shows the ServiceNow Client Script editor. The browser address bar displays `dev364702.service-now.com/now/nav/ui/...`. The ServiceNow header includes the logo, a search bar, and the text "Client Script" with a star icon. To the right, it says "Application scope: Global" and "Update set: Default [Global]".


The editor interface has a top bar with a back arrow, a menu icon, the text "Client Script", and icons for link, help, undo, redo, and a settings menu. There are "Update" and "Delete" buttons on the right. Below this bar, the configuration section includes:

- Type:** A dropdown menu set to "onChange".
- Field name:** A dropdown menu set to "Category".
- Global:** A checkbox that is checked.
- Description:** A text area with a code icon.
- Messages:** A text area with a code icon.
- Script:** A code editor with a toolbar containing icons for chat, list, code, test, and other utilities.

The script code in the editor is as follows:

```
1 function onChange(control, oldValue, newValue, isLoading,
2   isTemplate) {
3     if (isLoading || newValue === '') {
4       return;
5     }
6     if (newValue == '' || newValue == null) {
7       g_form.setValue('subcategory', '');
8     }
9 }
```

Below the script editor, there is an "Isolate script" checkbox that is checked. At the bottom of the editor, there are "Update" and "Delete" buttons. Below these buttons is a section titled "Related Links" with a link labeled "Run Point Scan".



When **Urgency** = **Low**, hide the **Impact** field.

The screenshot shows the ServiceNow interface for configuring a Client Script. The browser address bar shows the URL `dev364702.service-now.com/now/nav/ui/...`. The ServiceNow header includes the logo, navigation tabs, and a search bar. The main content area is titled "Client Script - Easy 5" and includes "Update" and "Delete" buttons. The configuration form includes the following fields:

- Name:** Easy 5
- Table:** Incident [incident]
- UI Type:** All
- Type:** onChange
- Field name:** Urgency
- Application:** Global
- Active:** ☒
- Inherited:** ☐
- Global:** ☒

Below the configuration fields are sections for "Description", "Messages", and "Script". The "Script" section is expanded, showing the following JavaScript code:

```
1 function onChange(control, oldValue, newValue, isLoading,
2 isTemplate) {
3     if (isLoading) {
4         return;
5     }
6     if (newValue == '3') {
7         g_form.setVisible('impact', false);
8     } else {
9         g_form.setVisible('impact', true);
10    }
```


dev364702.service-now.com/now/nav/ui/...

Gmailcie-a2-biology-970...192.168.1.1/index2...All Bookmarks

servicenow

All

Incident - INC0000...

Application scope: Global
Update set: Default [Global]

Incident
INC0000052

DiscussFollowUpdateResolveDelete

NumberINC0000052

ChannelPhone

* CallerBud Richman

StateIn Progress

CategorySoftware

Urgency3 - Low

Subcategory-- None --

Priority3 - Moderate

Service

Assignment groupSoftware

Service offering

Assigned toFred Luddy

Configuration itemSAP Financial Account

* Short descriptionSAP Financial Accounting application appears to be down

DescriptionMain menu doesn't load when I open the SAP Financial Accounting application.

Related Search Results

Notes

Related Records

Resolution Information

Watch list

Work notes list

* Work notes

Work notes

Medium

When **Caller** is selected, auto-fill a custom field like **Department** using Caller details.

The screenshot shows a web browser window with the ServiceNow interface. The browser's address bar displays 'dev364702.service-...'. The ServiceNow header includes the logo, navigation tabs (All, Favorites), and a breadcrumb trail for 'Incident - INC0000...'. The incident details form is titled 'Incident INC0000052' and includes several fields: 'Number' (INC0000052), 'Channel' (Phone), 'State' (In Progress), 'Impact' (1 - High), 'Urgency' (1 - High), 'Priority' (1 - Critical), 'Assignment group' (Software), and 'Assigned to' (Fred Luddy). The 'Caller' field is filled with 'Adela Cervantsz', and the 'Department' field is auto-filled with 'Customer Support'. The 'Category' is 'Software' and the 'Subcategory' is '-- None --'. The 'Service' and 'Service offering' fields are empty. The 'Configuration item' field is filled with 'SAP Financial Accounting'. The 'Short description' field contains 'SAP Financial Accounting application appears to be down', and the 'Description' field contains 'Main menu doesn't load when I open the SAP Financial Accounting application.' Below the form, there is a 'Related Search Results' section and a 'Notes' tab. The 'Notes' tab is active, showing a 'Watch list' and a 'Work notes list'. The 'Work notes' field is empty, and there is a 'Post' button. The 'Activities' section shows a list of activities, including one by 'RP Rob Phillips' with the text 'I got this'.

dev364702.service-...

serviceNow All Favorites Incident - INC0000... Application ... Update set ...

Incident INC0000052 Discuss Follow Update

Number INC0000052 Channel Phone

* Caller Adela Cervantsz State In Progress

Department Customer Support Impact 1 - High

★ Category Software Urgency 1 - High

Subcategory -- None -- Priority 1 - Critical

Service Assignment group Software

Service offering Assigned to Fred Luddy

Configuration item SAP Financial Accounting

* Short description SAP Financial Accounting application appears to be down

Description Main menu doesn't load when I open the SAP Financial Accounting application.

Related Search Results >

Notes Related Records Resolution Information

Watch list Work notes list

Work notes Work notes

Comments (Customer visible) Post

Activities: 7 RP Rob Phillips Work notes • 2026-01-26 09:50:20

I got this

admin user Work notes • 2026-01-24 07:50:47

dev364702.service-...

Gmail PDF cie-a2-biology-970... All Bookmarks

servicenow

All Favorites Client Script - Medi...

Ap... U... 1

Client Script Medium 6

Update Delete

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

Name Medium 6

Table Incident [incident]

UI Type All

Type onChange

Field name Caller

Application Global

Active ☒

Inherited ☐

Global ☒

Description <>

Messages <>

Script <>

```
1 function onChange(control, oldValue, newValue, isLoading,
2
3     return;
4 }
5 if (!newValue){
6     g_form.clearValue('u_department');
7 }
8
9 g_form.getReference('caller_id', function(caller) {
10     var department = caller.department;
11     g_form.setValue('u_department', caller.department);
12 });
13 }
```

Isolate script ☒

Update Delete

Related Links

Run Point Scan

Versions Recorded at Search

Actions on selected rows... New

Update Versions

Name	Recorded at	State	Source	Reverted from
	2026-04-21		Update Set	

If the **Caller is VIP**, automatically set:

- Priority = High
- Urgency = High

The screenshot shows the ServiceNow interface for configuring a Client Script. The browser address bar shows the URL `dev364702.service-now.com/now/nav/ui/...`. The page title is "Client Script - IF Caller is VIP". A blue informational banner at the top states: "New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the 'Isolate script' field. To disable this feature for all new globally-scoped client-side scripts set the system property 'glide.script.block.client.globals' to false."

The configuration form includes the following fields:

- Name:** IF Caller is VIP
- Table:** Incident [incident]
- UI Type:** All
- Type:** onChange
- Field name:** Caller
- Application:** Global
- Active:** ☒
- Inherited:** ☐
- Global:** ☒

Below the configuration fields are sections for **Description**, **Messages**, and **Script**.

The **Script** section contains the following JavaScript code:

```
1 function onChange(control, oldValue, newValue, isLoading,
isTemplate) {
2     if (isLoading || newValue === '') {
3         return;
4     }
5     g_form.getReference('caller_id', function(caller) {
6         if (caller.vip) {
7             g_form.setValue('impact', '1');
8             g_form.setValue('urgency', '1');
9         }
10    });
};
```

At the bottom of the form, the **Isolate script** checkbox is checked.

dev364702.service-now.com/now/nav/ui/...

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2.... All Bookmarks

servicenowAllHistoryIncident - INC0000...Applic...Updat...

IncidentINC00000052

DiscussFollowUpdateResolveDelete

NumberINC0000052Lookup using list

ChannelPhone

* CallerJerrod Bennett

StateIn Progress

DepartmentDevelopment

Impact1 - High

★ CategorySoftware

Urgency1 - High

Subcategory-- None --

Priority1 - Critical

Service

Assignment groupSoftware

Service offering

Assigned toFred Luddy

Configuration itemSAP Financial Accounting

* Short descriptionSAP Financial Accounting application appears to be down

DescriptionMain menu doesn't load when I open the SAP Financial Accounting application.

Related Search Results >

NotesRelated RecordsResolution Information

Watch list

Work notes list

Work notes

Comments (Customer visible)Post

When **Category = Software**, show **Assignment Group** field, otherwise hide it

dev364702.service-now.com/now/nav/ui/...

Incident - INC0000052

Number: INC0000052

Channel: Phone

* Caller: Adela Cervantsz

State: In Progress

Department: Customer Support

Impact: 1 - High

★ Category: Hardware

Urgency: 1 - High

Subcategory: -- None --

Priority: 1 - Critical

Service:

Service offering:

Assigned to: Fred Luddy

Configuration item: SAP Financial Accounting

* Short description: SAP Financial Accounting application appears to be down

Description: Main menu doesn't load when I open the SAP Financial Accounting application.

Related Search Results >

Notes

Watch list

Work notes list

Work notes: Work notes

☐ Comments (Customer visible) Post

dev364702.service-now.com/now/nav/ui/...

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2.... All Bookmarks

servicenow

AllHistoryClient Script - Whe...Application scope: GlobalUpdate set: Default [Global]

Client ScriptWhen Category = Software , show assignmeUpdateDelete

disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.globals" to false.

NameWhen Category = Software , shcApplicationGlobal

TableIncident [incident]Active

UI TypeAllInherited

TypeonChangeGlobal

Field nameCategory

Description

Messages

Script

```
1 function onChange(control, oldValue, newValue, isLoading,
2   isTemplate) {
3     if (isLoading || newValue === '') {
4       return;
5     }
6     if(newValue=='software'){
7       g_form.setVisible('assignment_group',true);
8     }
9     else{
10      g_form.setVisible('assignment_group',false);
11    }
12  }
```

Isolate script

dev364702.service-now.com/now/nav/ui/...

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2.... All Bookmarks

servicenowAllHistoryIncident - INC0000...Applic...Updat...

IncidentINC00000052

DiscussFollowUpdateResolveDelete

NumberINC0000052

* CallerAdela Cervantsz

DepartmentCustomer Support

★ CategorySoftware

Subcategory-- None --

Service

Service offering

Configuration itemSAP Financial Accounting

* Short descriptionSAP Financial Accounting application appears to be down

DescriptionMain menu doesn't load when I open the SAP Financial Accounting application.

ChannelPhone

StateIn Progress

Impact1 - High

Urgency1 - High

Priority1 - Critical

Assignment groupSoftware

Assigned toFred Luddy

Related Search Results >

NotesRelated RecordsResolution Information

Watch list

Work notes list

Work notes

Comments (Customer visible)Post

When **Short Description** is empty, prevent user from submitting the form

The screenshot shows the ServiceNow Client Script editor. The browser address bar displays `dev364702.service-now.com/now/nav/ui/...`. The ServiceNow header includes the logo, navigation tabs (All, History), and a breadcrumb for 'Client Script - 9. W...'. The main title of the script is '9. When Short Description is empty, prev'. A notification bar states 'Client Script inserted'. A detailed message explains that new client-scripts run in strict mode with disabled direct DOM access and that the 'Isolate script' field can be used to configure this behavior. The script configuration fields are as follows:

Field	Value
Name	9. When Short Description is empty, prev
Table	Incident [incident]
UI Type	Desktop
Type	onSubmit
Application	Global
Active	☒
Inherited	☐
Global	☒

The Description field is empty. The Messages field is empty with a 'Toggle Check Syntax' button. The Script field contains the following JavaScript code:

```
1 function onSubmit() {  
2     if (g_form.getValue('short_description') == '' ||  
3         g_form.getValue('short_description') == null) {  
4         g_form.addErrorMessage('Short Description cannot be  
5         empty!');  
6         return false;  
7     }  
8 }
```

The 'Isolate script' checkbox is checked.

dev364702.service-now.com/now/nav/ui/...

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2.... All Bookmarks

servicenow

AllHistory

Incident - INC0000...

Applic...
Updat...

Incident
INC00000052

DiscussFollowUpdateResolveDelete

The following mandatory fields are not filled in: Short description

NumberINC00000052

ChannelPhone

* CallerAdela Cervantsz

StateIn Progress

DepartmentCustomer Support

Impact1 - High

★ CategorySoftware

Urgency1 - High

Subcategory-- None --

Priority1 - Critical

Service

Assignment groupSoftware

Service offering

Assigned toFred Luddy

Configuration itemSAP Financial Accounting

* Short description

DescriptionMain menu doesn't load when I open the SAP Financial Accounting application.


Related Search Results

Related Search

Knowledge & Catalog

No results to display

When **State** changes to **In Progress**, show a message: *“Work has started on this incident”*.



The image shows two side-by-side screenshots of the ServiceNow interface. The left screenshot displays the 'Client Script' configuration page for the 'When State changes to In Progress' event. The script is written in JavaScript and triggers a message when the state changes to 'In Progress'. The right screenshot shows the 'Incident' form for incident INC0010009, where the state is set to 'In Progress' and a message 'Work has started on this incident' is displayed at the top.

Client Script Configuration (Left):

- Type: onChange
- Field name: State
- Script:

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2   if (isLoading || newValue === '') {
3     return;
4   }
5   if (newValue == 'In Progress') {
6     g_form.addInfoMessage("Work has started on this incident");
7   }
8 }
```

Incident Form (Right):

- Number: INC0010009
- Channel: -- None --
- * State: In Progress
- Impact: 1 - High
- Urgency: 1 - High
- Priority: 1 - Critical
- Assignment group: --
- Assigned to: --
- * Short description: Printer not working in admin office
- Description: Shared office printer is offline and not printing documents

When a **Caller** is selected, fetch the user's **Location** and display it in a field

The screenshot shows the ServiceNow Incident form for INC0010009. The form is displayed in a web browser window. The top navigation bar includes the ServiceNow logo, a search bar, and various icons. The incident details are as follows:

Field	Value
Number	INC0010009
Channel	-- None --
* Caller	Allan Schwantd
* State	In Progress
Department	Sales
Impact	1 - High
* Category	Hardware
Urgency	1 - High
Subcategory	-- None --
Priority	1 - Critical
Service	
Assignment group	
Service offering	
Assigned to	
Configuration item	
* Short description	Printer not working in admin office
Description	Shared office printer is offline and not printing documents
Location	400 Pryor Street Southwest, Atlanta,GA

Below the form, there is a section for "Related Search Results" and a "Notes" tab. The "Notes" tab is currently selected, showing a "Watch list" and a "Work notes list".

If the **Caller** belongs to HR department, make **Priority** read-only

Client Script - If the Caller belongs to HR department

New client scripts are run in strict mode, with direct DOM access disabled. As jQuery, prototype and the window object are likewise disabled. To disable this on a per script basis, configure this form and add the "isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "global.script.block.client.globals" to false.

Name	If the Caller belongs to HR department	Application	Global
Table	Incident (incident)	Active	☒
UI Type	All	Inherited	☐
Type	onChange	Global	☒
Field name	Caller		

Description @+

Messages @+

```
Script @+
1 function onChange(control, oldValue, newValue, isLoading) {
2   if (isLoading || newValue === '') {
3     return;
4   }
5   g_form.getReference('caller_id', function(caller) {
6     if (caller.department == 'psc022c0e0eb9d9cc0b34cf5fe') {
7       g_form.setfieldOnly('priority', true);
8     } else {
9       g_form.setfieldOnly('priority', false);
10    }
11  });
12 }
13 }
```

Isolate script ☒

Update Delete

Related Links
Run Point Scan

Version	Recorded at	State	Source	Reverted from
vsc_client_e449207933003094678594805db6	2026-04-24 02:25:14	Current	Update Set Default	

Incident - Create INCO0010027

Number: INCO0010027 Channel: -- None --

* Caller: Warren Speech * State: New

Department: HR Impact: 1 - High

* Category: Inquiry / Help Urgency: 1 - High

Subcategory: -- None -- Priority: 1 - Critical

Service: Assignment group: [dropdown]

Service offering: Assigned to: [dropdown]

Configuration item:

* Short description: [text area]

Description: [text area]

Related Search Results ▼

Related Search @ Knowledge & Catalog (vaw)

No results to display

Location: Paradise Road, Richmond, London

Notes | Related Records | Resolution Information

Watch list [icon] Work notes list [icon]

Comments (Customer visible) [text area]

Work notes [yellow box]

When **Caller** is inactive, show an error message and prevent form submission

The screenshot shows the ServiceNow interface with two panels. The left panel is the 'Client Script - When Caller is Inactive' configuration page. The script is set to 'onChange' for the 'Caller' field. The script code is as follows:

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue === '') {
        return;
    }
    g_form.getReference('caller_id', function(caller) {
        if (caller.active == 'false') {
            g_form.showErroring(
                'caller_id',
                'Selected caller is inactive. Please choose an active caller.',
                'error'
            );
        } else {
            g_form.hideErroring('caller_id', true);
        }
    });
}
```


The right panel shows the 'Incident - Create INC0010029' form. The 'Caller' field is set to 'Aqib Muehtas'. A red error message is displayed: 'Selected caller is inactive. Please choose an active caller.' The form includes fields for Number, Channel, State, Impact, Urgency, Priority, Department, Category, Subcategory, Service, Assignment group, and Assigned to. The 'Related Search' section shows 'No results to display'.

The screenshot shows the ServiceNow interface with two panels. The left panel is the 'Client Script - When Caller is Inactive on save' configuration page. The script is set to 'onSubmit' for the 'Caller' field. The script code is as follows:

```
function onSubmit() {
    g_form.showErrorMessage(
        'caller_id',
        'Selected caller is inactive. You cannot submit.',
        'error'
    );
    return false;
}
```

The right panel shows the 'Incident - Create INC0010033' form. The 'Caller' field is set to 'Aqib Muehtas'. A red error message is displayed: 'Selected caller is inactive. Please choose an active caller. You cannot submit.' The form includes fields for Number, Channel, State, Impact, Urgency, Priority, Department, Category, Subcategory, Service, Service offering, Configuration item, and Description. The 'Related Search' section shows 'No matching results found for pppp'.

If Caller's email contains "admin", display a warning message



The image shows two side-by-side screenshots of the ServiceNow interface. The left screenshot displays a Client Script configuration for the 'Incident' table, triggered on the 'Caller' field. The script checks if the caller's email contains 'admin' and shows a warning message. The right screenshot shows the 'Incident - Create' form with the 'Caller' field set to 'Certification Admin', which has triggered the warning message.

Client Script Configuration (Left Screenshot):

- Table: Incident [Incident]
- UI Type: Desktop
- Type: onChange
- Field name: Caller
- Script:

```
1 function onChange(control, oldValue, newValue, isLoading) {  
2     if (isLoading)  
3         return;  
4     g_form.getReference('caller_id', function(caller) {  
5         if (caller.email && caller.email.includes('admin')) {  
6             g_form.showFieldMsg(  
7                 'caller_id',  
8                 'The chosen caller has "admin" in the email',  
9                 'warning'  
10            );  
11        }  
12    });  
13 }  
14 }  
15 }
```


Incident Form (Right Screenshot):

- Number: INC0010039
- Caller: Certification Admin
- Channel: -- None --
- State: New
- Impact: 1 - High
- Priority: 1 - Critical
- Category: Inquiry / Help
- Subcategory: -- None --
- Service: --
- Service offering: --
- Configuration item: --
- Short description: --
- Description: --

Update Versions Table (Bottom Left):

Name	Recorded at	State	Source	Reverted from
sys_script_client_9baa3bbb93900310f4a7b295d03d693	2026-04-24 02:48:17	Current	Update Set: Default	(empty)
sys_script_client_9baa3bbb93900310f4a7b295d03d693	2026-04-24 02:42:13	Previous	Update Set: Default	(empty)
sys_script_client_9baa3bbb93900310f4a7b295d03d693	2026-04-24 02:40:03	Previous	Update Set: Default	(empty)

When **Caller's department is IT**, automatically assign the incident to “IT Support Group”



The image shows two side-by-side screenshots of the ServiceNow interface. The left screenshot displays a Client Script configuration page titled "Client Script - Whe...". The script is designed to automatically assign an incident to the "IT Support Group" when the caller's department is IT. The script code is as follows:

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2   if (isLoading || !newValue) return;
3   if (g_form.getReference('caller_id', function(caller) {
4     if (caller.department === 'IT') {
5       g_form.setValue('assignment_group', '1974e11a93088310f4a7fb295d03d6d1');
6     }
7   }));
8 }
9
```


The right screenshot shows the "Incident - Create IN..." form. The form fields are populated with the following values:

- Number: INC0010060
- Channel: -- None --
- Caller: Alfonso Griglen
- State: New
- Department: IT
- Category: Inquiry / Help
- Subcategory: -- None --
- Service:
- Service offering:
- Configuration item:
- Short description:
- Description:
- Impact: 1 - High
- Urgency: 1 - High
- Priority: 1 - Critical
- Assignment group: IT Team
- Assigned to:

The bottom of the image shows a Windows taskbar with the date and time 5:10 PM 4/24/2026.

Advanced

Combine Caller Name + Category and auto-fill in Short Description



The image shows two side-by-side screenshots of the ServiceNow interface. The left screenshot displays a Client Script configuration page titled "Client Script - Caller Name + Category in Short Descript". The script is designed to auto-fill the "Short description" field based on the "Caller" and "Category" values. The right screenshot shows an Incident form with the "Short description" field populated with "Abel Tuter - inquiry".

Client Script Code:

```
1 function onChange(control, oldValue, newValue,
5
6     var callerName = g_form.getDisplayValue('caller_id');
7     var category = g_form.getValue('category');
8
9     g_form.setValue('short_description', callerName + '
10 }
```

Incident Form Fields:

- Caller: Abel Tuter
- State: New
- Department: Product Management
- Impact: 1 - High
- Category: Inquiry / Help
- Urgency: 1 - High
- Subcategory: -- None --
- Priority: 1 - Critical
- Service:
- Assignment group:
- Service offering:
- Assigned to:
- Configuration item:
- Short description: Abel Tuter - inquiry
- Description:

If Impact = High and Urgency = High, show a warning message: “Critical Incident”.

The screenshot shows the ServiceNow interface with two panels. The left panel is the 'Client Script' editor, titled 'Client Script If Impact = High & Urgency = high'. It contains a JavaScript function:

```
1 function onChange(control, oldValue, newValue,
2   isloading, isTemplate) {
3   if (isloading) {
4     return;
5   }
6   var impact = g_form.getValue('impact');
7   var urgency = g_form.getValue('urgency');
8
9   if (impact == '1' && urgency == '1') {
10    g_form.addInfoMessage('⚠ Critical Incident');
11  }
12 }
```


The right panel shows the 'Incident - Create' form. The 'Impact' field is set to '1 - High' and the 'Urgency' field is set to '1 - High'. A warning message '⚠ Critical Incident' is displayed at the top of the form.

The screenshot shows the ServiceNow interface with two panels. The left panel is the 'Client Script' editor, titled 'Client Script If Urgency = High Impact = High'. It contains a JavaScript function:

```
1 function onChange(control, oldValue, newValue,
2   isloading, isTemplate) {
3   if (isloading) {
4     return;
5   }
6   var impact = g_form.getValue('impact');
7   var urgency = g_form.getValue('urgency');
8
9   if (impact == '1' && urgency == '1') {
10    g_form.addInfoMessage('⚠ Critical Incident');
11  }
12 }
```

The right panel shows the 'Incident - Create' form. The 'Impact' field is set to '1 - High' and the 'Urgency' field is set to '1 - High'. A warning message '⚠ Critical Incident' is displayed at the top of the form.

When **Assignment Group** is selected, make **Assigned To** mandatory



The image shows two side-by-side screenshots of the ServiceNow interface. The left screenshot displays a Client Script configuration page titled "Client Script - ...". The script is set to trigger "When Assignment Group is selected". The script code is as follows:

```
1 function onChange(control, oldValue, newValue,
7 // Assignment Group is selected
8 g_form.setMandatory('assigned_to', true);
9 } else {
10 // Assignment Group is cleared
11 g_form.setMandatory('assigned_to', false);
12 }
13 }
```

The right screenshot shows an Incident form titled "Incident - Cre...". The form includes fields for Number (INC0010097), Channel, State, Impact, Urgency, Priority, Assignment group (Admin Team), and Assigned to. A tooltip "Lookup using list" is visible over the Assignment group field. The Assigned to field is marked as mandatory with an asterisk.