


1. Quantity vs Available Dishes

The screenshot shows the ServiceNow Client Script editor for a script named "Quantity vs Available Dishes". The script is associated with the "Restaurant Order" form and the "Quantity" field. The script is set to be "Active", "Inherited", and "Global".

The script code is as follows:

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2   if (isLoading || newValue === '') {
3     return;
4   }
5
6   var qty = parseInt(newValue, 10);
7   var available = parseInt(g_form.getValue('u_available_dishes'), 10);
8
9   g_form.hideFieldMsg('u_quantity', true);
10
11   if (qty > available) {
12     g_form.addErrorMessage('Quantity cannot be greater than available (' +
13       available + ').');
14     g_form.showFieldMsg('u_quantity',
15       'Quantity cannot be greater than available (' + available + ').',
16       'error');
17     g_form.setValue('u_quantity', '');
18   }
19 }
```



2. Auto-Set Cuisine Type

The screenshot shows the ServiceNow interface for configuring a Client Script. The browser address bar shows `dev364702.service-now.com/now/nav/ui/...`. The page title is "Client Script - Auto-Set Cuisine Type".

Client Script Configuration:

- Name: Auto-Set Cuisine Type
- Table: Restaurant Order [u_restauran...]
- UI Type: All
- Type: onChange
- Field name: Restaurant
- Application: Global
- Active: ☒
- Inherited: ☐
- Global: ☒

Description:

Messages:

Script:

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {  
6   var cuisineMap = {  
8     'sakura': 'Japanese',  
9     'burger_hub': 'Fast Food'  
10  };  
11  
12  g_form.setValue('u_cuisine_type', cuisineMap[newValue]);  
13 }
```

Isolate script: ☒


Update **Delete**

Related Links
[Run Point Scan](#)

Versions Recorded at Search

Update Versions

Name	Recorded at	State	Source	Reverted from
sys_script_client_389aa17e93104710f4a7fb295d03d62c	2026-04-20 14:06:56	Current	Update Set: Default	(empty)





3. Show/Hide “Spice Level”

The screenshot shows the ServiceNow interface for editing a Client Script. The browser address bar displays `dev364702.service-now.com/now/nav/ui/classic/para...`. The ServiceNow header includes the logo, a search bar, and a user profile icon. The page title is "Client Script onload spice". The script editor shows the following code:

```
1 function onLoad() {  
2     g_form.setVisible('u_spice_level', false);  
3 }  
4
```

Below the script editor, the "Isolate script" checkbox is checked. At the bottom, there are "Update" and "Delete" buttons.





dev364702.service-now.com/now/nav/ui/classic/para...

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2.... All Bookmarks

servicenow

Restaurant Or... ☆

A.. U. 🔍 🌐 1 🗨️ ⋮ 👤

< ≡ Restaurant Order New record

🔗 ? ⚙️ ⋮ Submit

Restaurant

Tikka ▾

Cuisine Type

Indian

Number

ORD 0041

Spice Level

-- None -- ▾

Assigned to

🔍

Configuration item

🔍

Active

☒

Short description

Priority

4 - Low ▾

State

Open

Parent

🔍

4. Prevent Invalid Order Submission

The screenshot shows a web browser window displaying a ServiceNow form titled "Restaurant Order - ...". The browser's address bar shows the URL "dev364702.service-now.com/now/nav/ui/classic/...". The ServiceNow header includes the logo and a navigation menu. The form is titled "Restaurant Order New record". A red error message at the top states: "⊗ Cannot submit - quantity is empty or zero!". The form fields are as follows:

Field	Value
Restaurant	-- None --
Cuisine Type	
Number	ORD 0056
Priority	4 - Low
State	Open
Parent	
Assigned to	
Configuration item	
Active	☒
Short description	
Description	
Work notes	
* Dish Name	Pasta
Quantity	-- None --
Assigned	

dev364702.service-now.com/now/nav/ui/classic/...

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2... All Bookmarks

servicenow Client Script - Prev... Update Delete

Client Script Prevent Invalid Order Submission

Description

Messages

Script

```
1 function onSubmit() {
2   var qty = g_form.getValue('u_quantity');
3   alert('quantity value is: ' + qty);
4 }function onSubmit() {
5   var qty = g_form.getValue('u_quantity');
6   if (qty === '' || qty === null || qty === '0') {
7     g_form.addErrorMessage('Cannot submit - quantity is
8     empty or zero!');
9     return false;
10  }
```

Isolate script ☒

Update Delete

Related Links

Run Point Scan

Versions Recorded at Search

Actions on selected rows... New

Update Versions

5. Auto Calculate Total Price

The screenshot shows the ServiceNow Client Script editor for a field named 'Quantity'. The script is designed to auto-calculate the total price based on the selected dish and quantity.

Field name: Quantity

Description:

Messages:

Script:

```
1 function onChange(control, oldValue, newValue, isLoading, isTemplate) {
2
3     if (isLoading || newValue === '') {
4         return;
5     }
6
7     var prices = {
8         'Pizza': 100,
9         'Burger': 80,
10        'Sushi': 120
11    };
12
13    var dish = g_form.getValue('u_dish_name');
14    var quantity = parseInt(newValue, 10);
15
16    if (!dish || isNaN(quantity) || quantity <= 0) {
17        g_form.setValue('u_total_amount', '');
18        return;
19    }
20
21    var price = prices[dish];
22
23    if (price !== undefined) {
24        var total = price * quantity;
25        g_form.setValue('u_total_price', 'USD: ' + total);
26    } else {
27        g_form.setValue('u_total_amount', '');
28    }
29 }
```

6. Prevent Ordering Same Dish Twice

dev364702.service-n...

New Chrome available

Gmailcie-a2-biology-970...192.168.1.1/index2...All Bookmarks

servicenowClient Script - dish 1

Client Scriptdish 1

TypeonChangeGlobal☒

Field nameDish Name

Description<>

Messages<>

Script<>

1function onChange(control, oldValue, newValue, isLoading, isTemplate) {

2 if (isLoading || newValue === '') {

3 return;

4 }

5

6 var dish1 = g_form.getValue('u_dish_name');

7 var dish2 = g_form.getValue('u_dish_2_name');

8

9 if (dish1 && dish2 && dish1 === dish2) {

10 g_form.showFieldMsg(

11 'u_dish_name',

12 'This dish is already selected in Dish 2',


13 'error'

14);

15 }

Isolate script☒

UpdateDelete



dev364702.service-n... New Chrome available

Gmail PDF cie-a2-biology-970... 192.168.1.1/index2... All Bookmarks

servicenow All Restaurant Order - ... Application scope: Global Update set: Default [Global]

Restaurant Order New record Submit

Assigned to

Configuration item

Active ☒

Short description

Description

Work notes

* Dish Name
This dish is already selected in Dish Name 2. Please choose a different dish.

Dish Name 2
This dish is already selected in Dish Name. Please choose a different dish.

Quantity

Assigned Waiter

Available Dishes

7. Limit Maximum Items per Order

dev364702.service-n...

New Chrome available

Gmailcie-a2-biology-970...192.168.1.1/index2...All Bookmarks

servicenowClient Script - max ...

Client Scriptmax 3 per order

typeonChangeGlobal

Field nameQuantity

Description

Messages

Script

function onChange(control, oldValue, newValue, isLoading, isHidden) {
 return;
}

var quantity = parseInt(newValue,10);

if (isNaN(quantity)){
 g_form.showFieldMsg('u_quantity', 'Enter a valid number','error');
 return;
}

if(quantity > 3){
 g_form.showFieldMsg('u_quantity','Maximum 3 per order','error');
}

Isolate script

dev364702.service-n...

New Chrome available

GmailPDFcie-a2-biology-970...192.168.1.1/index2....All Bookmarks

servicenow

All

Restaurant Order - ...

Application scope: Global
Update set: Default [Global]

<≡Restaurant Order
New record

Submit

Assigned to

Configuration item

Active

☒

Short description

Description

Work notes

* Dish Name

Pasta

This dish is already selected in Dish Name 2. Please choose a different dish.

Dish Name 2

Pasta

This dish is already selected in Dish Name. Please choose a different dish.

Quantity

4

Maximum 3 per order

Assigned Waiter

Available

8. Delivery Type control

dev364702.service-n...

New Chrome available

Gmail

cie-a2-biology-970...

192.168.1.1/index2...

All Bookmarks

servicenow

All

Client Script - deliv...

Application scope: Global

Update set: Default [Global]

Client Script

delivery onchange

Update

Delete

Name

delivery onchange

Application

Global

Table

Restaurant Order [u_r...

Active

☒

UI Type

Desktop

Inherited

☐

Type

onChange

Global

☒

Field name

Delivery Type

Description

Messages

Script

function

onChange

(control, oldValue, newValue, isLoading,

return;

}

}

if

(newValue === 'delivery')

{

g_form.setDisplay('u_address', true);

}

else

{

g_form.setDisplay('u_address', false);

}

}

}

Isolate script

☒

dev364702.service-n...

New Chrome available

Gmail

cie-a2-biology-970...

192.168.1.1/index2....

All Bookmarks

servicenow

All

Restaurant Order - ...

Application scope: Global
Update set: Default [Global]

Restaurant Order
New record

Submit

Restaurant

-- None --

Priority

4 - Low

Delivery Type

Pickup

* State

Open

Cuisine Type

Parent

Number

ORD 0082

Assigned to

Configuration item

Active

☒

Short description

Description

Work notes

* Dish Name

Pasta

This dish is already selected in Dish Name 2. Please choose a different dish.

Dish Name 2

Pasta

dev364702.service-n...

New Chrome available

Gmail

cie-a2-biology-970...

192.168.1.1/index2....

All Bookmarks

servicenow

All

Restaurant Order - ...

Application scope: Global
Update set: Default [Global]

Restaurant Order
New record

Submit

Restaurant

-- None --

Priority

4 - Low

Delivery Type

Delivery

* State

Open

Cuisine Type

Parent

Address

Number

ORD 0082

Assigned to

Configuration item

Active

☒

Short description

Description

Work notes

* Dish Name

Pasta

This dish is already selected in Dish Name 2. Please choose a different dish.