

Отчёт по лабораторной работе №5

Швед Карина¹

10 февраля, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы

Цель лабораторной работы

Получение навыков как правильно работать с pass,а также управлять файлами конфигурации

Выполнение

```
foot
[kshved@vbox ~]$ sudo dnf install pass pass-otp
[sudo] пароль для kshved:
Обновление и загрузка репозитория:
Fedora 41 - x86_64 100% | 8.4 KiB/s | 26.8 KiB | 00m0
Fedora 41 - x86_64 - Updates 100% | 8.3 KiB/s | 25.8 KiB | 00m0
Copr repo for gitflow owned by elegos 100% | 604.0 B/s | 1.5 KiB | 00m0
Fedora 41 - x86_64 - Updates 100% | 389.9 KiB/s | 4.1 MiB | 00m1
Репозитории загружены.
Пакет Арх. Версия Репозиторий Разм
Установка:
pass noarch 1.7.4-11.fc41 fedora 129.0 K
pass-otp noarch 1.2.0-15.fc41 fedora 59.1 K
Установка зависимостей:
liboath x86_64 2.6.12-1.fc41 updates 97.8 K
oathtool x86_64 2.6.12-1.fc41 updates 98.1 K
qrencode x86_64 4.1.1-8.fc41 fedora 41.7 K
Сводка транзакции:
Установка: 5 пакетов
Общий размер входящих пакетов составляет 207 KiB. Необходимо загрузить 207 KiB.
После этой операции будут использоваться дополнительные 426 KiB (установка 426 KiB, удаление 0 B).
Is this ok [y/N]: y
(1/5) pass-otp-0:1.2.0-15.fc41.noarch 100% | 32.2 KiB/s | 28.4 KiB | 00m0
(2/5) qrencode-0:4.1.1-8.fc41.x86_64 100% | 28.3 KiB/s | 25.3 KiB | 00m0
(3/5) pass-0:1.7.4-11.fc41.noarch 100% | 57.7 KiB/s | 58.5 KiB | 00m0
(4/5) oathtool-0:2.6.12-1.fc41.x86_64 100% | 270.4 KiB/s | 46.0 KiB | 00m0
(5/5) liboath-0:2.6.12-1.fc41.x86_64 100% | 259.2 KiB/s | 48.7 KiB | 00m0
-----
(5/5) Total 100% | 27.5 KiB/s | 206.9 KiB | 00m0
Выполнение транзакции
(1/7) Проверить файлы пакета 100% | 500.0 B/s | 5.0 B | 00m0s
(2/7) Подготовить транзакцию 100% | 5.0 B/s | 5.0 B | 00m0s
(3/7) Установка qrencode-0:4.1.1-8.fc41.x86_64 100% | 218.2 KiB/s | 42.6 KiB | 00m0s
(4/7) Установка pass-0:1.7.4-11.fc41.noarch 100% | 749.0 KiB/s | 134.1 KiB | 00m0s
(5/7) Установка liboath-0:2.6.12-1.fc41.x86_64 100% | 467.2 KiB/s | 99.0 KiB | 00m0s
(6/7) Установка oathtool-0:2.6.12-1.fc41.x86_64 100% | 1.3 MiB/s | 99.2 KiB | 00m0s
(7/7) Установка pass-otp-0:1.2.0-15.fc41.noarch 100% | 47.0 KiB/s | 60.3 KiB | 00m0s
Завершено!
[kshved@vbox ~]$
```

проверка gpg keys

```
Завершено!  
[kshved@vbox ~]$ gpg --list-secret-keys  
[keyboxd]  
-----  
sec   rsa4096 2025-03-08 [SC]  
      DC6109F2747A9418EAFDDC42C6818638FED6FFD0  
uid    [ абсолотно ] Karina <karina.shveddd@gmail.com>  
ssb    rsa4096 2025-03-08 [E]  
  
[kshved@vbox ~]$ █
```

Рис. 2: проверка gpg keys

инициализация хранилища с использованием этого ключа

```
[kshved@vbox ~]$ pass init karina.shveddd@gmail.com  
mkdir: создан каталог '/home/kshved/.password-store/'  
Password store initialized for karina.shveddd@gmail.com  
[kshved@vbox ~]$
```

Рис. 3: инициализация хранилища с использованием этого ключа

настройка Git-репозитория

```
[kshved@vbox ~]$ cd ~/.password-store
[kshved@vbox ~/.password-store]$ pass git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Инициализирован пустой репозиторий Git в /home/kshved/.password-store/.git/
[master (корневой коммит) 649595d] Add current contents of password store.
1 file changed, 1 insertion(+)
create mode 100644 .gpg-id
[master e0ff768] Configure git repository for gpg file diff.
1 file changed, 1 insertion(+)
create mode 100644 .gitattributes
[kshved@vbox ~/.password-store]$
```

Рис. 4: настройка Git-репозитория в каталоге .password-store

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk ().*

Repository template

No template ▾

Start your repository with a template repository's contents.

Owner *

 karinashved ▾

Repository name *

passwords

 passwords is available.

Great repository names are short and memorable. Need inspiration? How about [reimagined-tribble](#) ?

Description (optional)

☐  **Public**

Anyone on the internet can see this repository. You choose who can commit.

☒  **Private**

You choose who can see and commit to this repository.

Рис. 5: создание репозитория

настройка Browserpass




Рис. 6: настройка Browserpass

native messaging

```
ksheved@vbox: ~$ echo $XDG_SESSION_TYPE
wayland
ksheved@vbox: ~$ ls
public-key.asc  sway.log  Видео  Загрузки  Музыка  "Рабочий стол"
ksheved@vbox: ~$ sudo dnf copr enable maximbaz/browserpass
[sudo] пароль для ksheved:
https://copr.fedorainfracloud.org/api_3/примеры/maximbaz/browserpass/fedora 100% | 237.0 B/s | 662.0 B | 00m03s
назначение репозитория Copr. Обратите внимание, что этот репозиторий не является частью
основного дистрибутива, и его качество может отличаться.

Проект Fedora не имеет никакой власти над содержимым
и предоставляет права, изложенные в Copr FAQ по адресу
https://docs.pagure.org/Copr/copr/user_documentation.html#what-i-can-build-in-copr,
пакеты не имеют никаких требований к качеству или уровню безопасности.

Пожалуйста, не публикуйте сообщения об ошибках, связанных с этими пакетами, в Fedora
bugzilla. В случае возникновения проблем обращайтесь к владельцу этого репозитория.
Is this ok [y/N]: y
ksheved@vbox: ~$ sudo dnf install browserpass
Обновление и загрузка репозитория:
Copr repo for browserpass owned by maximbaz
Репозиторий загружен.

```

	Арх.	Версия	Репозиторий	Размер
Установка:				
browserpass	x86_64	3.1.0-2.fc41	updates	3.1 MiB

```


Ввод транзакции:
Установка: 1 пакета

Общий размер входных пакетов составляет 1 MiB. Необходимо загрузить 1 MiB.
После этой операции будут использоваться дополнительные 3 MiB (установка 3 MiB, удаление 0 B).
Is this ok [y/N]: y
1/1) browserpass-0:3.1.0-2.fc41.x86_64
-----
1/1) Total
-----
100% | 162.0 KiB/s | 1.2 MiB | 00m07s
Заключение транзакции
1/3) Проверить файлы пакета
100% | 100.0 B/s | 1.0 B | 00m00s
2/3) Подготовить транзакцию
100% | 1.0 B/s | 1.0 B | 00m01s
3/3) Установка browserpass-0:3.1.0-2.fc41.x86_64
100% | 3.2 MiB/s | 3.1 MiB | 00m01s
Готово!
ksheved@vbox: ~$
```

Рис. 7: native messaging

Управление файлами конфигурации. Установка шрифтов и ПО.

Проверка шрифтов

A terminal window titled 'foot' showing the execution of the command 'fc-list | grep iosevka'. The output lists various Iosevka font families and their styles, such as 'Iosevka Curly, Iosevka Curly Extrabold', 'Iosevka Slab, Iosevka Slab Thin', and 'Iosevka Aile, Iosevka Aile Bold Oblique'.

```
foot
[kshved@vbox ~]$ fc-list | grep iosevka
/usr/share/fonts/iosevka-curl-fonts/IosevkaCurly-ExtraBoldItalic.ttf: Iosevka Curly,Iosevka Curly Extrabold:style=Extrabold Italic,Italic
/usr/share/fonts/iosevka-slab-fonts/IosevkaSlab-ThinItalic.ttf: Iosevka Slab,Iosevka Slab Thin:style=Thin Italic,Italic
/usr/share/fonts/iosevka-aile-fonts/IosevkaAile-Regular.ttf: Iosevka Aile:style=Regular
/usr/share/fonts/iosevka-curl-fonts/IosevkaCurly-ExtendedBold.ttf: Iosevka Curly,Iosevka Curly Extended:style=Bold Extended,Bold
/usr/share/fonts/iosevka-curl-fonts/IosevkaCurly-BoldItalic.ttf: Iosevka Curly:style=Bold Italic
/usr/share/fonts/iosevka-term-fonts/IosevkaTerm-ExtendedLight.ttf: Iosevka Term,Iosevka Term Light Extended:style=Light Extended,Regular
/usr/share/fonts/iosevka-curl-fonts/IosevkaCurly-Regular.ttf: Iosevka Curly:style=Regular
/usr/share/fonts/iosevka-fonts/Iosevka-ExtendedExtraBoldItalic.ttf: Iosevka,Iosevka Extrabold Extended:style=Extrabold Extended Italic,Italic
/usr/share/fonts/iosevka-curl-fonts/IosevkaCurly-ExtendedLightOblique.ttf: Iosevka Curly,Iosevka Curly Lt Ex Oblique:style=Light Extended Oblique,Regular
/usr/share/fonts/iosevka-aile-fonts/IosevkaAile-BoldOblique.ttf: Iosevka Aile,Iosevka Aile Oblique:style=Bold Oblique,Bold
/usr/share/fonts/iosevka-term-fonts/IosevkaTerm-MediumOblique.ttf: Iosevka Term,Iosevka Term Medium Oblique:style=Medium Oblique,Regular
/usr/share/fonts/iosevka-aile-fonts/IosevkaAile-ThinOblique.ttf: Iosevka Aile,Iosevka Aile Thin Oblique:style=Thin Oblique,Regular
/usr/share/fonts/iosevka-slab-fonts/IosevkaSlab-Thin.ttf: Iosevka Slab,Iosevka Slab Thin:style=Thin,Regular
/usr/share/fonts/iosevka-fonts/Iosevka-ExtendedHeavy.ttf: Iosevka,Iosevka Heavy Extended:style=Heavy Extended,Regular
/usr/share/fonts/iosevka-slab-fonts/IosevkaSlab-Light.ttf: Iosevka Slab,Iosevka Slab Light:style=Light,Regular
/usr/share/fonts/iosevka-slab-fonts/IosevkaSlab-ExtendedLightItalic.ttf: Iosevka Slab,Iosevka Slab Light Extended:style=Light Extended Italic,Italic
/usr/share/fonts/iosevka-term-fonts/IosevkaTerm-ExtraBoldItalic.ttf: Iosevka Term,Iosevka Term Extrabold:style=Extra
```

Рис. 8: установка шрифтов и ПО. Проверка шрифтов

Установка chezmoi

[illegible]

Рис. 9: установка chezmoi

Создание нового репозитория для моих конфигурационных файлов на GitHub]

```
* b. Any arrangements, understandings, or agreements regarding the
* Licensed Material not stated herein are separate from and
* independent of the terms and conditions of this Public License.
*
*
*Section 8 -- Interpretation.
*
* a. For the avoidance of doubt, this Public License does not, and
* shall not be interpreted to, reduce, limit, restrict, or impose
* conditions on any use of the Licensed Material that could lawfully
* be made without permission under this Public License.
*
* b. To the extent possible, if any provision of this Public License is
* deemed unenforceable, it shall be automatically reformed to the
* minimum extent necessary to make it enforceable. If the provision
* cannot be reformed, it shall be severed from this Public License
* without affecting the enforceability of the remaining terms and
* conditions.
*
* c. No term or condition of this Public License will be waived and no
* failure to comply consented to unless expressly agreed to by the
* Licensor.
*
* d. Nothing in this Public License constitutes or may be interpreted
* as a limitation upon, or waiver of, any privileges and immunities
* that apply to the Licensor or You, including from the legal
* processes of any jurisdiction or authority.
*
*
*=====
*Creative Commons is not a party to its public
*licenses. Notwithstanding, Creative Commons may elect to apply one of
*its public licenses to material it publishes and in those instances
*will be considered the "Licensor." The text of the Creative Commons
*public licenses is dedicated to the public domain under the CC0 Public
*Domain Dedication. Except for the limited purpose of indicating that
*material is shared under a Creative Commons public license or as
*otherwise permitted by the Creative Commons policies published at
*creativecommons.org/policies, Creative Commons does not authorize the
*use of the trademark "Creative Commons" or any other trademark or logo
*of Creative Commons without its prior written consent including,
*without limitation, in connection with any unauthorized modifications
*to any of its public licenses or any other arrangements,
*understandings, or agreements concerning use of licensed material. For
*the avoidance of doubt, this paragraph does not form part of the
*public licenses.
```

```
--classic.  
vboxuser@hiy:~$ sudo snap install chezmoi --classic  
chezmoi 2.60.1 from Tom Payne (twpayne) installed  
vboxuser@hiy:~$ chezmoi init git@github.com:karinashved/dotfiles.git  
Cloning into '/home/vboxuser/.local/share/chezmoi'...  
remote: Enumerating objects: 100, done.  
remote: Counting objects: 100% (100/100), done.  
remote: Compressing objects: 100% (87/87), done.  
remote: Total 100 (delta 0), reused 99 (delta 0), pack-reused 0 (from 0)  
Receiving objects: 100% (100/100), 77.86 KiB | 876.00 KiB/s, done.  
vboxuser@hiy:~$
```

Рис. 11: скачиваю chezmoi на Ubuntu

Изменение конфигурационного файла

```
vboxuser@hiy:~$ chezmoi diff
diff --git a/.bashrc b/.bashrc
index eb094bf109778993b07f959e57106095e1d91950..6f6655caed8770cd28b2109b9eef47d5
1bd8893c 100664
--- a/.bashrc
+++ b/.bashrc
@@ -34,4 +34,3 @@
 fi
done

unset rc
-echo "Hello from Bash"
```

Рис. 12: изменение конфигурационного файла



```
GNU nano 7.2 /hone/vboxuser/.config/chezmoi/chezmoi.tonl
[data]
  email = "karina.shveddd@gmail.com"

[git]
  autoCommit = true
  autoPush = true
```

Рис. 13: настройка автоматизации

Выводы по проделанной работе

Я получила навыки как правильно работать с pass,а также управлять файлами конфигурации