

Kode Program Flutter – Praktikum 1 sampai 3

■ PRAKTIKUM 1 – Widget Dasar Flutter

Tujuan: Mengenal dan menggunakan widget dasar seperti Text, Image, Icon, dan ElevatedButton.

```
import 'package:flutter/material.dart';

void main() {
  runApp(const Praktikum1());
}

class Praktikum1 extends StatelessWidget {
  const Praktikum1({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      debugShowCheckedModeBanner: false,
      title: 'Praktikum 1 - Widget Dasar',
      home: Scaffold(
        appBar: AppBar(
          title: const Text('Widget Dasar Flutter'),
          backgroundColor: Colors.teal,
          centerTitle: true,
        ),
        body: const MyHomePage(),
      ),
    );
  }
}

class MyHomePage extends StatelessWidget {
  const MyHomePage({super.key});

  @override
  Widget build(BuildContext context) {
    return Center(
      child: Column(
        mainAxisAlignment: MainAxisAlignment.center,
        children: [
          const Text(
            'Halo Flutter!',
            style: TextStyle(
              fontSize: 24,
              fontWeight: FontWeight.bold,
              color: Colors.teal,
            ),
          ),
          const SizedBox(height: 20),
          Image.asset(
            'assets/images/logo.png',
            width: 120,
            height: 120,
          ),
        ],
      ),
    );
  }
}
```

```

        const SizedBox(height: 20),
        const Icon(
          Icons.star,
          color: Colors.amber,
          size: 50,
        ),
        const SizedBox(height: 20),
        ElevatedButton(
          onPressed: () {
            ScaffoldMessenger.of(context).showSnackBar(
              const SnackBar(content: Text('Tombol diklik!')),
            );
          },
          style: ElevatedButton.styleFrom(backgroundColor: Colors.teal),
          child: const Text('Klik Saya'),
        ),
      ],
    ),
  );
}
}

```

■ PRAKTIKUM 2 – Pengaturan Layout dengan Row dan Column

Tujuan: Memahami bagaimana mengatur posisi widget secara horizontal dan vertikal menggunakan Row dan Column.

```

import 'package:flutter/material.dart';

void main() {
  runApp(const Praktikum2());
}

class Praktikum2 extends StatelessWidget {
  const Praktikum2({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      title: 'Praktikum 2 - Layout Row & Column',
      debugShowCheckedModeBanner: false,
      home: Scaffold(
        appBar: AppBar(
          title: const Text('Row dan Column'),
          backgroundColor: Colors.deepPurple,
          centerTitle: true,
        ),
        body: const LayoutExample(),
      ),
    );
  }
}

class LayoutExample extends StatelessWidget {
  const LayoutExample({super.key});

  @override

```

```

Widget build(BuildContext context) {
  return Column(
    mainAxisAlignment: MainAxisAlignment.center,
    children: [
      const Text(
        'Contoh Layout Column',
        style: TextStyle(fontSize: 20, fontWeight: FontWeight.bold),
      ),
      const SizedBox(height: 20),
      Row(
        mainAxisAlignment: MainAxisAlignment.spaceEvenly,
        children: const [
          Icon(Icons.home, color: Colors.blue, size: 40),
          Icon(Icons.favorite, color: Colors.pink, size: 40),
          Icon(Icons.person, color: Colors.green, size: 40),
        ],
      ),
      const SizedBox(height: 40),
      const Text(
        'Layout Row di atas berisi tiga ikon yang sejajar secara horizontal.',
        textAlign: TextAlign.center,
      ),
    ],
  );
}

```

■ PRAKTIKUM 3 – Padding, Container, dan Align

Tujuan: Mengatur tata letak dan posisi widget menggunakan Container, Padding, SizedBox, dan Align.

```

import 'package:flutter/material.dart';

void main() {
  runApp(const Praktikum3());
}

class Praktikum3 extends StatelessWidget {
  const Praktikum3({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      title: 'Praktikum 3 - Container dan Padding',
      debugShowCheckedModeBanner: false,
      home: Scaffold(
        appBar: AppBar(
          title: const Text('Widget Layout'),
          backgroundColor: Colors.orange,
          centerTitle: true,
        ),
        body: const LayoutWidgetsExample(),
      ),
    );
  }
}

```

```

}

class LayoutWidgetsExample extends StatelessWidget {
  const LayoutWidgetsExample({super.key});

  @override
  Widget build(BuildContext context) {
    return Center(
      child: Container(
        width: 250,
        height: 250,
        padding: const EdgeInsets.all(20),
        decoration: BoxDecoration(
          color: Colors.orange[100],
          borderRadius: BorderRadius.circular(20),
          border: Border.all(color: Colors.orange, width: 2),
        ),
      ),
      child: Column(
        mainAxisAlignment: MainAxisAlignment.center,
        children: [
          const Text(
            'Container dengan Padding',
            textAlign: TextAlign.center,
            style: TextStyle(fontSize: 18, fontWeight: FontWeight.bold),
          ),
          const SizedBox(height: 20),
          Align(
            alignment: Alignment.bottomRight,
            child: ElevatedButton(
              onPressed: () {},
              style: ElevatedButton.styleFrom(backgroundColor: Colors.orange),
              child: const Text('Tombol'),
            ),
          ),
        ],
      ),
    );
  }
}

```