

```

import { useState } from "react";

const phases = [
  {
    id: "warm",
    label: "Warm Up",
    time: "0-3 min",
    color: "#C8A86B",
    icon: "👐",
    goal: "Build rapport, make them feel at ease",
    script: [
      { type: "say", text: "Hi [Name], so great to meet you! Thanks for making ti"},
      { type: "say", text: "Tell me a little about [student name] – what grade ar"},
      { type: "tip", text: "Let them talk first. Smile. This call should feel lik"}
    ]
  },
  {
    id: "discover",
    label: "Discover",
    time: "3-10 min",
    color: "#2C5F8A",
    icon: "🎯",
    goal: "Understand their fears, situation, and what they actually need",
    script: [
      { type: "ask", text: "What's your biggest worry about the college applicati"},
      { type: "ask", text: "Has your student started thinking about where they wa"},
      { type: "ask", text: "What does your student want their college experience"},
      { type: "tip", text: "Listen more than you talk here. Their answers tell yo"},
      { type: "tip", text: "Common answers to listen for: 'I don't know where to"}
    ]
  },
  {
    id: "connect",
    label: "Connect",
    time: "10-15 min",
    color: "#1A3A2A",
    icon: "👉",
    goal: "Show them you understand their world – and why you're uniquely qualifi",
    script: [
      { type: "say", text: "What you're describing is exactly what I help familie"},
      { type: "say", text: "My background is a little different. I've spent 10 ye"},
      { type: "say", text: "The families I work with tell me the biggest differen"},
      { type: "tip", text: "Don't recite your whole résumé. Drop 2-3 credentials"}
    ]
  }
]

```

```

},
{
  id: "present",
  label: "Present",
  time: "15-18 min",
  color: "#5C3D7A",
  icon: "📅",
  goal: "Present the right package based on what you heard – not all three",
  script: [
    { type: "say", text: "Based on what you've shared, I think the [Full Admiss"
    { type: "tip", text: "FULL ADMISSIONS ($4,500): Lead with this for families"
    { type: "tip", text: "ESSAY INTENSIVE ($1,500): Lead with this if the famil"
    { type: "tip", text: "VIP ($8,500): Only offer if they mention a very speci"
    { type: "say", text: "All sessions are virtual via Google Meet – no driving"
  ]
},
{
  id: "close",
  label: "Close",
  time: "18-20 min",
  color: "#6B3A2A",
  icon: "✅",
  goal: "Get a yes – or surface the real objection so you can address it",
  script: [
    { type: "ask", text: "Does that feel like the right level of support for [s"
    { type: "tip", text: "Then STOP TALKING. Let them respond. Silence after a"
    { type: "say", text: "IF YES: Wonderful! I'll send you the consulting agree"
    { type: "say", text: "IF 'WE NEED TO THINK': I completely understand. I do"
    { type: "say", text: "IF 'IT'S EXPENSIVE': I hear you. What I'd say is – th"
    { type: "say", text: "IF 'OUR COUNSELOR HANDLES THIS': That's great! Most s"
  ]
},
{
  id: "followup",
  label: "Follow Up",
  time: "Within 2 hrs",
  color: "#444",
  icon: "✉️",
  goal: "Strike while the iron is hot – send everything immediately after the c"
  script: [
    { type: "tip", text: "Send within 2 hours of the call. Every hour of delay"
    { type: "say", text: "EMAIL TEMPLATE:\n\nHi [Name],\n\nSo great connecting"
    { type: "tip", text: "IF NO RESPONSE IN 3 DAYS: Send one follow-up: 'Hi [Na"
  ]
}
];

```

```

const typeStyles = {
  say: { bg: "#EBF5FF", border: "#2C5F8A", label: "SAY THIS", labelColor: "#2C5F8A",
  ask: { bg: "#FFF8EB", border: "#C8A86B", label: "ASK THIS", labelColor: "#8A6C8A",
  tip: { bg: "#F0FBF4", border: "#1A3A2A", label: "PRO TIP", labelColor: "#1A3A2A"
};

export default function DiscoveryCall() {
  const [activePhase, setActivePhase] = useState(0);
  const [showTimer, setShowTimer] = useState(false);
  const [seconds, setSeconds] = useState(0);
  const [running, setRunning] = useState(false);
  const timerRef = typeof window !== "undefined" ? null : null;

  const startStop = () => {
    if (running) {
      setRunning(false);
    } else {
      setRunning(true);
      const interval = setInterval(() => {
        setSeconds(s => {
          if (!running) clearInterval(interval);
          return s + 1;
        });
      }, 1000);
    }
  };

  const fmt = (s) => `${Math.floor(s/60).toString().padStart(2,'0')}:${(s%60).toString().padStart(2,'0')}`;

  const phase = phases[activePhase];

  return (
    <div style={{ fontFamily: "'Georgia', serif", background: "#F8F5F1", minHeigh
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Libre+Baskerville:i
      * { box-sizing: border-box; }
      .phase-tab { cursor: pointer; transition: all 0.18s; border: none; backgr
      .phase-tab:hover { opacity: 0.85; }
      .card { animation: slideUp 0.22s ease; }
      @keyframes slideUp { from { opacity:0; transform:translateY(8px); } to {
      .nav-btn { cursor: pointer; transition: all 0.15s; border: none; }
      .nav-btn:hover { filter: brightness(0.92); }
    `}</style>

    { /* Header */ }
    <div style={{ background: "#1B2E4A", padding: "20px 20px 0", color: "#fff"
      <div style={{ maxWidth: 740, margin: "0 auto" }}>

```

```

<div style={{ display: "flex", justifyContent: "space-between", alignIt
  <div>
    <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 10, lett
    <h1 style={{ fontFamily: "'Libre Baskerville', serif", fontSize: "c
  </div>
  <div style={{ background: "rgba(255,255,255,0.08)", borderRadius: 10,
    <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 22, font
    <button onClick={() => setSeconds(s => running ? s : s)} style={{ f
      tap to reset
    </button>
  </div>
</div>

{/* Phase tabs */}
<div style={{ display: "flex", gap: 2, overflowX: "auto", paddingBottom
  {phases.map((p, i) => (
    <button
      key={i}
      className="phase-tab"
      onClick={() => setActivePhase(i)}
      style={{
        padding: "8px 12px 10px",
        borderRadius: "8px 8px 0 0",
        background: activePhase === i ? "#F8F5F1" : "rgba(255,255,255,0
        color: activePhase === i ? p.color : "rgba(255,255,255,0.6)",
        fontFamily: "'DM Sans', sans-serif",
        fontSize: 12, fontWeight: activePhase === i ? 700 : 400,
        whiteSpace: "nowrap", flexShrink: 0
      }}
    >
      {p.icon} {p.label}
      <span style={{ display: "block", fontSize: 9, opacity: 0.7, margi
    </button>
  )}}
</div>
</div>
</div>

{/* Content */}
<div style={{ maxWidth: 740, margin: "0 auto", padding: "24px 16px" }}>

  {/* Phase header */}
  <div className="card" style={{ marginBottom: 20 }}>
    <div style={{ display: "flex", alignItems: "center", gap: 12, marginBot
      <span style={{ fontSize: 28 }}>{phase.icon}</span>
    </div>
    <h2 style={{ fontFamily: "'Libre Baskerville', serif", fontSize: 20

```



```

<div style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, color:
  {activePhase + 1} / {phases.length}
</div>
<button
  className="nav-btn"
  onClick={() => setActivePhase(p => Math.min(phases.length - 1, p + 1)}
  disabled={activePhase === phases.length - 1}
  style={{
    background: activePhase === phases.length - 1 ? "#e8e4de" : phase.c
    color: activePhase === phases.length - 1 ? "#aaa" : "#fff",
    padding: "10px 22px", borderRadius: 8,
    fontFamily: "'DM Sans', sans-serif", fontSize: 13, fontWeight: 600,
    cursor: activePhase === phases.length - 1 ? "default" : "pointer"
  }}
  >Next </button>
</div>

{/* Objection quick ref */}
<div style={{ marginTop: 24, background: "#fff", borderRadius: 12, border
  <div style={{ padding: "12px 18px", background: "#1B2E4A" }}>
    <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, letter
  </div>
  {[
    ["We need to think about it", "Limited spots this summer – what quest
    ["It's too expensive", "Less than one semester of textbooks. The inve
    ["Our counselor handles this", "They're managing 300+ students. I wor
    ["My student isn't motivated", "Finding their story is what creates m
  ].map(([obj, res], i) => (
    <div key={i} style={{ padding: "10px 18px", borderTop: "1px solid #f0
      <div style={{ flexShrink: 0 }}>
        <span style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 10,
      </div>
      <div style={{ flex: 1 }}>
        <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, co
        <p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 12, co
      </div>
    </div>
  )))
</div>

<p style={{ fontFamily: "'DM Sans', sans-serif", fontSize: 11, color: "#b
  Kari Ursu · College Admissions Consulting · kariursu8@gmail.com
</p>
</div>
</div>

);
}

```

